

Problem 1084: Sales Analysis III

Problem Information

Difficulty: Easy

Acceptance Rate: 0.00%

Paid Only: No

Problem Description

Table:

Product

+-----+-----+ | Column Name | Type | +-----+-----+ | product_id | int | |
product_name | varchar | | unit_price | int | +-----+-----+ product_id is the primary key
(column with unique values) of this table. Each row of this table indicates the name and the
price of each product.

Table:

Sales

+-----+-----+ | Column Name | Type | +-----+-----+ | seller_id | int | |
product_id | int | | buyer_id | int | | sale_date | date | | quantity | int | | price | int |
+-----+-----+ This table can have duplicate rows. product_id is a foreign key
(reference column) to the Product table. Each row of this table contains some information
about one sale.

Write a solution to report the

products

that were

only

sold in the first quarter of

2019

. That is, between

2019-01-01

and

2019-03-31

inclusive.

Return the result table in

any order

.

The result format is in the following example.

Example 1:

Input:

```
Product table: +-----+-----+-----+ | product_id | product_name | unit_price |
+-----+-----+-----+ | 1 | S8 | 1000 | | 2 | G4 | 800 | | 3 | iPhone | 1400 |
+-----+-----+-----+ Sales table:
+-----+-----+-----+ | seller_id | product_id | buyer_id |
sale_date | quantity | price | +-----+-----+-----+ | 1 | 1 | 1 |
| 2019-01-21 | 2 | 2000 | | 1 | 2 | 2 | 2019-02-17 | 1 | 800 | | 2 | 2 | 3 | 2019-06-02 | 1 | 800 | | 3 |
3 | 4 | 2019-05-13 | 2 | 2800 | +-----+-----+-----+
```

Output:

```
+-----+-----+ | product_id | product_name | +-----+-----+ | 1 | S8 |
+-----+-----+
```

Explanation:

The product with id 1 was only sold in the spring of 2019. The product with id 2 was sold in the spring of 2019 but was also sold after the spring of 2019. The product with id 3 was sold after spring 2019. We return only product 1 as it is the product that was only sold in the spring of 2019.

Code Snippets

MySQL:

```
# Write your MySQL query statement below
```

MS SQL Server:

```
/* Write your T-SQL query statement below */
```

PostgreSQL:

```
-- Write your PostgreSQL query statement below
```

Oracle:

```
/* Write your PL/SQL query statement below */
```

Pandas:

```
import pandas as pd

def sales_analysis(product: pd.DataFrame, sales: pd.DataFrame) ->
pd.DataFrame:
```

Solutions

MySQL Solution:

```
# Write your MySQL query statement below
```

MS SQL Server Solution:

```
/* Write your T-SQL query statement below */
```

PostgreSQL Solution:

```
-- Write your PostgreSQL query statement below
```

Oracle Solution:

```
/* Write your PL/SQL query statement below */
```

Pandas Solution:

```
import pandas as pd

def sales_analysis(product: pd.DataFrame, sales: pd.DataFrame) ->
pd.DataFrame:
```