

# Problem 3055: Top Percentile Fraud

## Problem Information

Difficulty: Medium  
Acceptance Rate: 0.00%  
Paid Only: No

## Problem Description

Table:

Fraud

+-----+-----+ | Column Name | Type | +-----+-----+ | policy\_id | int | | state |  
varchar | | fraud\_score | int | +-----+-----+ policy\_id is column of unique values for this  
table. This table contains policy id, state, and fraud score.

The Leetcode Insurance Corp has developed an ML-driven

predictive model

to detect the

likelihood

of fraudulent claims. Consequently, they allocate their most seasoned claim adjusters to  
address the top

5%

of

claims

flagged

by this model.

Write a solution to find the top

5

percentile

of claims from

each state

.

Return

the result table ordered by

state

in

ascending

order,

fraud\_score

in

descending

order, and

policy\_id

in

ascending

order.

The result format is in the following example.

Example 1:

Input:

```
Fraud table: +-----+-----+-----+ | policy_id | state | fraud_score |
+-----+-----+-----+ | 1 | California | 0.92 | | 2 | California | 0.68 | | 3 | California |
0.17 | | 4 | New York | 0.94 | | 5 | New York | 0.81 | | 6 | New York | 0.77 | | 7 | Texas | 0.98 | | 8
| Texas | 0.97 | | 9 | Texas | 0.96 | | 10 | Florida | 0.97 | | 11 | Florida | 0.98 | | 12 | Florida | 0.78
| | 13 | Florida | 0.88 | | 14 | Florida | 0.66 | +-----+-----+-----+
```

Output:

```
+-----+-----+-----+ | policy_id | state | fraud_score |
+-----+-----+-----+ | 1 | California | 0.92 | | 11 | Florida | 0.98 | | 4 | New York |
0.94 | | 7 | Texas | 0.98 | +-----+-----+-----+
```

Explanation

- For the state of California, only policy ID 1, with a fraud score of 0.92, falls within the top 5 percentile for this state. - For the state of Florida, only policy ID 11, with a fraud score of 0.98, falls within the top 5 percentile for this state. - For the state of New York, only policy ID 4, with a fraud score of 0.94, falls within the top 5 percentile for this state. - For the state of Texas, only policy ID 7, with a fraud score of 0.98, falls within the top 5 percentile for this state. Output table is ordered by state in ascending order, fraud score in descending order, and policy ID in ascending order.

## Code Snippets

**MySQL:**

```
# Write your MySQL query statement below
```

**MS SQL Server:**

```
/* Write your T-SQL query statement below */
```

### PostgreSQL:

```
-- Write your PostgreSQL query statement below
```

### Oracle:

```
/* Write your PL/SQL query statement below */
```

### Pandas:

```
import pandas as pd

def top_percentile_fraud(fraud: pd.DataFrame) -> pd.DataFrame:
```

## Solutions

### MySQL Solution:

```
# Write your MySQL query statement below
```

### MS SQL Server Solution:

```
/* Write your T-SQL query statement below */
```

### PostgreSQL Solution:

```
-- Write your PostgreSQL query statement below
```

### Oracle Solution:

```
/* Write your PL/SQL query statement below */
```

### Pandas Solution:

```
import pandas as pd

def top_percentile_fraud(fraud: pd.DataFrame) -> pd.DataFrame:
```