

Problem 2950: Number of Divisible Substrings

Problem Information

Difficulty: **Medium**

Acceptance Rate: 0.00%

Paid Only: No

Problem Description

Each character of the English alphabet has been mapped to a digit as shown below.

1 ab	2 cde	3 fgh
4 ijk	5 lmn	6 opq
7 rst	8 uvw	9 xyz

A string is

divisible

if the sum of the mapped values of its characters is divisible by its length.

Given a string

s

, return

the number of

divisible substrings

of

s

.

A

substring

is a contiguous non-empty sequence of characters within a string.

Example 1:

Substring

Mapped

Sum

Length

Divisible?

a

1

1

1

Yes

s

7

7

1

Yes

d

2

2

1

Yes

f

3

3

1

Yes

as

1, 7

8

2

Yes

sd

7, 2

9

2

No

df

2, 3

5

2

No

asd

1, 7, 2

10

3

No

sdf

7, 2, 3

12

3

Yes

asdf

1, 7, 2, 3

13

4

No

Input:

word = "asdf"

Output:

6

Explanation:

The table above contains the details about every substring of word, and we can see that 6 of them are divisible.

Example 2:

Input:

word = "bdh"

Output:

4

Explanation:

The 4 divisible substrings are: "b", "d", "h", "bdh". It can be shown that there are no other substrings of word that are divisible.

Example 3:

Input:

word = "abcd"

Output:

6

Explanation:

The 6 divisible substrings are: "a", "b", "c", "d", "ab", "cd". It can be shown that there are no other substrings of word that are divisible.

Constraints:

$1 \leq \text{word.length} \leq 2000$

word

consists only of lowercase English letters.

Code Snippets

C++:

```
class Solution {  
public:
```

```
int countDivisibleSubstrings(string word) {  
  
}  
};
```

Java:

```
class Solution {  
    public int countDivisibleSubstrings(String word) {  
  
    }  
}
```

Python3:

```
class Solution:  
    def countDivisibleSubstrings(self, word: str) -> int:
```

Python:

```
class Solution(object):  
    def countDivisibleSubstrings(self, word):  
        """  
        :type word: str  
        :rtype: int  
        """
```

JavaScript:

```
/**  
 * @param {string} word  
 * @return {number}  
 */  
var countDivisibleSubstrings = function(word) {  
  
};
```

TypeScript:

```
function countDivisibleSubstrings(word: string): number {  
  
};
```

C#:

```
public class Solution {  
    public int CountDivisibleSubstrings(string word) {  
  
    }  
}
```

C:

```
int countDivisibleSubstrings(char* word) {  
  
}
```

Go:

```
func countDivisibleSubstrings(word string) int {  
  
}
```

Kotlin:

```
class Solution {  
    fun countDivisibleSubstrings(word: String): Int {  
  
    }  
}
```

Swift:

```
class Solution {  
    func countDivisibleSubstrings(_ word: String) -> Int {  
  
    }  
}
```

Rust:

```
impl Solution {  
    pub fn count_divisible_substrings(word: String) -> i32 {  
  
    }  
}
```


Ruby:

```
# @param {String} word
# @return {Integer}
def count_divisible_substrings(word)

end
```

PHP:

```
class Solution {

    /**
     * @param String $word
     * @return Integer
     */
    function countDivisibleSubstrings($word) {

    }

}
```

Dart:

```
class Solution {
  int countDivisibleSubstrings(String word) {

  }
}
```

Scala:

```
object Solution {
  def countDivisibleSubstrings(word: String): Int = {

  }
}
```

Elixir:

```
defmodule Solution do
  @spec count_divisible_substrings(word :: String.t) :: integer
  def count_divisible_substrings(word) do
```

```
end
end
```

Erlang:

```
-spec count_divisible_substrings(Word :: unicode:unicode_binary()) ->
integer().
count_divisible_substrings(Word) ->
.
```

Racket:

```
(define/contract (count-divisible-substrings word)
  (-> string? exact-integer?)
)
```

Solutions

C++ Solution:

```
/*
 * Problem: Number of Divisible Substrings
 * Difficulty: Medium
 * Tags: array, string, tree, hash
 *
 * Approach: Use two pointers or sliding window technique
 * Time Complexity: O(n) or O(n log n)
 * Space Complexity: O(h) for recursion stack where h is height
 */

class Solution {
public:
    int countDivisibleSubstrings(string word) {

    }
};
```

Java Solution:

```

/**
 * Problem: Number of Divisible Substrings
 * Difficulty: Medium
 * Tags: array, string, tree, hash
 *
 * Approach: Use two pointers or sliding window technique
 * Time Complexity: O(n) or O(n log n)
 * Space Complexity: O(h) for recursion stack where h is height
 */

class Solution {
public int countDivisibleSubstrings(String word) {

}

}

```

Python3 Solution:

```

"""
Problem: Number of Divisible Substrings
Difficulty: Medium
Tags: array, string, tree, hash

Approach: Use two pointers or sliding window technique
Time Complexity: O(n) or O(n log n)
Space Complexity: O(h) for recursion stack where h is height
"""

class Solution:
def countDivisibleSubstrings(self, word: str) -> int:
# TODO: Implement optimized solution
pass

```

Python Solution:

```

class Solution(object):
def countDivisibleSubstrings(self, word):
"""
:type word: str
:rtype: int
"""

```

JavaScript Solution:

```
/**
 * Problem: Number of Divisible Substrings
 * Difficulty: Medium
 * Tags: array, string, tree, hash
 *
 * Approach: Use two pointers or sliding window technique
 * Time Complexity: O(n) or O(n log n)
 * Space Complexity: O(h) for recursion stack where h is height
 */

/**
 * @param {string} word
 * @return {number}
 */
var countDivisibleSubstrings = function(word) {

};
```

TypeScript Solution:

```
/**
 * Problem: Number of Divisible Substrings
 * Difficulty: Medium
 * Tags: array, string, tree, hash
 *
 * Approach: Use two pointers or sliding window technique
 * Time Complexity: O(n) or O(n log n)
 * Space Complexity: O(h) for recursion stack where h is height
 */

function countDivisibleSubstrings(word: string): number {

};
```

C# Solution:

```
/*
 * Problem: Number of Divisible Substrings
 * Difficulty: Medium
 * Tags: array, string, tree, hash
 *
```

```

* Approach: Use two pointers or sliding window technique
* Time Complexity: O(n) or O(n log n)
* Space Complexity: O(h) for recursion stack where h is height
*/

public class Solution {
public int CountDivisibleSubstrings(string word) {

}

}

```

C Solution:

```

/*
* Problem: Number of Divisible Substrings
* Difficulty: Medium
* Tags: array, string, tree, hash
*
* Approach: Use two pointers or sliding window technique
* Time Complexity: O(n) or O(n log n)
* Space Complexity: O(h) for recursion stack where h is height
*/

int countDivisibleSubstrings(char* word) {

}

```

Go Solution:

```

// Problem: Number of Divisible Substrings
// Difficulty: Medium
// Tags: array, string, tree, hash
//
// Approach: Use two pointers or sliding window technique
// Time Complexity: O(n) or O(n log n)
// Space Complexity: O(h) for recursion stack where h is height

func countDivisibleSubstrings(word string) int {

}

```

Kotlin Solution:

```
class Solution {  
    fun countDivisibleSubstrings(word: String): Int {  
  
    }  
}
```

Swift Solution:

```
class Solution {  
    func countDivisibleSubstrings(_ word: String) -> Int {  
  
    }  
}
```

Rust Solution:

```
// Problem: Number of Divisible Substrings  
// Difficulty: Medium  
// Tags: array, string, tree, hash  
//  
// Approach: Use two pointers or sliding window technique  
// Time Complexity: O(n) or O(n log n)  
// Space Complexity: O(h) for recursion stack where h is height  
  
impl Solution {  
    pub fn count_divisible_substrings(word: String) -> i32 {  
  
    }  
}
```

Ruby Solution:

```
# @param {String} word  
# @return {Integer}  
def count_divisible_substrings(word)  
  
end
```

PHP Solution:

```

class Solution {

    /**
     * @param String $word
     * @return Integer
     */
    function countDivisibleSubstrings($word) {

    }

}

```

Dart Solution:

```

class Solution {
  int countDivisibleSubstrings(String word) {

  }

}

```

Scala Solution:

```

object Solution {
  def countDivisibleSubstrings(word: String): Int = {

  }

}

```

Elixir Solution:

```

defmodule Solution do
  @spec count_divisible_substrings(word :: String.t) :: integer
  def count_divisible_substrings(word) do

  end

end

```

Erlang Solution:

```

-spec count_divisible_substrings(Word :: unicode:unicode_binary()) ->
integer().
count_divisible_substrings(Word) ->
.

```

Racket Solution:

```
(define/contract (count-divisible-substrings word)
  (-> string? exact-integer?)
  )
```