

# Problem 2755: Deep Merge of Two Objects

## Problem Information

**Difficulty:** Medium

**Acceptance Rate:** 64.37%

**Paid Only:** Yes

## Problem Description

Given two values `obj1` and `obj2`, return a **deepmerged** value.

Values should be **deepmerged** according to these rules:

- \* If the two values are objects, the resulting object should have all the keys that exist on either object. If a key belongs to both objects, **deepmerge** the two associated values. Otherwise, add the key-value pair to the resulting object.
- \* If the two values are arrays, the resulting array should be the same length as the longer array. Apply the same logic as you would with objects, but treat the indices as keys.
- \* Otherwise the resulting value is `obj2`.

You can assume `obj1` and `obj2` are the output of `JSON.parse()`.

**Example 1:**

**Input:** obj1 = {"a": 1, "c": 3}, obj2 = {"a": 2, "b": 2} **Output:** {"a": 2, "c": 3, "b": 2}

**Explanation:** The value of obj1["a"] changed to 2 because if both objects have the same key and their value is not an array or object then we change the obj1 value to the obj2 value. Key "b" with value was added to obj1 as it doesn't exist in obj1.

**Example 2:**

**Input:** obj1 = [{}, 2, 3], obj2 = [[], 5] **Output:** [[], 5, 3] **Explanation:** result[0] = obj2[0] because obj1[0] and obj2[0] have different types. result[2] = obj1[2] because obj2[2] does not exist.

**Example 3:**

**\*\*Input:\*\*** obj1 = {"a": 1, "b": {"c": [1, [2, 7], 5], "d": 2}}, obj2 = {"a": 1, "b": {"c": [6, [6], [9]], "e": 3}} **\*\*Output:\*\*** {"a": 1, "b": {"c": [6, [6, 7], [9]], "d": 2, "e": 3}} **\*\*Explanation:\*\*** Arrays obj1["b"]["c"] and obj2["b"]["c"] have been merged in way that obj2 values overwrite obj1 values deeply only if they are not arrays or objects. obj2["b"]["c"] has key "e" that obj1 doesn't have so it's added to obj1.

**\*\*Example 4:\*\***

**\*\*Input:\*\*** obj1 = true, obj2 = null **\*\*Output:\*\*** null

**\*\*Constraints:\*\***

\* `obj1` and `obj2` are valid JSON values \* `1 <= JSON.stringify(obj1).length <= 5 \* 105` \* `1 <= JSON.stringify(obj2).length <= 5 \* 105`

## Code Snippets

### JavaScript:

```
/**  
 * @param {null|boolean|number|string|Array|Object} obj1  
 * @param {null|boolean|number|string|Array|Object} obj2  
 * @return {null|boolean|number|string|Array|Object}  
 */  
var deepMerge = function(obj1, obj2) {  
  
};  
  
/**  
 * let obj1 = {"a": 1, "c": 3}, obj2 = {"a": 2, "b": 2};  
 * deepMerge(obj1, obj2); // {"a": 2, "c": 3, "b": 2}  
 */
```

### TypeScript:

```
type JSONValue = null | boolean | number | string | JSONValue[] | { [key: string]: JSONValue };  
  
function deepMerge(obj1: JSONValue, obj2: JSONValue): JSONValue {
```

```
};

/**
* let obj1 = {"a": 1, "c": 3}, obj2 = {"a": 2, "b": 2};
* deepMerge(obj1, obj2); // {"a": 2, "c": 3, "b": 2}
*/
```