

Problem 943: Find the Shortest Superstring

Problem Information

Difficulty: Hard

Acceptance Rate: 0.00%

Paid Only: No

Problem Description

Given an array of strings

words

, return

the smallest string that contains each string in

words

as a substring

. If there are multiple valid strings of the smallest length, return

any of them

.

You may assume that no string in

words

is a substring of another string in

words

.

Example 1:

Input:

```
words = ["alex", "loves", "leetcode"]
```

Output:

```
"alexlovesleetcode"
```

Explanation:

All permutations of "alex", "loves", "leetcode" would also be accepted.

Example 2:

Input:

```
words = ["catg", "ctaagt", "gcta", "ttca", "atgcatc"]
```

Output:

```
"gctaagttcatgcac"
```

Constraints:

$1 \leq \text{words.length} \leq 12$

$1 \leq \text{words[i].length} \leq 20$

`words[i]`

consists of lowercase English letters.

All the strings of

`words`

are

unique

Code Snippets

C++:

```
class Solution {  
public:  
    string shortestSuperstring(vector<string>& words) {  
  
    }  
};
```

Java:

```
class Solution {  
public String shortestSuperstring(String[] words) {  
  
}  
}
```

Python3:

```
class Solution:  
    def shortestSuperstring(self, words: List[str]) -> str:
```

Python:

```
class Solution(object):  
    def shortestSuperstring(self, words):  
        """  
        :type words: List[str]  
        :rtype: str  
        """
```

JavaScript:

```
/**  
 * @param {string[]} words  
 * @return {string}  
 */  
var shortestSuperstring = function(words) {  
  
};
```

TypeScript:

```
function shortestSuperstring(words: string[]): string {  
  
};
```

C#:

```
public class Solution {  
    public string ShortestSuperstring(string[] words) {  
  
    }  
}
```

C:

```
char* shortestSuperstring(char** words, int wordsSize) {  
  
}
```

Go:

```
func shortestSuperstring(words []string) string {  
  
}
```

Kotlin:

```
class Solution {  
    fun shortestSuperstring(words: Array<String>): String {  
  
    }  
}
```

Swift:

```
class Solution {  
func shortestSuperstring(_ words: [String]) -> String {  
}  
}  
}
```

Rust:

```
impl Solution {  
pub fn shortest_superstring(words: Vec<String>) -> String {  
}  
}  
}
```

Ruby:

```
# @param {String[]} words  
# @return {String}  
def shortest_superstring(words)  
  
end
```

PHP:

```
class Solution {  
  
/**  
 * @param String[] $words  
 * @return String  
 */  
function shortestSuperstring($words) {  
  
}  
}
```

Dart:

```
class Solution {  
String shortestSuperstring(List<String> words) {  
  
}  
}
```

Scala:

```
object Solution {  
    def shortestSuperstring(words: Array[String]): String = {  
  
    }  
}
```

Elixir:

```
defmodule Solution do  
  @spec shortest_superstring(words :: [String.t]) :: String.t  
  def shortest_superstring(words) do  
  
  end  
end
```

Erlang:

```
-spec shortest_superstring(Words :: [unicode:unicode_binary()]) ->  
unicode:unicode_binary().  
shortest_superstring(Words) ->  
.
```

Racket:

```
(define/contract (shortest-superstring words)  
  (-> (listof string?) string?)  
)
```

Solutions

C++ Solution:

```
/*  
 * Problem: Find the Shortest Superstring  
 * Difficulty: Hard  
 * Tags: array, string, tree, dp  
 *  
 * Approach: Use two pointers or sliding window technique  
 * Time Complexity: O(n) or O(n log n)  
 * Space Complexity: O(n) or O(n * m) for DP table
```

```

*/
class Solution {
public:
string shortestSuperstring(vector<string>& words) {

}
};

```

Java Solution:

```

/**
 * Problem: Find the Shortest Superstring
 * Difficulty: Hard
 * Tags: array, string, tree, dp
 *
 * Approach: Use two pointers or sliding window technique
 * Time Complexity: O(n) or O(n log n)
 * Space Complexity: O(n) or O(n * m) for DP table
 */

class Solution {
public String shortestSuperstring(String[] words) {

}
}

```

Python3 Solution:

```

"""
Problem: Find the Shortest Superstring
Difficulty: Hard
Tags: array, string, tree, dp

Approach: Use two pointers or sliding window technique
Time Complexity: O(n) or O(n log n)
Space Complexity: O(n) or O(n * m) for DP table
"""

class Solution:
def shortestSuperstring(self, words: List[str]) -> str:

```

```
# TODO: Implement optimized solution
pass
```

Python Solution:

```
class Solution(object):
    def shortestSuperstring(self, words):
        """
        :type words: List[str]
        :rtype: str
        """


```

JavaScript Solution:

```
/**
 * Problem: Find the Shortest Superstring
 * Difficulty: Hard
 * Tags: array, string, tree, dp
 *
 * Approach: Use two pointers or sliding window technique
 * Time Complexity: O(n) or O(n log n)
 * Space Complexity: O(n) or O(n * m) for DP table
 */

/**
 * @param {string[]} words
 * @return {string}
 */
var shortestSuperstring = function(words) {

};


```

TypeScript Solution:

```
/**
 * Problem: Find the Shortest Superstring
 * Difficulty: Hard
 * Tags: array, string, tree, dp
 *
 * Approach: Use two pointers or sliding window technique
 * Time Complexity: O(n) or O(n log n)
```

```

* Space Complexity: O(n) or O(n * m) for DP table
*/
function shortestSuperstring(words: string[]): string {
}

```

C# Solution:

```

/*
* Problem: Find the Shortest Superstring
* Difficulty: Hard
* Tags: array, string, tree, dp
*
* Approach: Use two pointers or sliding window technique
* Time Complexity: O(n) or O(n log n)
* Space Complexity: O(n) or O(n * m) for DP table
*/
public class Solution {
    public string ShortestSuperstring(string[] words) {
        }
    }

```

C Solution:

```

/*
* Problem: Find the Shortest Superstring
* Difficulty: Hard
* Tags: array, string, tree, dp
*
* Approach: Use two pointers or sliding window technique
* Time Complexity: O(n) or O(n log n)
* Space Complexity: O(n) or O(n * m) for DP table
*/
char* shortestSuperstring(char** words, int wordsSize) {
}

```

Go Solution:

```
// Problem: Find the Shortest Superstring
// Difficulty: Hard
// Tags: array, string, tree, dp
//
// Approach: Use two pointers or sliding window technique
// Time Complexity: O(n) or O(n log n)
// Space Complexity: O(n) or O(n * m) for DP table

func shortestSuperstring(words []string) string {

}
```

Kotlin Solution:

```
class Solution {
    fun shortestSuperstring(words: Array<String>): String {
        return ""
    }
}
```

Swift Solution:

```
class Solution {
    func shortestSuperstring(_ words: [String]) -> String {
        return ""
    }
}
```

Rust Solution:

```
// Problem: Find the Shortest Superstring
// Difficulty: Hard
// Tags: array, string, tree, dp
//
// Approach: Use two pointers or sliding window technique
// Time Complexity: O(n) or O(n log n)
// Space Complexity: O(n) or O(n * m) for DP table

impl Solution {
    pub fn shortest_superstring(words: Vec<String>) -> String {
```

```
}
```

```
}
```

Ruby Solution:

```
# @param {String[]} words
# @return {String}
def shortest_superstring(words)

end
```

PHP Solution:

```
class Solution {

    /**
     * @param String[] $words
     * @return String
     */
    function shortestSuperstring($words) {

    }
}
```

Dart Solution:

```
class Solution {
  String shortestSuperstring(List<String> words) {
    }
}
```

Scala Solution:

```
object Solution {
  def shortestSuperstring(words: Array[String]): String = {
    }
}
```

Elixir Solution:

```
defmodule Solution do
  @spec shortest_superstring(words :: [String.t]) :: String.t
  def shortest_superstring(words) do
    end
  end
```

Erlang Solution:

```
-spec shortest_superstring(Words :: [unicode:unicode_binary()]) ->
  unicode:unicode_binary().
shortest_superstring(Words) ->
  .
```

Racket Solution:

```
(define/contract (shortest-superstring words)
  (-> (listof string?) string?))
```