Problem 2927: Distribute Candies Among Children III

Problem Information

Difficulty: Hard
Acceptance Rate: 0.00%
Paid Only: No

Problem Description

You are given two positive integers

n

and

limit

.

Return

the

total number

of ways to distribute

n

candies among

3

children such that no child gets more than

limit

candies.

Example 1:

Input:

n = 5, limit = 2

Output:

3

Explanation:

There are 3 ways to distribute 5 candies such that no child gets more than 2 candies: (1, 2, 2), (2, 1, 2) and (2, 2, 1).

Example 2:

Input:

n = 3, limit = 3

Output:

10

Explanation:

There are 10 ways to distribute 3 candies such that no child gets more than 3 candies: (0, 0, 3), (0, 1, 2), (0, 2, 1), (0, 3, 0), (1, 0, 2), (1, 1, 1), (1, 2, 0), (2, 0, 1), (2, 1, 0) and (3, 0, 0).

Constraints:

1 <= n <= 10

1 <= limit <= 10

8

Code Snippets

C++:

```
class Solution {
public:
long long distributeCandies(int n, int limit) {

}
};
```

Java:

```
class Solution {
public long distributeCandies(int n, int limit) {

}
}
```

Python3:

```
class Solution:
def distributeCandies(self, n: int, limit: int) -> int:
```

Python:

```
class Solution(object):
def distributeCandies(self, n, limit):
"""
:type n: int
:type limit: int
:rtype: int
"""
```

JavaScript:

```
/**
* @param {number} n
* @param {number} limit
* @return {number}
*/
var distributeCandies = function(n, limit) {

};
```

TypeScript:

```
function distributeCandies(n: number, limit: number): number {

};
```

C#:

```
public class Solution {
public long DistributeCandies(int n, int limit) {

}
}
```

C:

```
long long distributeCandies(int n, int limit) {

}
```

Go:

```
func distributeCandies(n int, limit int) int64 {

}
```

Kotlin:

```
class Solution {
fun distributeCandies(n: Int, limit: Int): Long {

}
}
```

Swift:

```
class Solution {
func distributeCandies(_ n: Int, _ limit: Int) -> Int {

}
}
```

Rust:

```
impl Solution {
pub fn distribute_candies(n: i32, limit: i32) -> i64 {

}
}
```

Ruby:

```
# @param {Integer} n
# @param {Integer} limit
# @return {Integer}
def distribute_candies(n, limit)

end
```

PHP:

```
class Solution {

/**
* @param Integer $n
* @param Integer $limit
* @return Integer
*/
function distributeCandies($n, $limit) {

}
}
```

Dart:

```
class Solution {
int distributeCandies(int n, int limit) {
```

```
}
}
```

Scala:

```
object Solution {
def distributeCandies(n: Int, limit: Int): Long = {

}
}
```

Elixir:

```
defmodule Solution do
@spec distribute_candies(n :: integer, limit :: integer) :: integer
def distribute_candies(n, limit) do

end
end
```

Erlang:

```
-spec distribute_candies(N :: integer(), Limit :: integer()) -> integer().
distribute_candies(N, Limit) ->
.
```

Racket:

```
(define/contract (distribute-candies n limit)
(-> exact-integer? exact-integer? exact-integer?)
)
```

Solutions

C++ Solution:

```
/*
* Problem: Distribute Candies Among Children III
* Difficulty: Hard
```

```
* Tags: math
*
* Approach: Optimized algorithm based on problem constraints
* Time Complexity: O(n) to O(n^2) depending on approach
* Space Complexity: O(1) to O(n) depending on approach
*/

class Solution {
public:
long long distributeCandies(int n, int limit) {

}
};
```

Java Solution:

```
/**
* Problem: Distribute Candies Among Children III
* Difficulty: Hard
* Tags: math
*
* Approach: Optimized algorithm based on problem constraints
* Time Complexity: O(n) to O(n^2) depending on approach
* Space Complexity: O(1) to O(n) depending on approach
*/

class Solution {
public long distributeCandies(int n, int limit) {

}
}
```

Python3 Solution:

```
"""
Problem: Distribute Candies Among Children III
Difficulty: Hard
Tags: math

Approach: Optimized algorithm based on problem constraints
Time Complexity: O(n) to O(n^2) depending on approach
```

```
Space Complexity: O(1) to O(n) depending on approach
"""

class Solution:
def distributeCandies(self, n: int, limit: int) -> int:
# TODO: Implement optimized solution
pass
```

Python Solution:

```
class Solution(object):
def distributeCandies(self, n, limit):
"""
:type n: int
:type limit: int
:rtype: int
"""
```

JavaScript Solution:

```
/**
* Problem: Distribute Candies Among Children III
* Difficulty: Hard
* Tags: math
*
* Approach: Optimized algorithm based on problem constraints
* Time Complexity: O(n) to O(n^2) depending on approach
* Space Complexity: O(1) to O(n) depending on approach
*/

/**
* @param {number} n
* @param {number} limit
* @return {number}
*/
var distributeCandies = function(n, limit) {

};
```

TypeScript Solution:

```
/**
* Problem: Distribute Candies Among Children III
* Difficulty: Hard
* Tags: math
*
* Approach: Optimized algorithm based on problem constraints
* Time Complexity: O(n) to O(n^2) depending on approach
* Space Complexity: O(1) to O(n) depending on approach
*/

function distributeCandies(n: number, limit: number): number {

};
```

C# Solution:

```
/*
* Problem: Distribute Candies Among Children III
* Difficulty: Hard
* Tags: math
*
* Approach: Optimized algorithm based on problem constraints
* Time Complexity: O(n) to O(n^2) depending on approach
* Space Complexity: O(1) to O(n) depending on approach
*/

public class Solution {
public long DistributeCandies(int n, int limit) {

}
}
```

C Solution:

```
/*
* Problem: Distribute Candies Among Children III
* Difficulty: Hard
* Tags: math
*
* Approach: Optimized algorithm based on problem constraints
* Time Complexity: O(n) to O(n^2) depending on approach
* Space Complexity: O(1) to O(n) depending on approach
```

```
*/

long long distributeCandies(int n, int limit) {

}
```

Go Solution:

```
// Problem: Distribute Candies Among Children III
// Difficulty: Hard
// Tags: math
//
// Approach: Optimized algorithm based on problem constraints
// Time Complexity: O(n) to O(n^2) depending on approach
// Space Complexity: O(1) to O(n) depending on approach

func distributeCandies(n int, limit int) int64 {

}
```

Kotlin Solution:

```
class Solution {
fun distributeCandies(n: Int, limit: Int): Long {

}
}
```

Swift Solution:

```
class Solution {
func distributeCandies(_ n: Int, _ limit: Int) -> Int {

}
}
```

Rust Solution:

```
// Problem: Distribute Candies Among Children III
// Difficulty: Hard
// Tags: math
```

```
//
// Approach: Optimized algorithm based on problem constraints
// Time Complexity: O(n) to O(n^2) depending on approach
// Space Complexity: O(1) to O(n) depending on approach

impl Solution {
pub fn distribute_candies(n: i32, limit: i32) -> i64 {

}
}
```

Ruby Solution:

```
# @param {Integer} n
# @param {Integer} limit
# @return {Integer}
def distribute_candies(n, limit)

end
```

PHP Solution:

```
class Solution {

/**
* @param Integer $n
* @param Integer $limit
* @return Integer
*/
function distributeCandies($n, $limit) {

}
}
```

Dart Solution:

```
class Solution {
int distributeCandies(int n, int limit) {

}
}
```

Scala Solution:

```
object Solution {
def distributeCandies(n: Int, limit: Int): Long = {

}
}
```

Elixir Solution:

```
defmodule Solution do
@spec distribute_candies(n :: integer, limit :: integer) :: integer
def distribute_candies(n, limit) do

end
end
```

Erlang Solution:

```
-spec distribute_candies(N :: integer(), Limit :: integer()) -> integer().
distribute_candies(N, Limit) ->
.
```

Racket Solution:

```
(define/contract (distribute-candies n limit)
(-> exact-integer? exact-integer? exact-integer?)
)
```