Problem 2359: Find Closest Node to Given Two Nodes

Problem Information

Difficulty: Medium
Acceptance Rate: 52.91%
Paid Only: No
Tags: Depth-First Search, Graph

Problem Description

You are given a **directed** graph of `n` nodes numbered from `0` to `n - 1`, where each node has **at most one** outgoing edge.

The graph is represented with a given **0-indexed** array `edges` of size `n`, indicating that there is a directed edge from node `i` to node `edges[i]`. If there is no outgoing edge from `i`, then `edges[i] == -1`.

You are also given two integers `node1` and `node2`.

Return _the**index** of the node that can be reached from both _`node1` _and_`node2` _, such that the**maximum** between the distance from _`node1` _to that node, and from_`node2` _to that node is**minimized**_. If there are multiple answers, return the node with the **smallest** index, and if no possible answer exists, return `-1`.

Note that `edges` may contain cycles.

Example 1:

Input: edges = [2,2,3,-1], node1 = 0, node2 = 1 **Output:** 2 **Explanation:** The distance from node 0 to node 2 is 1, and the distance from node 1 to node 2 is 1. The maximum of those two distances is 1. It can be proven that we cannot get a node with a smaller maximum distance than 1, so we return node 2.

Example 2:

Input: edges = [1,2,-1], node1 = 0, node2 = 2 **Output:** 2 **Explanation:** The distance from node 0 to node 2 is 2, and the distance from node 2 to itself is 0. The maximum of those two distances is 2. It can be proven that we cannot get a node with a smaller maximum distance than 2, so we return node 2.

Constraints:

* `n == edges.length` * `2 <= n <= 105` * `-1 <= edges[i] < n` * `edges[i] != i` * `0 <= node1, node2 < n`

Code Snippets

C++:

```
class Solution {
public:
int closestMeetingNode(vector<int>& edges, int node1, int node2) {

}
};
```

Java:

```
class Solution {
public int closestMeetingNode(int[] edges, int node1, int node2) {

}
}
```

Python3:

```
class Solution:
def closestMeetingNode(self, edges: List[int], node1: int, node2: int) ->
int:
```