

Problem 2185: Counting Words With a Given Prefix

Problem Information

Difficulty: [Easy](#)

Acceptance Rate: 0.00%

Paid Only: No

Problem Description

You are given an array of strings

words

and a string

pref

.

Return

the number of strings in

words

that contain

pref

as a

prefix

.

A

prefix

of a string

s

is any leading contiguous substring of

s

.

Example 1:

Input:

words = ["pay", "

at

tention", "practice", "

at

tend"],

pref

= "at"

Output:

2

Explanation:

The 2 strings that contain "at" as a prefix are: "

at

tention" and "

at

tend".

Example 2:

Input:

words = ["leetcode", "win", "loops", "success"],

pref

= "code"

Output:

0

Explanation:

There are no strings that contain "code" as a prefix.

Constraints:

$1 \leq \text{words.length} \leq 100$

$1 \leq \text{words}[i].\text{length}, \text{pref.length} \leq 100$

words[i]

and

pref

consist of lowercase English letters.

Code Snippets

C++:

```
class Solution {
public:
    int prefixCount(vector<string>& words, string pref) {

    }
};
```

Java:

```
class Solution {
    public int prefixCount(String[] words, String pref) {

    }
}
```

Python3:

```
class Solution:
    def prefixCount(self, words: List[str], pref: str) -> int:
```

Python:

```
class Solution(object):
    def prefixCount(self, words, pref):
        """
        :type words: List[str]
        :type pref: str
        :rtype: int
        """
```

JavaScript:

```
/**
 * @param {string[]} words
 * @param {string} pref
```

```
* @return {number}
*/
var prefixCount = function(words, pref) {

};
```

TypeScript:

```
function prefixCount(words: string[], pref: string): number {

};
```

C#:

```
public class Solution {
    public int PrefixCount(string[] words, string pref) {

    }
}
```

C:

```
int prefixCount(char** words, int wordsSize, char* pref) {

}
```

Go:

```
func prefixCount(words []string, pref string) int {

}
```

Kotlin:

```
class Solution {
    fun prefixCount(words: Array<String>, pref: String): Int {

    }
}
```

Swift:

```

class Solution {
    func prefixCount(_ words: [String], _ pref: String) -> Int {

    }
}

```

Rust:

```

impl Solution {
    pub fn prefix_count(words: Vec<String>, pref: String) -> i32 {

    }
}

```

Ruby:

```

# @param {String[]} words
# @param {String} pref
# @return {Integer}
def prefix_count(words, pref)

end

```

PHP:

```

class Solution {

    /**
     * @param String[] $words
     * @param String $pref
     * @return Integer
     */
    function prefixCount($words, $pref) {

    }

}

```

Dart:

```

class Solution {
    int prefixCount(List<String> words, String pref) {

    }
}

```

```
}
```

Scala:

```
object Solution {  
  def prefixCount(words: Array[String], pref: String): Int = {  
  
  }  
}
```

Elixir:

```
defmodule Solution do  
  @spec prefix_count(words :: [String.t], pref :: String.t) :: integer  
  def prefix_count(words, pref) do  
  
  end  
end
```

Erlang:

```
-spec prefix_count(Words :: [unicode:unicode_binary()], Pref ::  
unicode:unicode_binary()) -> integer().  
prefix_count(Words, Pref) ->  
.
```

Racket:

```
(define/contract (prefix-count words pref)  
  (-> (listof string?) string? exact-integer?)  
)
```

Solutions

C++ Solution:

```
/*  
 * Problem: Counting Words With a Given Prefix  
 * Difficulty: Easy  
 * Tags: array, string, tree
```

```

*
* Approach: Use two pointers or sliding window technique
* Time Complexity: O(n) or O(n log n)
* Space Complexity: O(h) for recursion stack where h is height
*/

class Solution {
public:
    int prefixCount(vector<string>& words, string pref) {

    }
};

```

Java Solution:

```

/**
 * Problem: Counting Words With a Given Prefix
 * Difficulty: Easy
 * Tags: array, string, tree
 *
 * Approach: Use two pointers or sliding window technique
 * Time Complexity: O(n) or O(n log n)
 * Space Complexity: O(h) for recursion stack where h is height
 */

class Solution {
    public int prefixCount(String[] words, String pref) {

    }
}

```

Python3 Solution:

```

"""
Problem: Counting Words With a Given Prefix
Difficulty: Easy
Tags: array, string, tree

Approach: Use two pointers or sliding window technique
Time Complexity: O(n) or O(n log n)
Space Complexity: O(h) for recursion stack where h is height
"""

```



```

"""

class Solution:
    def prefixCount(self, words: List[str], pref: str) -> int:
        # TODO: Implement optimized solution
        pass

```

Python Solution:

```

class Solution(object):
    def prefixCount(self, words, pref):
        """
        :type words: List[str]
        :type pref: str
        :rtype: int
        """

```

JavaScript Solution:

```

/**
 * Problem: Counting Words With a Given Prefix
 * Difficulty: Easy
 * Tags: array, string, tree
 *
 * Approach: Use two pointers or sliding window technique
 * Time Complexity: O(n) or O(n log n)
 * Space Complexity: O(h) for recursion stack where h is height
 */

/**
 * @param {string[]} words
 * @param {string} pref
 * @return {number}
 */
var prefixCount = function(words, pref) {

};

```

TypeScript Solution:

```

/**
 * Problem: Counting Words With a Given Prefix
 * Difficulty: Easy
 * Tags: array, string, tree
 *
 * Approach: Use two pointers or sliding window technique
 * Time Complexity: O(n) or O(n log n)
 * Space Complexity: O(h) for recursion stack where h is height
 */

function prefixCount(words: string[], pref: string): number {

};

```

C# Solution:

```

/*
 * Problem: Counting Words With a Given Prefix
 * Difficulty: Easy
 * Tags: array, string, tree
 *
 * Approach: Use two pointers or sliding window technique
 * Time Complexity: O(n) or O(n log n)
 * Space Complexity: O(h) for recursion stack where h is height
 */

public class Solution {
    public int PrefixCount(string[] words, string pref) {

    }
}

```

C Solution:

```

/*
 * Problem: Counting Words With a Given Prefix
 * Difficulty: Easy
 * Tags: array, string, tree
 *
 * Approach: Use two pointers or sliding window technique
 * Time Complexity: O(n) or O(n log n)
 * Space Complexity: O(h) for recursion stack where h is height

```

```

*/

int prefixCount(char** words, int wordsSize, char* pref) {

}

```

Go Solution:

```

// Problem: Counting Words With a Given Prefix
// Difficulty: Easy
// Tags: array, string, tree
//
// Approach: Use two pointers or sliding window technique
// Time Complexity: O(n) or O(n log n)
// Space Complexity: O(h) for recursion stack where h is height

func prefixCount(words []string, pref string) int {

}

```

Kotlin Solution:

```

class Solution {
    fun prefixCount(words: Array<String>, pref: String): Int {

    }
}

```

Swift Solution:

```

class Solution {
    func prefixCount(_ words: [String], _ pref: String) -> Int {

    }
}

```

Rust Solution:

```

// Problem: Counting Words With a Given Prefix
// Difficulty: Easy
// Tags: array, string, tree

```

```
//
// Approach: Use two pointers or sliding window technique
// Time Complexity: O(n) or O(n log n)
// Space Complexity: O(h) for recursion stack where h is height

impl Solution {
    pub fn prefix_count(words: Vec<String>, pref: String) -> i32 {

    }
}
```

Ruby Solution:

```
# @param {String[]} words
# @param {String} pref
# @return {Integer}
def prefix_count(words, pref)

end
```

PHP Solution:

```
class Solution {

    /**
     * @param String[] $words
     * @param String $pref
     * @return Integer
     */
    function prefixCount($words, $pref) {

    }

}
```

Dart Solution:

```
class Solution {
    int prefixCount(List<String> words, String pref) {

    }
}
```

Scala Solution:

```
object Solution {  
  def prefixCount(words: Array[String], pref: String): Int = {  
  
  }  
}
```

Elixir Solution:

```
defmodule Solution do  
  @spec prefix_count(words :: [String.t], pref :: String.t) :: integer  
  def prefix_count(words, pref) do  
  
  end  
end
```

Erlang Solution:

```
-spec prefix_count(Words :: [unicode:unicode_binary()], Pref ::  
  unicode:unicode_binary()) -> integer().  
prefix_count(Words, Pref) ->  
  .
```

Racket Solution:

```
(define/contract (prefix-count words pref)  
  (-> (listof string?) string? exact-integer?)  
  )
```