

Problem 3183: The Number of Ways to Make the Sum

Problem Information

Difficulty: Medium

Acceptance Rate: 51.31%

Paid Only: Yes

Tags: Array, Dynamic Programming

Problem Description

You have an **infinite** number of coins with values 1, 2, and 6, and **only** 2 coins with value 4.

Given an integer `n`, return the number of ways to make the sum of `n` with the coins you have.

Since the answer may be very large, return it **modulo** `10⁹ + 7`.

Note that the order of the coins doesn't matter and `[2, 2, 3]` is the same as `[2, 3, 2]`.

Example 1:

Input: n = 4

Output: 4

Explanation:

Here are the four combinations: `[1, 1, 1, 1]`, `[1, 1, 2]`, `[2, 2]`, `[4]`.

Example 2:

Input: n = 12

****Output:**** 22

****Explanation:****

Note that `[4, 4, 4]` is **not** a valid combination since we cannot use 4 three times.

****Example 3:****

****Input:**** n = 5

****Output:**** 4

****Explanation:****

Here are the four combinations: `[1, 1, 1, 1, 1]`, `[1, 1, 1, 2]`, `[1, 2, 2]`, `[1, 4]`.

****Constraints:****

* `1 <= n <= 105`

Code Snippets

C++:

```
class Solution {  
public:  
    int numberOfWays(int n) {  
  
    }  
};
```

Java:

```
class Solution {  
public int numberOfWays(int n) {  
  
}  
}
```

Python3:

```
class Solution:  
    def numberOfWays(self, n: int) -> int:
```