

Initial Velocity Bucket Analysis Report

Report Summary:

- Bucket Type: Initial Velocity
- Total Buckets: 15
- Date Range: 2025-08-01 to 2025-10-15

This report contains three tables showing:

1. Median statistics for each bucket
2. 95th percentile statistics for each bucket
3. 99th percentile statistics for each bucket

Each table shows:

- Bucket range
- Total events in the bucket
- Median/95th/99th percentile values for:
 - * Max Brake Pedal Position (BPP)
 - * Total Time (seconds)
 - * Total Distance (meters)
 - * Deceleration (m/s^2)

Initial Velocity - Median Statistics

| bucket | total_events | median_max_bpp | median_total_time | median_total_distance | median_deceleration |
|---------------|---------------------|-----------------------|--------------------------|------------------------------|----------------------------|
| 10-15 | 1 | 69.6 | 14.58 | 70.95 | 0.27 |
| 15-20 | 0 | nan | nan | nan | nan |
| 20-25 | 2 | 40.4 | 14.02 | 58.51 | 0.48 |
| 25-30 | 544 | 29.6 | 13.38 | 34.42 | 0.58 |
| 30-35 | 554 | 30.8 | 13.55 | 42.77 | 0.67 |
| 35-40 | 500 | 32.8 | 13.76 | 51.91 | 0.76 |
| 40-45 | 352 | 34.4 | 13.68 | 59.97 | 0.86 |
| 45-50 | 325 | 36.4 | 14.1 | 71.66 | 0.94 |
| 50-55 | 167 | 40.0 | 14.16 | 82.48 | 1.03 |
| 55-60 | 133 | 41.6 | 14.2 | 94.01 | 1.12 |
| 60-65 | 72 | 42.0 | 14.4 | 100.75 | 1.22 |
| 65-70 | 46 | 45.6 | 14.39 | 104.62 | 1.3 |
| 70-75 | 20 | 47.0 | 14.64 | 111.39 | 1.36 |
| 75-80 | 6 | 47.0 | 13.39 | 122.02 | 1.58 |
| 80-85 | 1 | 65.2 | 14.96 | 138.51 | 1.49 |

Initial Velocity - 95th Percentile Statistics

| bucket | total_events | p95_max_bpp | p95_total_time | p95_total_distance | p95_deceleration |
|---------------|---------------------|--------------------|-----------------------|---------------------------|-------------------------|
| 10-15 | 1 | 69.6 | 14.58 | 70.95 | 0.27 |
| 15-20 | 0 | nan | nan | nan | nan |
| 20-25 | 2 | 41.12 | 14.49 | 62.09 | 0.5 |
| 25-30 | 544 | 48.74 | 14.84 | 55.13 | 0.98 |
| 30-35 | 554 | 49.34 | 14.87 | 64.76 | 0.99 |
| 35-40 | 500 | 52.42 | 14.88 | 74.44 | 1.09 |
| 40-45 | 352 | 53.38 | 14.92 | 85.99 | 1.17 |
| 45-50 | 325 | 55.92 | 14.92 | 100.48 | 1.19 |
| 50-55 | 167 | 57.48 | 14.91 | 101.87 | 1.25 |
| 55-60 | 133 | 59.52 | 14.88 | 119.53 | 1.37 |
| 60-65 | 72 | 60.1 | 14.93 | 127.65 | 1.43 |
| 65-70 | 46 | 72.9 | 14.89 | 141.2 | 1.5 |
| 70-75 | 20 | 65.42 | 14.98 | 136.8 | 1.45 |
| 75-80 | 6 | 53.3 | 14.54 | 141.77 | 1.69 |
| 80-85 | 1 | 65.2 | 14.96 | 138.51 | 1.49 |

Initial Velocity - 99th Percentile Statistics

| bucket | total_events | p99_max_bpp | p99_total_time | p99_total_distance | p99_deceleration |
|---------------|---------------------|--------------------|-----------------------|---------------------------|-------------------------|
| 10-15 | 1 | 69.6 | 14.58 | 70.95 | 0.27 |
| 15-20 | 0 | nan | nan | nan | nan |
| 20-25 | 2 | 41.18 | 14.53 | 62.41 | 0.5 |
| 25-30 | 544 | 61.6 | 14.96 | 70.94 | 1.18 |
| 30-35 | 554 | 58.59 | 14.96 | 75.9 | 1.17 |
| 35-40 | 500 | 58.4 | 14.98 | 88.21 | 1.26 |
| 40-45 | 352 | 62.39 | 14.98 | 93.64 | 1.38 |
| 45-50 | 325 | 67.01 | 14.98 | 106.46 | 1.38 |
| 50-55 | 167 | 64.01 | 14.95 | 114.16 | 1.46 |
| 55-60 | 133 | 62.67 | 14.93 | 133.13 | 1.55 |
| 60-65 | 72 | 64.72 | 14.98 | 140.13 | 1.75 |
| 65-70 | 46 | 84.24 | 14.99 | 153.48 | 1.57 |
| 70-75 | 20 | 68.76 | 15.0 | 145.03 | 1.46 |
| 75-80 | 6 | 54.5 | 14.67 | 146.37 | 1.69 |
| 80-85 | 1 | 65.2 | 14.96 | 138.51 | 1.49 |