

# **GO GREEN CAMPUS ANDROID APPLICATION**

## **A PROJECT REPORT**

*Submitted*

*in partial fulfillment for the award of the*

## **DIPLOMA IN COMPUTER SCIENCE AND ENGINEERING**



### **Submitted By**

Nelson Lobo

Owais Shaikh

Aruna Kadalagi

Bharata Patil

### **Under the guidance of**

**Dr. Vijay H. Kalmani, Principal, Jain Polytechnic, Belagavi**

## **JAIN POLYTECHNIC BELAGAVI**

**(Approved by AICTE, New Delhi and recognized by DTE, Begaluru)**

**Peeranwadi, Belagavi – 590014**

**April 2018**

A PROJECT REPORT

on

**GO GREEN CAMPUS ANDROID APPLICATION**

*Submitted*

*in partial fulfillment for the award of the*

**DIPLOMA IN COMPUTER SCIENCE AND ENGINEERING**

**SUBMITTED BY**

Nelson Lobo (573CS15024), VI<sup>th</sup> Sem.

Owais Shaikh (573CS15029), VI<sup>th</sup> Sem.

Aruna Kadalagi (573CS15010), VI<sup>th</sup> Sem.

Bharata Patil (573CS15013), VI<sup>th</sup> Sem.

**Under the guidance of**

**Dr. Vijay H. Kalmani,**

**Principal, Jain Polytechnic, Belagavi**

**Department of Computer Science and Engineering**

**JAIN POLYTECHNIC BELAGAVI**

**Peeranwadi, Belagavi**

# Contents

Candidate's Declaration	... i
Project Guide Certification	... ii
Certificate	... iii
Acknowledgement	... iv
List of Diagrams and Activities	... v
List of Test Cases and Charts	... vi
Abstract	... vii
<b>1. Introduction</b>	
1.1 Background	... 1
1.2 Motivation	... 1
1.3 Problem Statement	... 2
1.4 Objectives	... 2
<b>2. System Survey</b>	
2.1 Survey of Existing Systems	... 3
2.2 Scope for Improvement	... 3
2.3 Summary	... 3
2.4 Proposed System	... 3
<b>3. Requirement Specifications</b>	
3.1 Project Requirement Specifications	... 4
3.1.1 Software Requirements	... 4
3.1.2 Hardware Requirements	... 4
3.2 Functional Requirements	... 4
3.2.1 User Domain	... 4
3.2.2 Institute Domain	... 4
3.3 Non-functional Requirements	... 5

<b>4. Project Design</b>	
4.1 Data Flow Diagram	... 6
4.2 ER Diagram	... 7
4.3 Use Case Diagrams	... 8
<b>5. Implementation and Testing</b>	
5.1 Implementation Details	... 9
5.1.1 Software Frontend	... 9
5.1.2 Software Backend	... 9
5.2 Modules	... 10
5.2.1 Waste Segregation	... 10
5.2.2 Data Processing and Calculation	... 10
5.2.3 Graphing and Display	... 10
5.3 Application Activities and Programs	... 11
5.3.1 Login	... 11
5.3.2 Forgot Password	... 21
5.3.3 User Sign Up	... 25
5.3.4 Institute Registration	... 36
5.3.5 Dashboard	... 47
5.3.6 Add Data	... 57
5.3.7 Spectate	... 75
5.3.8 Drawer	... 82
5.4 Test Cases and Profiles	... 83
5.4.1 User Login Attempt	... 83
5.4.2 Password Recovery Attempt	... 83
5.4.3 New User Registration	... 83
5.4.4 New Institute Registration	... 84
5.4.5 Addition of Data	... 84
5.4.6 Searching for Existing Data Entries	... 84

5.4.7 Checking connectivity to server in specific scenarios	... 85
5.4.8 Application performance profile	... 85
<b>6. Screenshots</b>	... 86
<b>7. Advantages</b>	... 91
<b>8. Applications</b>	... 92
<b>9. Further Scope and Enhancements</b>	... 93
<b>10. Conclusion</b>	... 94
Bibliography	
References	... viii

## **CANDIDATE’S DECLARATION**

I, **Aruna Kadalagi**, student of Diploma in Computer Science and Engineering, bearing the Register No.: **573CS15010** of Jain Polytechnic Belagavi, hereby declare that I own full responsibility for the information, result and conclusion provided in this project work titled **“GoGreenCampus”**, submitted to the Board of Technical Examinations, Government of Karnataka, for the award of the Diploma in Computer Science and Engineering.

To the best of my knowledge, this project has not been submitted in part or fully elsewhere in any institution or organization for the award of my certificate/diploma/degree. I further declare that in case of any violation of intellectual property or rights and particulars declared, found at any stage, I, Aruna Kadalagi, as the candidate will be solely responsible for the same.

**Date:**

**Place:**

**Signature of Candidate**

**Name:** Aruna Kadalagi

**Register No.:** 573CS15010

# **PROJECT GUIDE CERTIFICATE**

## **JAIN POLYTECHNIC BELAGAVI**

### **Department of Computer Science and Engineering**

#### **BONAFIDE CERTIFICATE**

Certified that this project report **“GoGreenCampus Android Application”** is the bonafide work of **“Aruna Kadalagi”** bearing Register Number **“573CS15010”** of this institution who carried out the project work under my supervision.

Dr. Vijay H. Kalmani  
**Guide**

Mr. Chetan Patil  
**Head of Department**

# JAIN POLYTECHNIC BELAGAVI

19/1, Peeranwadi, Belagavi – 590014

## Department of Computer Science and Engineering



### CERTIFICATE

Certified that this project report titled “**GoGreenCampus**” is the bonafide work carried out by **Aruna Kadalagi, 573CS15010**, Sixth Semester, for the partial fulfillment of the Diploma in Computer Science and Engineering of the Board of Technical Examinations, Bengaluru, Government of Karnataka during the year 2015-2016. It is certified that all corrections and suggestions indicated for internal assessment have been incorporated in this report and one copy of it is being deposited in the library.

The project has been approved as it satisfies the academic requirements in respect of Project Work prescribed for the Diploma in Computer Science and Engineering.

It is further understood that by this certificate, the undersigned do not endorse or approve any statements made, opinions expressed or conclusions drawn therein, but approve the project only for the purpose for which it is submitted.

**Dr. Vijay H. Kalmani**  
Guide

**Prof. Chetan Patil**  
Head of Department

**Dr. Vijay H. Kalmani**  
Principal

**Name of Examiners**

1. \_\_\_\_\_

2. \_\_\_\_\_

**Signature (with date)**

\_\_\_\_\_

\_\_\_\_\_



## ACKNOWLEDGEMENT

*“All experiences are an opportunity for us to learn and grow”*

Gratitude takes three forms, “a feeling from the heart”, “an expression in words” and “giving in return”. It is our human bound duty to acknowledge the following personalities for their efforts in guiding us in the right direction. The sense of contentment and elation that accompanies the successful completion of our project and its report would be incomplete without mentioning the names of the people who helped us in accomplishing this.

First and foremost, we would like to extend our cordial regards and thanks to our principal, **Dr. Vijay H. Kalmani**, for providing a healthy learning environment in the college, which helped us in developing our skills and concentrating on the task at hand. We express a deep sense of gratitude to our Head of Department, **Mr. Chetan Patil** for his valuable guidance, cooperation and timely help. We would also like to express our heartfelt thanks to all the staff at the Department of Computer Science and Engineering for their valuable support.

It has been a fortune to associate with our guide, **Dr. Vijay H. Kalmani**, as our guide during the course of this project undertaken. He has been kind enough to help us all in the fronts of development of this project when we required his help and has been continuous source of inspiration. Hence, it is our bountiful duty to offer our gratefulness to him.

**Nelson Lobo**  
**Owais Shaikh**  
**Aruna Kadalagi**  
**Bharata Patil**

## **List of diagrams and activities**

<b>Diagram 1.</b>	Data Flow Diagrams	... 6
<b>Diagram 2.</b>	Entity Relationships (ER) Diagrams	... 7
<b>Diagram 3.</b>	Use Case Diagrams	... 8
<b>Activity 4.</b>	Login	... 11
<b>Activity 5.</b>	Forgot Password	... 21
<b>Activity 6.</b>	User Sign Up	... 25
<b>Activity 7.</b>	Register Institute	... 36
<b>Activity 8.</b>	Dashboard	... 48
<b>Activity 9.</b>	Add Data	... 57
<b>Activity 10.</b>	Spectate	... 75
<b>Activity 11.</b>	Drawer	... 82

## **List of test cases and charts**

<b>Table 1.</b>	User Login Attempt	... 83
<b>Table 2.</b>	Password Recovery Attempt	... 83
<b>Table 3.</b>	New User Registration	... 83
<b>Table 4.</b>	New Institute Registration	... 84
<b>Table 5.</b>	Addition of Data	... 84
<b>Table 6.</b>	Searching for Existing Data Entries	... 84
<b>Table 7.</b>	Checking Connectivity to server and database in specific scenarios	... 85
<b>Chart 1.</b>	Application performance profile	... 85

## **ABSTRACT**

The aim of our project is to make an Android Application that takes some input about the waste that has been generated in a university, college or school campus and the amount of waste that has been treated throughout the month and time, process the data to find the ratio of waste generated to waste treated and represent it with the help of graphical, visual and textual information and to assign ranking to the institute on based on the LEED index and green rating given. This application monitors and keeps track of the amount of waste generated and recycled and find out ways to improve the quality of our environment by finding out efficient ways of waste treatment and encourages environmentally-friendly practices by creating a competitive, community-based ambience.

# **Chapter 1. Introduction**

## **1.1 Background**

Go Green Campus Waste Management (GGC) Android App is an easy to use Android application with interactive Graphical User Interface (GUI). This application can be used by Universities, Colleges and Schools to keep track record of the waste that is generated in the campus and the waste that is been treated. The information is represented in the form of text and graph.

More and more of us are realizing that our future depends on protecting the health and wellbeing of ourselves and our home planet, Earth. To do so, we must educate a new generations of citizens with the skills to solve the global environmental problems we face and to have a green future or a green economy with green universities, colleges, and schools and their campuses.

Mobile Applications have a unique model in order to provide top-quality customized solutions to such an issue and to big masses and price-ranges that are affordable. For example, according to available statistics, over 80% of startups today are actively looking into creating a mobile applications for such situations.

## **1.2 Motivation**

Safeguarding the health of India's schoolchildren must be central to a high-quality education. Research shows that greener school environments can improve children's health and learning. Yet our institutes get dismal grades in environmental practices.

Schools use non-biodegradable and recyclable waste contain toxins, which are irreversible and dangerous to life forms on Earth. Poor indoor air quality, air pollution and low-visibility are linked to various health issues like soaring asthma and direct environmental impact. Most schools consume enormous quantities of paper and energy, produce tons of waste and carbon emissions, and rarely purchase environmentally-friendly products. Research shows that green schools save more money due to efficiency and affordability of materials, while improving employees and students' health. A 2006 LEED Green Building Council report showed that green schools cost ₹195 more per square meter, but generated ₹4800 per square meter in benefits from energy savings, increased attendance, and employee retention.

### **1.3 Problem Statement**

The main objective of GoGreenCampus Android App is to provide users with an easy to use application with interactive GUI that can be used to monitor and keep track of waste generated and waste treated throughout the day in University/College/School Campus.

This information can be further used by the University/College/School Authority to enhance the waste treatment facility in the campus thus reducing the generation of waste and keeping the surrounding clean.

### **1.4 Objectives**

- To develop an Android mobile application to simplify waste collection.
- To process and display precise data for evaluation and analysis and technical feasibility.
- To encourage institutes to reduce generation of waste and keep our surroundings clean.
- To instill a good attitude and a sense of pride and accomplishment for completing tasks related to recycling.

## **Chapter 2. System Survey**

### **2.1 Survey of Existing Systems**

Although there are applications that are used by people to file complaints about waste generated around us there is no application that keeps track of the amount of waste generated and treated and most of the applications that keep track are not much developed and they keep track of only the solid waste<sup>[8]</sup>. This makes the development/enhancement of the waste treatment facility extremely difficult<sup>[7]</sup>

### **2.2 Scope for Improvement**

The application improves on current systems such as RoHS<sup>[6]</sup> and LEED<sup>[5]</sup> etc. by offering a completely digital and wireless solution for keeping track of and recording waste disposal and management, which directly affects the environmental quality of a campus/organization<sup>[9]</sup>.

### **2.3 Summary**

Waste management is among the basic essential services needed to keep campuses green. Due to industrialization, rural to urban migration and high growth rate of population have induced rapid urbanization in developing countries and obviously in India as well<sup>[7]</sup>. The haphazard urbanization created acute problem for waste management. Waste generation rate in India has increased from 0.44 kg per day in 2001 to 0.5 kg per day in 2011<sup>[8]</sup>; such a steep increase in waste generation within a decade has severed the stress on all infrastructural, natural and budgetary resources<sup>[7]</sup>. So, there is a need for proper waste collection, segregation and processing. The proposed work emphasizes on the use of technology and mobile systems in making a sustainable urban environment.

### **2.4 Proposed System**

The proposed system can keep record of the waste that is been generated and the amount of that waste that is actually been treated. This can be applied to both solid waste as well as liquid waste. The GoGreenCampus Application processes the data and represents the data in both text as well as graphical form. It makes use of easy to use user-friendly Graphical User Interface (GUI) for the user to interact with the application.

## **Chapter 3. Requirements Specifications**

### **3.1 Project Requirements Specification**

Following are the hardware and software requirements to be met in order to use the proposed system:

#### **3.1.1 Hardware Requirements**

- Any ARM-based 64-bit Android device @ 768MHz or more
- Minimum 512MB of RAM
- Minimum 10MB of Internal Storage
- Connectivity to the Internet via WiFi or Cellular Data
- Android devices with 64-bit ARMv7 architecture (32-bit and Intel x86 unsupported)

#### **3.1.2 Software Requirements**

- Android 6.0 Marshmallow and above
- A PHP server
- System versions supporting Kotlin compatibility. (Android 6.0+)
- A MySQL Database
- Android XML Schemas

### **3.2 Functional Requirements**

Functional requirements are the requirements of tasks, processes etc. essential to the system.

#### **3.2.1 User Domain**

- The users add data on waste to the application.
- The users can log into and delete their accounts.
- The users can delete specific entries from the server/database
- All users collectively affect the institute's performance

#### **3.2.2 Institute Domain**

- The institutes can add themselves on the database.
- The institute heads all the users of the campus.
- The institutes compete with each other to perform better in environmental sustainability.




### 3.3 **Non-Functional Requirements**

Non-functional requirements are requirements that are not compulsory, but add a nice feature to the application, such as UI Design, notifications, animations etc.

- Easy-to-use user interface design.
- Use of discrete components like cards and dynamic padding.
- Adding animations to give appeal.
- Notifying users of errors.


## Chapter 4. Project Design

### 4.1 Data Flow Diagram




**Fig. 4.1** Data Flow diagram

## 4.2 Entity Relationship (ER) Diagrams



**Fig. 4.2** Entity-Relationship (ER) diagram

### 4.3 Use Case Diagrams



**Fig. 4.3** Use Case diagram

## **Chapter 5. Implementation and Testing**

### **5.1 Implementation Details**

The implementation phase is the most important phase as it gets the final outcome of the project. It perfectly maps and materializes the project. The GoGreenCampus Application has two implemented parts:

#### **5.1.1 Software Frontend**

- The Software Frontend is a user-friendly Graphical User Interface(GUI).
- It supports native controls, has visible buttons and text boxes for the user to use the application easily.
- The Frontend of the is designed using Google's XML Framework for Android Applications.

#### **5.1.2 Software Backend**

- The Software Backend is the most important part of the application that consists of algorithms for processing of the data entered by the user.
- The Backend of the Application is designed using Kotlin which is a new, object-oriented programming language used to develop Android applications and a MySQL database for the storage and retrieval of data from a highly secure MySQL server.
- The server connections are established in the PHP programming language.
- The database is queried using Structured Query Language (SQL).

## 5.2 Modules

The implementation phase is the most important phase as it gets the final outcome of the project. It perfectly maps and materializes the project. The GoGreenCampus Application has three implemented parts:

### 5.2.1 Waste Segregation

Waste segregation is the process by which waste is separated into different elements. Waste sorting occurs automatically in the application and sent to the server. Data is added via the Add page and is segregated and stored on the database using PHP.

### 5.2.2 Data Processing and Calculation

Data processing includes the collection and manipulation of items of data to produce some data. It can be considered a subset of the module and uses specialized algorithms and statistical calculations. Data is processed programmatically in PHP and is calculated in Kotlin.

### 5.2.3 Graphing and Display

Graphing is a mathematical method used to model the data obtained from calculation of inputs. A graph in this context is made up of vertices and lines which are directly plotted from the obtained results from the server. Data is graphed using a library and is displayed using Kotlin

## 5.3 Application Activities and Programs

### 5.3.1 Login

#### activity\_login.xml

```
<?xml version="1.0" encoding="utf-8"?>
<android.support.constraint.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
xmlns:app="http://schemas.android.com/apk/res-auto"
xmlns:tools="http://schemas.android.com/tools"
android:layout_width="match_parent"
android:layout_height="match_parent"
android:background="@color/bg"
tools:context="finalproject.ggcfinal.MainActivity">
<ImageView
    android:id="@+id/imageView3"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    app:srcCompat="@drawable/lbg"
    tools:layout_editor_absoluteX="0dp"
    tools:layout_editor_absoluteY="0dp" />
<ImageView
    android:id="@+id/imageView4"
    android:layout_width="228dp"
    android:layout_height="103dp"
    android:layout_marginBottom="13dp"
    android:layout_marginStart="8dp"
    android:layout_marginTop="1dp"
    app:layout_constraintBottom_toTopOf="@+id/button"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.054"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toBottomOf="@+id/editText4"
    app:layout_constraintVertical_bias="0.0"
```

```

        app:srcCompat="@drawable/black" />
<EditText
    android:id="@+id/Username"
    android:layout_width="311dp"
    android:layout_height="wrap_content"
    android:layout_marginBottom="8dp"
    android:layout_marginEnd="8dp"
    android:layout_marginStart="8dp"
    android:layout_marginTop="8dp"
    android:backgroundTint="@android:color/darker_gray"
    android:ems="10"
    android:hint="Username"
    android:maxLength="20"
    android:inputType="textPersonName"
    android:singleLine="true"
    android:textColor="@android:color/darker_gray"
    android:textColorHint="@android:color/darker_gray"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.508"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent"
    app:layout_constraintVertical_bias="0.498" />
<EditText
    android:id="@+id/passwordedit"
    android:layout_width="308dp"
    android:layout_height="wrap_content"
    android:layout_marginBottom="8dp"
    android:layout_marginEnd="8dp"
    android:layout_marginStart="8dp"
    android:layout_marginTop="8dp"
    android:backgroundTint="@android:color/darker_gray"
    android:maxLength="50"

```



```

    android:ems="10"
    android:hint="Password"
    android:inputType="textPassword"
    android:textColor="@android:color/darker_gray"
    android:textColorHint="@android:color/darker_gray"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent"
    app:layout_constraintVertical_bias="0.61" />
<Button
    android:id="@+id/button"
    android:hapticFeedbackEnab"0.508"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent"
    app:layout_constraintVertical_bias="0.718"
    tools:background="@color/colorPrimary" />
<ImageView
    android:id="@+id/imageView2"
    android:layout_width="75dp"
    android:layout_height="75dp"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.501"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent"
    app:layout_constraintVertical_bias="0.134"
    app:srcCompat="@drawable/logo" />
<TextView
    android:id="@+id/editText4"
    android:hapticFeedbackEnabled="true"
    android:layout_width="341dp"
    android:layout_height="30dp"

```

```

        android:layout_marginBottom="8dp"
        android:layout_marginEnd="8dp"
        android:layout_marginStart="8dp"
        android:layout_marginTop="8dp"
        android:ems="10"
        android:inputType="none"
        android:text="@string/loginprompt"
        android:textColor="@android:color/background_light"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.518"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent"
        app:layout_constraintVertical_bias="0.427" />
<TextView
    android:id="@+id/textView3"
    android:layout_width="145dp"
    android:layout_height="25dp"
    android:layout_marginBottom="8dp"
    android:layout_marginEnd="8dp"
    android:layout_marginStart="8dp"
    android:hapticFeedbackEnabled="true"
    android:layout_marginTop="8dp"
    android:text="@string/signupprompt"
    android:textColor="@android:color/background_light"
    android:textSize="14sp"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="1.0"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent"
    app:layout_constraintVertical_bias="1.0" />
<TextView

```

```

        android:id="@+id/textView6"
        android:layout_width="145dp"
        android:layout_height="25dp"
        android:layout_marginBottom="8dp"
        android:layout_marginEnd="8dp"
        android:layout_marginStart="8dp"
        android:layout_marginTop="8dp"
        android:gravity="center"
        android:text="@string/iforgot"
        android:textColor="@android:color/background_light"
        android:textSize="14sp"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.502"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent"
        app:layout_constraintVertical_bias="0.788" />
</android.support.constraint.ConstraintLayout>led="true"
        android:layout_width="307dp"
        android:layout_height="36dp"
        android:layout_marginBottom="8dp"
        android:layout_marginEnd="8dp"
        android:layout_marginStart="8dp"
        android:layout_marginTop="8dp"
        android:background="@color/colorPrimary"
        android:text="LOG IN"
        android:textColor="@android:color/background_light"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias=

```

## LoginActivity.kt

```
package finalproject.ggcfinal
import android.app.AlertDialog
import android.app.SearchManager
import android.content.Context
import android.content.DialogInterface
import android.content.Intent
import android.support.v7.app.AppCompatActivity
import android.os.Bundle
import android.os.Vibrator
import android.support.design.widget.Snackbar
import android.support.v4.view.MenuItemCompat
import android.support.v7.widget.SearchView
import android.widget.EditText
import android.widget.SeekBar
import android.widget.TextView
import android.widget.SeekBar.OnSeekBarChangeListener
import android.text.Editable
import android.text.TextWatcher
import android.view.Menu
import android.view.MenuInflater
import android.view.MenuItem
import android.view.View
import com.android.volley.Request
import com.android.volley.Response
import com.android.volley.toolbox.StringRequest
import com.android.volley.toolbox.Volley
import kotlinx.android.synthetic.main.activity_add.*
import kotlinx.android.synthetic.main.activity_main.*
import org.jetbrains.anko.toast
import org.json.JSONException
import org.json.JSONObject
```

```

@Suppress("DEPRECATION")
class AddActivity : AppCompatActivity() {
    var liter: Long = 0
    var vol: Long = 0
    var vis: Long = 0
    var wType: String = ""
    var wconvention: String = ""
    var uid: Int = 0
    var insid: Int = 0
    var note: String = ""
    var fname: String = ""
    var uname: String = ""
    var lname: String = ""
    var inscode: Int = 0
    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)
        setContentView(R.layout.activity_add)
        fname = intent.extras.getString("FNAME")
        uname = intent.extras.getString("UNAME")
        lname = intent.extras.getString("LNAME")
        uid = intent.extras.getInt("ID")
        insid = intent.extras.getInt("INSID")
        inscode = intent.extras.getInt("CODE")
        val seekBar = findViewById<SeekBar>(R.id.seekBar) as SeekBar
        val seekBarValue = findViewById<EditText>(R.id.seekvalue) as EditText
        vis = 0
        seekBar.setOnSeekBarChangeListener(object : SeekBar.OnSeekBarChangeListener {
            override fun onProgressChanged(seekBar: SeekBar, progress: Int,
                                           fromUser: Boolean) {
                seekBarValue.setText(progress.toString())
                liter = progress.toLong()
                vol = liter * 1000
            }
        })
    }
}

```

```

        textView13.text = vol.toString()
    override fun onStartTrackingTouch(seekBar: SeekBar) {
    }
    override fun onStopTrackingTouch(seekBar: SeekBar) {
    }})
seekv.setOnSeekBarChangeListener(object : SeekBar.OnSeekBarChangeListener {
    override fun onProgressChanged(seekBar: SeekBar, progress: Int, fromUser: Boolean) {
        vis = progress.toLong()
        visText.text = progress.toString()
    }
    override fun onStartTrackingTouch(seekBar: SeekBar) {
    }
    override fun onStopTrackingTouch(seekBar: SeekBar) {
    }})
seekBarValue.addTextChangedListener(object : TextWatcher {
    override fun beforeTextChanged(s: CharSequence, start: Int, count: Int, after: Int) {
    }
    override fun onTextChanged(s: CharSequence, start: Int, before: Int, count: Int) {
    }
    override fun afterTextChanged(s: Editable) {
        try {
            seekBar.setProgress(Integer.parseInt(s.toString()))
        } catch (ex: Exception) {}
    }})
}
override fun onCreateOptionsMenu(menu: Menu): Boolean {
    menuInflater.inflate(R.menu.done, menu)
    return true
}
override fun onOptionsItemSelected(item: MenuItem): Boolean {
    val v: Vibrator = getSystemService(Context.VIBRATOR_SERVICE) as Vibrator
    when (item.itemId) {
        R.id.action_done -> {

```

```

        addData()
        v.vibrate(25)
        toast("Data added successfully")
        val intent = Intent(this@AddActivity,DrawerActivity::class.java)
        intent.putExtra("UNAME",uname)
        intent.putExtra("FNAME",fname)
        intent.putExtra("LNAME",lname)
        intent.putExtra("ID",uid)
        intent.putExtra("INSID",insid)
        intent.putExtra("CODE",inscode)
        startActivity(intent)
        finish()
        return true
    }
    else -> return super.onOptionsItemSelected(item)
}
}

override fun onBackPressed() {
    AlertDialog.Builder(this, R.style.DialogDark)
        .setMessage("Discard data?")
        .setCancelable(true)
        .setPositiveButton("DISCARD") { dialog, id -> this@AddActivity.finish() }
        .setNegativeButton("CANCEL", null)
        .show()

    val intent = Intent(this@AddActivity,DrawerActivity::class.java)
    intent.putExtra("UNAME",uname)
    intent.putExtra("FNAME",fname)
    intent.putExtra("LNAME",lname)
    intent.putExtra("ID",uid)
    intent.putExtra("INSID",insid)
    startActivity(intent)
}

fun addData() {

```

```

val pref = SharedPreferences.getInstance(this@AddActivity)
if(raddsolid.isChecked){
    wType = "solid waste"
}else if (raddliquid.isChecked){
    wType = "liquid waste"}
if(raddbiodegradable.isChecked){
    wConvention = "biodegradable"
}else if (radnonbiodegradable.isChecked){
    wConvention = "non-biodegradable"}
if(rec.isChecked){
    wConvention = "$wConvention"+" and"+" recyclable"
}
note = Note.text.toString()
val url = "http://192.168.43.147/add.php"
val q = Volley.newRequestQueue(this@AddActivity)
val stringRequest = object : StringRequest(Request.Method.POST, url,
    Response.Listener { response ->
        }, Response.ErrorListener { error -> toast("$error") }) {
    public override fun getParams(): HashMap<String, String> {
        val params = HashMap<String, String>()
        params.put("uid", uid.toString())
        params.put("insid", insid.toString())
        params.put("wtype", wType)
        params.put("wconvention", wConvention)
        params.put("quantity", liter.toString())
        params.put("plevel", vis.toString())
        params.put("note", note)
        return params
    }
}
q.add(stringRequest)
}
}

```



### 5.3.2 Forgot Password

#### activity\_iforgot.xml

```
<?xml version="1.0" encoding="utf-8"?>
<android.support.constraint.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context="finalproject.ggcfinal.IforgotActivity"
    android:background="@color/bg">
    <ImageView
        android:id="@+id/imageView2"
        android:layout_width="75dp"
        android:layout_height="75dp"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent"
        app:layout_constraintVertical_bias="0.117"
        app:srcCompat="@drawable/logo" />
    <EditText
        android:id="@+id/email"
        android:layout_width="350dp"
        android:layout_height="wrap_content"
        android:layout_marginBottom="8dp"
        android:layout_marginEnd="8dp"
        android:layout_marginStart="8dp"
        android:layout_marginTop="8dp"
        android:backgroundTint="@android:color/darker_gray"
        android:ems="10"
        android:hint="Email"
```

```

        android:inputType="textEmailAddress"
        android:singleLine="true"
        android:textColor="@android:color/darker_gray"
        android:textColorHint="@android:color/darker_gray"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.515"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent"
        app:layout_constraintVertical_bias="0.405" />
<EditText
    android:id="@+id/phone"
    android:layout_width="53dp"
    android:layout_height="40dp"
    android:backgroundTint="@android:color/darker_gray"
    android:gravity="left"
    android:hint="+XX"
    android:inputType="phone"
    android:maxLength="4"
    android:textAlignment="textEnd"
    android:textColor="@android:color/darker_gray"
    android:textColorHint="@android:color/darker_gray"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.086"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent"
    app:layout_constraintVertical_bias="0.499" />
<EditText
    android:id="@+id/phone2"
    android:layout_width="280dp"
    android:layout_height="40dp"
    android:layout_marginBottom="8dp"

```

```

        android:layout_marginEnd="8dp"
        android:layout_marginStart="8dp"
        android:layout_marginTop="8dp"
        android:backgroundTint="@android:color/darker_gray"
        android:ems="10"
        android:hint="Phone Number"
        android:inputType="phone"
        android:maxLength="10"
        android:textColor="@android:color/darker_gray"
        android:textColorHint="@android:color/darker_gray"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.808"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent"
        app:layout_constraintVertical_bias="0.499" />
<TextView
    android:id="@+id/textView11"
    android:layout_width="wrap_content"
    android:layout_height="20dp"
    android:layout_marginBottom="8dp"
    android:layout_marginEnd="8dp"
    android:layout_marginStart="8dp"
    android:layout_marginTop="8dp"
    android:text="A link will be sent to your email to reset your password."
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.49"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent"
    app:layout_constraintVertical_bias="0.563" />
<Button
    android:id="@+id/button"

```

```

        android:layout_width="350dp"
        android:layout_height="36dp"
        android:layout_marginBottom="8dp"
        android:layout_marginEnd="8dp"
        android:layout_marginStart="8dp"
        android:layout_marginTop="8dp"
        android:background="@color/colorPrimary"
        android:text="CONFIRM"
        android:textColor="@android:color/background_light"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.488"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent"
        app:layout_constraintVertical_bias="0.655"
        tools:background="@color/colorPrimary" />
<TextView
    android:id="@+id/textView16"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginBottom="8dp"
    android:layout_marginEnd="8dp"
    android:layout_marginStart="8dp"
    android:layout_marginTop="8dp"
    android:text="?"
    android:textColor="@android:color/background_light"
    android:textSize="40sp"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent"
    app:layout_constraintVertical_bias="0.122" />
</android.support.constraint.ConstraintLayout>

```

### iforgotActivity.kt

```
package finalproject.ggcfinal
import android.support.v7.app.AppCompatActivity
import android.os.Bundle
class IforgotActivity : AppCompatActivity() {
    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)
        setContentView(R.layout.activity_iforgot)
    }
}
```

### 5.3.3 User Sign Up

#### activity\_signup.xml

```
<?xml version="1.0" encoding="utf-8"?>
<android.support.constraint.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    tools:context="finalproject.ggcfinal.SignUpActivity"
    android:background="@color/bg">
    <ScrollView
        android:layout_width="409dp"
        android:layout_height="match_parent"
        android:layout_marginBottom="8dp"
        android:layout_marginEnd="8dp"
        android:layout_marginStart="2dp"
        android:layout_marginTop="8dp"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintStart_toStartOf="parent"
```

```

app:layout_constraintTop_toTopOf="parent">
<LinearLayout
    android:layout_width="match_parent"
    android:layout_height="wrap_content"
    android:layout_marginTop="20dp"
    android:gravity="center"
    android:orientation="vertical">
    <ImageView
        android:id="@+id/imageView2"
        android:layout_width="80dp"
        android:layout_height="80dp"
        android:layout_marginBottom="8dp"
        android:layout_marginEnd="8dp"
        android:layout_marginStart="8dp"
        android:layout_marginTop="10dp"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.501"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent"
        app:layout_constraintVertical_bias="0.057"
        app:srcCompat="@drawable/personadd" />
    <EditText
        android:id="@+id/FirstName"
        android:layout_width="350dp"
        android:layout_height="wrap_content"
        android:layout_marginBottom="8dp"
        android:layout_marginEnd="8dp"
        android:layout_marginStart="8dp"
        android:layout_marginTop="30dp"
        android:backgroundTint="@android:color/darker_gray"
        android:ems="10"
        android:hint="First Name"

```

```

        android:inputType="textPersonName"
        android:maxLength="20"
        android:singleLine="false"
        android:textAlignment="viewStart"
        android:textColor="@color/colorAccent"
        android:textColorHint="@android:color/darker_gray"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.508"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent"
        app:layout_constraintVertical_bias="0.293" />
<EditText
    android:id="@+id/LastName"
    android:layout_width="350dp"
    android:layout_height="wrap_content"
    android:layout_marginBottom="8dp"
    android:layout_marginEnd="8dp"
    android:layout_marginStart="8dp"
    android:layout_marginTop="8dp"
    android:backgroundTint="@android:color/darker_gray"
    android:ems="10"
    android:hint="Last Name"
    android:inputType="textPersonName"
    android:maxLength="20"
    android:singleLine="false"
    android:textColor="@color/colorAccent"
    android:textColorHint="@android:color/darker_gray"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.508"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent"

```

```

        app:layout_constraintVertical_bias="0.396" />
<EditText
    android:id="@+id/mail"
    android:layout_width="350dp"
    android:layout_height="wrap_content"
    android:ems="10"
    android:hint="Email"
    android:inputType="textEmailAddress"
    android:textColor="@color/colorAccent"
    android:textColorHint="@android:color/darker_gray" />
<EditText
    android:id="@+id/user"
    android:layout_width="350dp"
    android:layout_height="wrap_content"
    android:layout_marginBottom="8dp"
    android:layout_marginEnd="8dp"
    android:layout_marginStart="8dp"
    android:layout_marginTop="8dp"
    android:backgroundTint="@android:color/darker_gray"
    android:ems="10"
    android:hint="Username"
    android:inputType="textPersonName"
    android:maxLength="20"
    android:singleLine="true"
    android:textColor="@color/colorAccent"
    android:textColorHint="@android:color/darker_gray"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.508"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent"
    app:layout_constraintVertical_bias="0.498" />
<EditText

```



```

        android:id="@+id/pass"
        android:layout_width="350dp"
        android:layout_height="wrap_content"
        android:layout_marginBottom="8dp"
        android:layout_marginEnd="8dp"
        android:layout_marginStart="8dp"
        android:layout_marginTop="8dp"
        android:backgroundTint="@android:color/darker_gray"
        android:ems="10"
        android:hint="Password"
        android:inputType="textPersonName"
        android:maxLength="50"
        android:textColor="@color/colorAccent"
        android:textColorHint="@android:color/darker_gray"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent"
        app:layout_constraintVertical_bias="0.61" />
<EditText
        android:id="@+id/instituteCode"
        android:layout_width="350dp"
        android:layout_height="wrap_content"
        android:layout_marginBottom="8dp"
        android:layout_marginEnd="8dp"
        android:layout_marginStart="8dp"
        android:layout_marginTop="8dp"
        android:backgroundTint="@android:color/darker_gray"
        android:ems="10"
        android:hint="Institute Code"
        android:inputType="text"
        android:maxLength="50"
        android:textColor="@color/colorAccent"

```

```

        android:textColorHint="@android:color/darker_gray"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent"
        app:layout_constraintVertical_bias="0.61" />
<Spinner
    android:id="@+id/spinnercities"
    style="@android:style/Widget.Material.Spinner"
    android:layout_width="350dp"
    android:layout_height="35dp"
    android:layout_marginTop="10dp"
    android:background="@color/colorPrimaryDark"
    android:drawSelectorOnTop="true"
    android:entries="@array/cities"
    android:minWidth="290dp"
    android:popupBackground="@color/colorPrimaryDark"
    android:spinnerMode="dropdown"
    android:textColor="#FFFFFF" />
<Spinner
    android:id="@+id/spinnerstates"
    style="@android:style/Widget.Material.Spinner"
    android:layout_width="350dp"
    android:layout_height="35dp"
    android:layout_marginTop="10dp"
    android:background="@color/colorPrimaryDark"
    android:drawSelectorOnTop="true"
    android:entries="@array/states"
    android:minWidth="290dp"
    android:popupBackground="@color/colorPrimaryDark"
    android:spinnerMode="dropdown"
    android:textColor="#FFFFFF" />
<Spinner

```

```

        android:id="@+id/spinnercountries"
        style="@android:style/Widget.Material.Spinner"
        android:layout_width="350dp"
        android:layout_height="35dp"
        android:layout_marginTop="10dp"
        android:background="@color/colorPrimaryDark"
        android:drawSelectorOnTop="true"
        android:entries="@array/countries"
        android:minWidth="290dp"
        android:popupBackground="@color/colorPrimaryDark"
        android:spinnerMode="dropdown"
        android:textColor="#FFFFFF" />
<Button
    android:id="@+id/signupbutton"
    android:layout_width="350dp"
    android:layout_height="36dp"
    android:layout_marginBottom="8dp"
    android:layout_marginEnd="8dp"
    android:layout_marginStart="8dp"
    android:layout_marginTop="10dp"
    android:background="@color/colorPrimary"
    android:text="SIGN UP"
    android:textColor="@android:color/background_light"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.508"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent"
    app:layout_constraintVertical_bias="0.718"
    tools:background="@color/colorPrimary" />
<TextView
    android:id="@+id/regins"
    android:layout_width="match_parent"

```

```

        android:layout_height="30dp"
        android:layout_marginBottom="8dp"
        android:layout_marginEnd="8dp"
        android:layout_marginStart="128dp"
        android:layout_marginTop="8dp"
        android:text="@string/instituteprompt"
        android:textAlignment="textEnd"
        android:textColor="@android:color/background_light"
        android:textSize="14sp"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="1.0"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent"
        app:layout_constraintVertical_bias="1.0" />
    </LinearLayout>
</ScrollView>
</android.support.constraint.ConstraintLayout>

```

### SignupActivity.kt

```

package finalproject.ggcfinal
import android.content.Context
import android.content.Intent
import android.support.v7.app.AppCompatActivity
import android.os.Bundle
import android.os.Vibrator
import kotlinx.android.synthetic.main.activity_sign_up.*
import com.android.volley.Request
import com.android.volley.Response
import com.android.volley.toolbox.StringRequest
import com.android.volley.toolbox.Volley
import kotlinx.android.synthetic.main.activity_main.*

```

```

import org.jetbrains.anko.toast
import org.json.JSONException
import org.json.JSONObject
import android.widget.Toast
import android.widget.Spinner
import org.jetbrains.anko.sdk25.coroutines.onClick
@Suppress("DEPRECATION")
class SignUpActivity : AppCompatActivity() {
    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)
        setContentView(R.layout.activity_sign_up)
        //val adapter = ArrayAdapter(this,R.layout.spinner_item,spinnercountry)
        val v: Vibrator = getSystemService(Context.VIBRATOR_SERVICE) as Vibrator
        regins.onClick {
            val intent = Intent(this@SignUpActivity,RegInstituteActivity::class.java)
            startActivity(intent)
            v.vibrate(25)
        }
        signupbutton.onClick {
            v.vibrate(25)
            putData()
        }
    }
    fun putData() {
        val fname = FirstName.text
        val lname = LastName.text
        val uname = user.text
        val password = pass.text
        val mail = mail.text
        val country: String
        val state: String
        val city: String
        val inscode = institutecode.text
    }
}

```

```

val spin = findViewById<Spinner>(R.id.spinnercountries) as Spinner
val st = spin.selectedItem.toString()
val pos = spin.selectedItemPosition
if (pos != 0) {
    country = spin.selectedItem.toString()
} else {
    Toast.makeText(this@SignUpActivity,
        "Please select a country", Toast.LENGTH_LONG)
        .show()
    return
}
val spinstat = findViewById<Spinner>(R.id.spinnerstates) as Spinner
val sst = spinstat.selectedItem.toString()
val spos = spinstat.selectedItemPosition
if (spos != 0) {
    state = spinstat.selectedItem.toString()
} else {
    Toast.makeText(this@SignUpActivity,
        "Please select a state", Toast.LENGTH_LONG)
        .show()
    return
}
val spincity = findViewById<Spinner>(R.id.spinnercities) as Spinner
val cst = spincity.selectedItem.toString()
val cpos = spincity.selectedItemPosition
if (cpos != 0) {
    city = spincity.selectedItem.toString()
} else {
    Toast.makeText(this@SignUpActivity,
        "Please select your city", Toast.LENGTH_LONG)
        .show()
    return
}

```

```

val v: Vibrator = getSystemService(Context.VIBRATOR_SERVICE) as Vibrator
val url = "http://192.168.43.147/signup.php"
val q = Volley.newRequestQueue(this@SignUpActivity)
val stringRequest = object : StringRequest(Request.Method.POST, url,
    Response.Listener { response ->
        toast("Account created successfully!")
        finish()
    }, Response.ErrorListener { error -> toast("$error") }) {
public override fun getParams(): HashMap<String, String> {
    val params = HashMap<String, String>()
    params.put("username", uname.toString())
    params.put("password", password.toString())
    params.put("fname", fname.toString())
    params.put("lname", lname.toString())
    params.put("country", country.toString())
    params.put("state", state.toString())
    params.put("city", city.toString())
    params.put("inscode", inscode.toString())
    params.put("mail", mail.toString())
    return params
}
}
q.add(stringRequest)
}
}

```

### 5.3.4 Institute Registration

#### activity\_reg\_institute.xml

```
<?xml version="1.0" encoding="utf-8"?>
<android.support.constraint.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:background="@color/bg"
    tools:context="finalproject.ggcfinal.RegInstituteActivity">
    <EditText
        android:id="@+id/camparea"
        android:layout_width="215dp"
        android:layout_height="50dp"
        android:layout_marginBottom="8dp"
        android:layout_marginEnd="8dp"
        android:layout_marginStart="8dp"
        android:layout_marginTop="8dp"
        android:backgroundTint="@android:color/darker_gray"
        android:ems="10"
        android:gravity="left"
        android:hint="Campus Area (in km²)"
        android:paddingRight="8dp"
        android:singleLine="false"
        android:textAlignment="textStart"
        android:textColor="@android:color/darker_gray"
        android:textColorHint="@android:color/darker_gray"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.059"
        app:layout_constraintStart_toStartOf="parent"
```



```

app:layout_constraintTop_toTopOf="parent"
app:layout_constraintVertical_bias="0.795" />
<EditText
    android:id="@+id/code"
    android:layout_width="130dp"
    android:layout_height="50dp"
    android:layout_marginBottom="8dp"
    android:layout_marginEnd="8dp"
    android:layout_marginStart="8dp"
    android:layout_marginTop="8dp"
    android:backgroundTint="@android:color/darker_gray"
    android:ems="10"
    android:hint="Institute Code"
    android:inputType="textPersonName"
    android:maxLength="4"
    android:paddingRight="4dp"
    android:singleLine="false"
    android:textColor="@android:color/darker_gray"
    android:textColorHint="@android:color/darker_gray"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.962"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent"
    app:layout_constraintVertical_bias="0.795" />
<EditText
    android:id="@+id/instituteAddress"
    android:layout_width="350dp"
    android:layout_height="49dp"
    android:layout_marginBottom="8dp"
    android:layout_marginEnd="8dp"
    android:layout_marginStart="8dp"
    android:layout_marginTop="8dp"

```

```

        android:backgroundTint="@android:color/darker_gray"
        android:ems="10"
        android:hint="Address (Street, Area etc.)"
        android:inputType="textPersonName"
        android:singleLine="false"
        android:textColor="@android:color/darker_gray"
        android:textColorHint="@android:color/darker_gray"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent"
        app:layout_constraintVertical_bias="0.405" />
<EditText
    android:id="@+id/instituteName2"
    android:layout_width="350dp"
    android:layout_height="49dp"
    android:layout_marginBottom="8dp"
    android:layout_marginEnd="8dp"
    android:layout_marginStart="8dp"
    android:layout_marginTop="8dp"
    android:backgroundTint="@android:color/darker_gray"
    android:ems="10"
    android:hint="Institute Name"
    android:inputType="textPersonName"
    android:singleLine="false"
    android:textColor="@android:color/darker_gray"
    android:textColorHint="@android:color/darker_gray"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.488"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent"
    app:layout_constraintVertical_bias="0.306" />

```

```

<Spinner
    android:id="@+id/spinnercity"
    style="@android:style/Widget.Material.Light.Spinner.Underlined"
    android:layout_width="350dp"
    android:layout_height="35dp"
    android:layout_marginBottom="8dp"
    android:layout_marginEnd="8dp"
    android:layout_marginStart="8dp"
    android:layout_marginTop="4dp"
    android:background="@color/colorPrimaryDark"
    android:drawSelectorOnTop="true"
    android:entries="@array/cities"
    android:gravity="center_vertical"
    android:minWidth="290dp"
    android:popupBackground="@color/colorPrimaryDark"
    android:spinnerMode="dropdown"
    android:textColor="#FFFFFF"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent"
    app:layout_constraintVertical_bias="0.696" />

```

```

<Spinner
    android:id="@+id/spinnerstates"
    style="@android:style/Widget.Material.Light.Spinner.Underlined"
    android:layout_width="350dp"
    android:layout_height="35dp"
    android:layout_marginBottom="8dp"
    android:layout_marginEnd="8dp"
    android:layout_marginStart="8dp"
    android:layout_marginTop="8dp"
    android:background="@color/colorPrimaryDark"
    android:drawSelectorOnTop="true"

```

```

        android:entries="@array/states"
        android:gravity="center_vertical"
        android:minWidth="290dp"
        android:popupBackground="@color/colorPrimaryDark"
        android:spinnerMode="dropdown"
        android:textColor="#FFFFFF"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent"
        app:layout_constraintVertical_bias="0.595" />
<Spinner
    android:id="@+id/spinnercountry"
    style="@android:style/Widget.Material.Light.Spinner.Underlined"
    android:layout_width="350dp"
    android:layout_height="35dp"
    android:layout_marginBottom="8dp"
    android:layout_marginEnd="8dp"
    android:layout_marginStart="8dp"
    android:layout_marginTop="8dp"
    android:background="@color/colorPrimaryDark"
    android:drawSelectorOnTop="true"
    android:entries="@array/countries"
    android:gravity="center_vertical"
    android:minWidth="290dp"
    android:popupBackground="@color/colorPrimaryDark"
    android:spinnerMode="dropdown"
    android:textColor="#FFFFFF"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent" />
<ImageView

```

```

    android:id="@+id/imageView8"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginBottom="8dp"
    android:layout_marginEnd="8dp"
    android:layout_marginStart="8dp"
    android:layout_marginTop="8dp"
    android:paddingRight="16dp"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.948"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent"
    app:layout_constraintVertical_bias="0.498"
    app:srcCompat="@android:drawable/arrow_down_float" />
<ImageView
    android:id="@+id/imageView9"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginBottom="8dp"
    android:layout_marginEnd="8dp"
    android:layout_marginStart="8dp"
    android:layout_marginTop="8dp"
    android:paddingRight="16dp"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.948"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent"
    app:layout_constraintVertical_bias="0.592"
    app:srcCompat="@android:drawable/arrow_down_float" />
<ImageView
    android:id="@+id/imageView10"

```

```

        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_marginBottom="8dp"
        android:layout_marginEnd="8dp"
        android:layout_marginStart="8dp"
        android:layout_marginTop="8dp"
        android:paddingRight="16dp"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.948"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent"
        app:layout_constraintVertical_bias="0.683"
        app:srcCompat="@android:drawable/arrow_down_float" />
<Button
    android:id="@+id/regbutton"
    android:layout_width="350dp"
    android:layout_height="36dp"
    android:layout_marginBottom="8dp"
    android:layout_marginEnd="8dp"
    android:layout_marginStart="8dp"
    android:layout_marginTop="8dp"
    android:background="@color/colorPrimary"
    android:text="REGISTER YOUR INSITUTE"
    android:textColor="@android:color/background_light"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent"
    app:layout_constraintVertical_bias="0.908"
    tools:background="@color/colorPrimary" />
<ImageView
    android:id="@+id/imageView5"

```

```

        android:layout_width="80dp"
        android:layout_height="80dp"
        android:layout_marginBottom="8dp"
        android:layout_marginEnd="8dp"
        android:layout_marginStart="8dp"
        android:layout_marginTop="8dp"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent"
        app:layout_constraintVertical_bias="0.06"
        app:srcCompat="@drawable/building" />
<ImageView
    android:id="@+id/imageView7"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginBottom="8dp"
    android:layout_marginEnd="8dp"
    android:layout_marginStart="8dp"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.59"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent"
    app:layout_constraintVertical_bias="0.083"
    app:srcCompat="@drawable/ic_add_white" />
</android.support.constraint.ConstraintLayout>

```

## RegInstituteActivity.kt

```
package finalproject.ggcfinal
import android.content.Context
import android.support.v7.app.AppCompatActivity
import android.os.Bundle
import android.os.Vibrator
import android.widget.Spinner
import android.widget.Toast
import com.android.volley.Request
import com.android.volley.Response
import com.android.volley.toolbox.StringRequest
import com.android.volley.toolbox.Volley
import kotlinx.android.synthetic.main.activity_add.*
import kotlinx.android.synthetic.main.activity_reg_institute.*
import kotlinx.android.synthetic.main.activity_sign_up.*
import org.jetbrains.anko.sdk25.coroutines.onClick
import org.jetbrains.anko.toast
@Suppress("DEPRECATION")
class RegInstituteActivity : AppCompatActivity() {
    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)
        setContentView(R.layout.activity_reg_institute)
        regbutton.onClick {putData()}
    }
    fun putData() {
        val iname = instituteName2.text
        val inscode = code.text
        val address = instituteAddress.text
        var country: String = "India"
        var state: String = "Karnataka"
        var city: String = "Belgaum"
        val area = camparea.text
    }
}
```



```

val spin = findViewById<Spinner>(R.id.spinnercountry) as Spinner
val st = spin.selectedItem.toString()
val pos = spin.selectedItemPosition
if (pos != 0) {
    country = spin.selectedItem.toString()
} else {
    Toast.makeText(this@RegInstituteActivity,
        "Please select a country", Toast.LENGTH_LONG)
        .show()
    return
}
val spinstate = findViewById<Spinner>(R.id.spinnerstates) as Spinner
val sst = spinstate.selectedItem.toString()
val spos = spinstate.selectedItemPosition
if (spos != 0) {
    state = spinstate.selectedItem.toString()
} else {
    Toast.makeText(this@RegInstituteActivity,
        "Please select a state", Toast.LENGTH_LONG)
        .show()
    return
}
val spincity = findViewById<Spinner>(R.id.spinnercity) as Spinner
val cst = spincity.selectedItem.toString()
val cpos = spincity.selectedItemPosition
if (cpos != 0) {
    city = spincity.selectedItem.toString()
} else {
    Toast.makeText(this@RegInstituteActivity,
        "Please select your city", Toast.LENGTH_LONG)
        .show()
    return
}

```

```

val v: Vibrator = getSystemService(Context.VIBRATOR_SERVICE) as Vibrator
val url = "http://192.168.43.147/regins.php"
val q = Volley.newRequestQueue(this@RegInstituteActivity)
val stringRequest = object : StringRequest(Request.Method.POST, url,
    Response.Listener { response ->
        toast("Institute registered successfully!")
        v.vibrate(25)
        finish()
    }, Response.ErrorListener { error -> toast("$error") }) {
public override fun getParams(): HashMap<String, String> {
    val params = HashMap<String, String>()
    params.put("iname", iname.toString())
    params.put("code", inscode.toString())
    params.put("area", area.toString())
    params.put("address", address.toString())
    params.put("country", country.toString())
    params.put("state", state.toString())
    params.put("city", city.toString())
    return params
}
}
q.add(stringRequest)
}
}

```

### 5.3.5 Dashboard

#### activity\_dashboard.xml

```
<?xml version="1.0" encoding="utf-8"?>
<android.support.v4.widget.DrawerLayout
xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:id="@+id/drawer_layout"
    app:itemTextColor="@color/colorAccent"
    app:itemIconTint="@color/colorAccent"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:fitsSystemWindows="true"
    tools:openDrawer="start"
    android:background="@color/bg">
    <include
        layout="@layout/app_bar_drawer"
        android:layout_width="match_parent"
        android:layout_height="match_parent" />
    <android.support.design.widget.NavigationView
        android:id="@+id/nav_view"
        android:layout_width="wrap_content"
        android:layout_height="match_parent"
        android:layout_gravity="start"
        android:background="@color/colorPrimaryDark"
        android:fitsSystemWindows="true"
        app:headerLayout="@layout/nav_header_drawer"
        app:itemIconTint="#FAFAFA"
        app:itemTextColor="#FAFAFA"
        app:menu="@menu/activity_drawer_drawer" />
</android.support.v4.widget.DrawerLayout>
```

### Dashcard.kt

```
package finalproject.ggcfinal  
data class DashCard(var waste: String, var cardnote: String, var type: String, var date: String, var  
vol: String, var vis: String)
```

### DashboardActivity.kt

```
package finalproject.ggcfinal  
import android.support.v4.app.Fragment  
import android.content.Intent  
import android.os.Bundle  
import android.support.design.widget.Snackbar  
import android.support.design.widget.NavigationView  
import android.support.v4.view.GravityCompat  
import android.support.v7.app.ActionBarDrawerToggle  
import android.support.v7.app.AppCompatActivity  
import android.view.Menu  
import android.view.MenuItem  
import kotlinx.android.synthetic.main.activity_drawer.*  
import kotlinx.android.synthetic.main.app_bar_drawer.*  
import android.R.attr.fragment  
import android.R.attr.stateListAnimator  
import android.app.SearchManager  
import android.support.v4.widget.DrawerLayout  
import android.support.v7.widget.SearchView  
import android.view.View  
import android.support.v7.widget.Toolbar  
import android.support.v4.view.MenuItemCompat  
import android.R.menu  
import android.app.Activity  
import android.app.AlertDialog  
import android.content.Context  
import android.graphics.Color
```

```

import android.os.Vibrator
import android.support.v7.widget.LinearLayoutManager
import android.support.v7.widget.RecyclerView
import android.widget.LinearLayout
import android.widget.TextView
import com.android.volley.Request
import com.android.volley.Response
import com.android.volley.toolbox.StringRequest
import com.android.volley.toolbox.Volley
import com.jjoe64.graphview.GraphView
import com.jjoe64.graphview.GridLabelRenderer
import com.jjoe64.graphview.series.DataPoint
import com.jjoe64.graphview.series.LineGraphSeries
import kotlinx.android.synthetic.main.activity_main.*
import kotlinx.android.synthetic.main.activity_reg_institute.*
import kotlinx.android.synthetic.main.content_drawer.*
import kotlinx.android.synthetic.main.nav_header_drawer.*
import org.jetbrains.anko.sdk25.coroutines.onClick
import org.jetbrains.anko.toast
import org.json.JSONException
import org.json.JSONObject
import java.util.*

@Suppress("DEPRECATION")
class DrawerActivity : AppCompatActivity(),
NavigationView.OnNavigationItemSelectedListener {
    var fname: String = ""
    var uname: String = ""
    var lname: String = ""
    var id: Int = 0
    var insid: Int = 0
    var inscode: Int = 0
    var per: Float = 0F
    var ei: Float = 0F

```

```

var upper: Float = 0F
var day = 0
override fun onCreate(savedInstanceState: Bundle?) {
    super.onCreate(savedInstanceState)
    val v: Vibrator = getSystemService(Context.VIBRATOR_SERVICE) as Vibrator
    setContentView(R.layout.activity_drawer)
    setSupportActionBar(toolbar)
    val toolbar = findViewById<View>(R.id.toolbar) as Toolbar
    setSupportActionBar(toolbar)
    fname = intent.extras.getString("FNAME")
    uname = intent.extras.getString("UNAME")
    lname = intent.extras.getString("LNAME")
    id = intent.extras.getInt("ID")
    insid = intent.extras.getInt("INSID")
    inscode = intent.extras.getInt("CODE")
    //toast("$id")
    val header = nav_view.getHeaderView(0)
    val userfullname = header.findViewById<TextView>(R.id.fullname)
    val username = header.findViewById<TextView>(R.id.username)
    loadData()
    loadGraphData()
    userfullname.text=fname+" "+lname
    username.text = uname
    fab.setOnClickListener { view ->
        val intent = Intent(this@DrawerActivity,AddActivity::class.java)
        intent.putExtra("UID",id)
        intent.putExtra("INSID",insid)
        v.vibrate(25)
        intent.putExtra("UNAME",uname)
        intent.putExtra("FNAME",fname)
        intent.putExtra("LNAME",lname)
        intent.putExtra("ID",id)
        intent.putExtra("INSID",insid)
    }
}

```

```

        intent.putExtra("CODE",inscode)
        startActivity(intent)
        finish()
    }
    ins1.onClick { view ->
        AlertDialog.Builder(this@DrawerActivity, R.style.DialogDark)
            .setMessage("Waste collected this month: \nWaste recycled this month: \n\n\nTotal
waste collected: \nTotal waste recycled:\n")
            .setCancelable(false)
            .setNegativeButton("BACK", null)
            .show()
        }
    val toggle = ActionBarDrawerToggle(
        this, drawer_layout, toolbar, R.string.navigation_drawer_open,
R.string.navigation_drawer_close)
    drawer_layout.addDrawerListener(toggle)
    toggle.syncState()
    nav_view.setNavigationItemSelectedListener(this)
}
    override fun onBackPressed() {
        if (drawer_layout.isDrawerOpen(GravityCompat.START)) {
            drawer_layout.closeDrawer(GravityCompat.START)
        } else {
            moveTaskToBack(true)
        }
    }
}
    override fun onCreateOptionsMenu(menu: Menu): Boolean {
        menuInflater.inflate(R.menu.drawer, menu)
        val v: Vibrator = getSystemService(Context.VIBRATOR_SERVICE) as Vibrator
        val searchView = MenuItemCompat.getActionView(menu.findItem(R.id.action_search))
as SearchView
        val searchManager = getSystemService(Context.SEARCH_SERVICE) as SearchManager
        searchView.setSearchableInfo(searchManager.getSearchableInfo(componentName))

```

```

        return true
        inflater.inflate(R.menu.drawer, menu)
        return true
    }
    override fun onOptionsItemSelected(item: MenuItem): Boolean {
        val v: Vibrator = getSystemService(Context.VIBRATOR_SERVICE) as Vibrator
        when (item.itemId) {
            R.id.action_help -> return true
            R.id.action_search -> {
                v.vibrate(25)
                return true
            }
            R.id.action_quit -> {
                moveTaskToBack(true)
                return true
            }
            R.id.action_logout -> {
                val pref = SharedPreferences.getInstance(this@DrawerActivity)
                pref.logout()
                finish()
                toast("Goodbye, cruel world...")
                v.vibrate(25)
                v.vibrate(25)
                v.vibrate(25)
                return true
            }
            else -> return super.onOptionsItemSelected(item)
        }
    }
    override fun onNavigationItemSelected(item: MenuItem): Boolean {
        val fragment: Fragment? = null
        when (item.itemId) {
            R.id.nav_dashboard -> {

```



```

    }
    R.id.nav_spectate -> {
        val spIntent = Intent(this@DrawerActivity,SpectateActivity::class.java)
        spIntent.putExtra("UNAME",uname)
        spIntent.putExtra("FNAME",fname)
        spIntent.putExtra("LNAME",lname)
        spIntent.putExtra("ID",id)
        spIntent.putExtra("INSID",insid)
        spIntent.putExtra("UP",upper)
        startActivity(spIntent)
        overridePendingTransition(0, 0);
        finish()
    }
    R.id.nav_settings -> {
        val sIntent = Intent(this@DrawerActivity,SettingsActivity::class.java)
        startActivity(sIntent)
    }
}
if (fragment != null) {
    val ft = supportFragmentManager.beginTransaction()
    ft.replace(R.id.content_frame, fragment)
    ft.commit()
}
drawer_layout.closeDrawer(GravityCompat.START)
return true
}
fun loadData() {
    val recyclerView = findViewById<RecyclerView>(R.id.recyclerview) as RecyclerView
    recyclerView.layoutManager = LinearLayoutManager(this, LinearLayoutManager.VERTICAL,
false)
    val url = "http://192.168.43.147/trash.php"
    val q = Volley.newRequestQueue(this@DrawerActivity)
    val stringRequest = object : StringRequest(Request.Method.POST, url,

```

```

Response.Listener { response ->
    val dashCard = ArrayList<DashCard>()
    try{
        val obj = JSONObject(response)
        val jsnobj = obj.getJSONArray("response")
        for (i in 0 until jsnobj.length()) {
            val jsonObject = jsnobj.getJSONObject(i)
            val qty = jsonObject.getInt("Quantity")
            val wtype = jsonObject.getString("Wtype")
            val note = jsonObject.getString("Note")
            val convention = jsonObject.getString("Wconvention")
            val day = jsonObject.getString("TimeDay")
            val month = jsonObject.getString("TimeMonth")
            val year = jsonObject.getString("TimeYear")
            val vis = jsonObject.getInt("Plevel")
            val vol = qty*1000
            dashCard.add(DashCard("Collected "+"$qty"+" liters of
"+"$wtype", "$note", "Item is "+"$convention", "$day"+"/"+"$month"+"/"+"$year", "$vol"+"
cm³", "$vis"+"KM"))
            val adapter = CustomAdapter (dashCard)
            recyclerView.adapter = adapter
        }
    } catch(e: JSONException){
        toast("Please check your credentials and try again")
    }
}, Response.ErrorListener { error -> toast("The server could not process your
request")) {
    public override fun getParams(): HashMap<String, String> {
        val params = HashMap<String, String>()
        params.put("uid", id.toString())
        return params
    }
}
}

```

```

        q.add(stringRequest)
    }
    fun loadGraphData() {
        val url = "http://192.168.43.147/gdata.php"
        val q = Volley.newRequestQueue(this@DrawerActivity)
        val stringRequest = object : StringRequest(Request.Method.POST, url,
            Response.Listener { response ->
                try{
                    val obj = JSONObject(response)
                    val num = obj.getInt("num")
                    val rec = obj.getInt("rec")
                    val total = obj.getInt("total")
                    toast("$total")
                    ei = (rec.toFloat()/num.toFloat())*5
                    ei = (Math.floor((ei*10).toDouble())/10
                        ).toFloat()
                    per = ((num*0.83).toFloat())
                    graph()
                    var rper = (num.toFloat()/total.toFloat())*100
                    upper = rper
                    updateGi()
                    goal.text = "Goal: "+per.toString()+"%"+ " | Environmental Index: "+"$ei"+"/5.0
(↑"+"$rper"+"%)"
                } catch(e: JSONException){
                    toast("$e")
                }
            }, Response.ErrorListener { error -> toast("The server could not process your
request") }) {
            public override fun getParams(): HashMap<String, String> {
                val params = HashMap<String, String>()
                params.put("uid", id.toString())
                return params
            }
        }
    }

```

```

    }
    q.add(stringRequest)
}

fun updateGi() {
    val url = "http://192.168.43.147/giupdate.php"
    val q = Volley.newRequestQueue(this@DrawerActivity)
    val stringRequest = object : StringRequest(Request.Method.POST, url,
        Response.Listener { response ->
            }, Response.ErrorListener { error -> toast("The server could not process your
request") }) {
        public override fun getParams(): HashMap<String, String> {
            val params = HashMap<String, String>()
            params.put("code", inscode.toString())
            params.put("gi", ei.toString())
            return params
        }
    }
    q.add(stringRequest)
}

fun graph(){
    var graphview : GraphView = findViewById<GraphView>(R.id.graph)
    val cal = Calendar.getInstance()
    val day = cal.get(Calendar.DAY_OF_MONTH)
    val series = LineGraphSeries<DataPoint>()
    series.setColor(Color.rgb(38,166,154))
    series.setThickness(11)
    graphview.viewport.setMaxX(30.0)
    graphview.viewport.setMinX(0.0)
    graphview.viewport.setMinY(0.0)
    graphview.viewport.setMaxY(100.0)
    val gridlabel = graphview.gridLabelRenderer
    graphview.gridLabelRenderer.gridStyle = GridLabelRenderer.GridStyle.HORIZONTAL
    graphview.viewport.isScalable = true

```

```

graphview.viewport.setScalableY(true)
graphview.viewport.setYAxisBoundsManual(true)
graphview.viewport.setXAxisBoundsManual(true)
var x = 0.0
var i: Int = 0
var j: Int = 0
while(i.compareTo(Math.abs(per).toInt()) < 0 || j<day){
    x = i.toDouble()
    val y = j.toDouble()
    series.appendData(DataPoint(x,y), true, 500)
    if(i.compareTo(Math.abs(per).toInt()) < 0 )
        i=i+1
        j=j+1
}
graphview.addSeries(series)
}
}

```

### 5.3.6 Add Data

#### activity\_add.xml

```

<?xml version="1.0" encoding="utf-8"?>
<android.support.constraint.ConstraintLayout
xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:background="@color/bg"
    android:paddingBottom="8dp"
    tools:context="finalproject.ggcfinal.AddActivity">
    <TextView
        android:id="@+id/textView7"

```

```

        android:layout_width="wrap_content"
        android:layout_height="wrap_content"
        android:layout_marginBottom="8dp"
        android:layout_marginEnd="8dp"
        android:layout_marginStart="8dp"
        android:layout_marginTop="8dp"
        android:text="Select waste convention"
        android:textColor="@color/cardview_light_background"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.108"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent"
        app:layout_constraintVertical_bias="0.22" />
<TextView
    android:id="@+id/textView2"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginBottom="8dp"
    android:layout_marginEnd="8dp"
    android:layout_marginStart="8dp"
    android:layout_marginTop="8dp"
    android:text="Select waste type"
    android:textColor="@color/cardview_light_background"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.089"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent"
    app:layout_constraintVertical_bias="0.016" />
<RadioGroup
    android:id="@+id/radioGroup"
    android:layout_width="wrap_content"

```

```

android:layout_height="wrap_content"
android:layout_marginBottom="8dp"
android:layout_marginEnd="8dp"
android:layout_marginStart="8dp"
android:layout_marginTop="8dp"
app:layout_constraintBottom_toBottomOf="parent"
app:layout_constraintEnd_toEndOf="parent"
app:layout_constraintHorizontal_bias="0.116"
app:layout_constraintStart_toStartOf="parent"
app:layout_constraintTop_toTopOf="parent"
app:layout_constraintVertical_bias="0.064">
<RadioButton
    android:id="@+id/raddsolid"
    android:layout_width="107dp"
    android:layout_height="38dp"
    android:layout_marginBottom="0dp"
    android:layout_marginEnd="8dp"
    android:layout_marginStart="8dp"
    android:layout_marginTop="0dp"
    android:buttonTint="#26A69A"
    android:checked="true"
    android:text="Solid Waste"
    android:textColor="@color/cardview_light_background"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.198"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent"
    app:layout_constraintVertical_bias="0.072" />
<RadioButton
    android:id="@+id/raddliquid"
    android:layout_width="148dp"
    android:layout_height="32dp"

```

```

        android:layout_marginBottom="8dp"
        android:layout_marginEnd="8dp"
        android:layout_marginStart="8dp"
        android:layout_marginTop="0dp"
        android:buttonTint="#26A69A"
        android:text="Liquid Waste"
        android:textColor="@color/cardview_light_background"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.203"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent"
        app:layout_constraintVertical_bias="0.153" />
</RadioGroup>
<TextView
    android:id="@+id/textView4"
    android:layout_width="wrap_content"
    android:layout_height="wrap_content"
    android:layout_marginBottom="8dp"
    android:layout_marginEnd="8dp"
    android:layout_marginStart="8dp"
    android:layout_marginTop="8dp"
    android:text="Select waste convention"
    android:textColor="@color/cardview_light_background"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.108"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent"
    app:layout_constraintVertical_bias="0.22" />
<RadioGroup
    android:id="@+id/radioGroup"
    android:layout_width="wrap_content"

```



```

android:layout_height="wrap_content"
android:layout_marginBottom="8dp"
android:layout_marginEnd="8dp"
android:layout_marginStart="8dp"
android:layout_marginTop="8dp"
app:layout_constraintBottom_toBottomOf="parent"
app:layout_constraintEnd_toEndOf="parent"
app:layout_constraintHorizontal_bias="0.127"
app:layout_constraintStart_toStartOf="parent"
app:layout_constraintTop_toTopOf="parent"
app:layout_constraintVertical_bias="0.315">
<RadioButton
    android:id="@+id/raddbiod"
    android:layout_width="148dp"
    android:layout_height="32dp"
    android:layout_marginBottom="0dp"
    android:layout_marginEnd="8dp"
    android:layout_marginStart="8dp"
    android:layout_marginTop="0dp"
    android:buttonTint="#26A69A"
    android:checked="true"
    android:text="Biodegradable"
    android:textColor="@color/cardview_light_background"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.203"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent"
    app:layout_constraintVertical_bias="0.153" />
<RadioButton
    android:id="@+id/radnonbio"
    android:layout_width="163dp"
    android:layout_height="32dp"

```

```

        android:layout_marginBottom="0dp"
        android:layout_marginEnd="8dp"
        android:layout_marginStart="8dp"
        android:layout_marginTop="0dp"
        android:buttonTint="#26A69A"
        android:text="Non-Biodegradable"
        android:textColor="@color/cardview_light_background"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.203"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent"
        app:layout_constraintVertical_bias="0.153" />
<CheckBox
    android:id="@+id/rec"
    android:layout_width="148dp"
    android:layout_height="32dp"
    android:layout_marginEnd="4dp"
    android:layout_marginStart="8dp"
    android:layout_weight="1"
    android:buttonTint="@color/teal"
    android:text="Recyclable" />
</RadioGroup>
<TextView
    android:id="@+id/textView8"
    android:layout_width="wrap_content"
    android:layout_height="28dp"
    android:layout_marginBottom="8dp"
    android:layout_marginEnd="8dp"
    android:layout_marginStart="8dp"
    android:layout_marginTop="8dp"
    android:text="Quantity"
    android:textColor="@color/cardview_light_background"

```

```

app:layout_constraintBottom_toBottomOf="parent"
app:layout_constraintEnd_toEndOf="parent"
app:layout_constraintHorizontal_bias="0.089"
app:layout_constraintStart_toStartOf="parent"
app:layout_constraintTop_toTopOf="parent"
app:layout_constraintVertical_bias="0.498" />
<SeekBar
    android:id="@+id/seekBar"
    android:layout_width="270dp"
    android:layout_height="29dp"
    android:progressBackgroundTint="#80CBC4"
    android:progressTint="#26A69A"
    android:thumbTint="#26A69A"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.377"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent"
    app:layout_constraintVertical_bias="0.549" />
<EditText
    android:id="@+id/seekvalue"
    android:layout_width="45dp"
    android:layout_height="40dp"
    android:backgroundTint="@android:color/darker_gray"
    android:ems="10"
    android:gravity="right"
    android:hint="0.0"
    android:inputType="numberDecimal"
    android:maxLength="3"
    android:textColor="@android:color/darker_gray"
    android:textColorHint="@android:color/darker_gray"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"

```

```

app:layout_constraintHorizontal_bias="0.947"
app:layout_constraintStart_toStartOf="parent"
app:layout_constraintTop_toTopOf="parent"
app:layout_constraintVertical_bias="0.552" />
<TextView
    android:id="@+id/textView15"
    android:layout_width="15dp"
    android:layout_height="41dp"
    android:text="L"
    android:textColor="@android:color/darker_gray"
    android:textSize="18sp"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.997"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent"
    app:layout_constraintVertical_bias="0.563" />
<TextView
    android:id="@+id/textView9"
    android:layout_width="57dp"
    android:layout_height="29dp"
    android:layout_marginBottom="8dp"
    android:layout_marginEnd="8dp"
    android:layout_marginStart="8dp"
    android:layout_marginTop="8dp"
    android:paddingLeft="2dp"
    android:text="Volume"
    android:textColor="@color/cardview_light_background"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.09"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent"

```

```

        app:layout_constraintVertical_bias="0.626" />
<TextView
    android:id="@+id/textView13"
    android:layout_width="66dp"
    android:layout_height="37dp"
    android:layout_marginBottom="8dp"
    android:layout_marginEnd="8dp"
    android:layout_marginStart="8dp"
    android:layout_marginTop="8dp"
    android:gravity="top|right"
    android:paddingBottom="10dp"
    android:text=" 0"
    android:textColor="@android:color/darker_gray"
    android:textSize="18sp"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.264"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent"
    app:layout_constraintVertical_bias="0.63" />
<TextView
    android:id="@+id/textView17"
    android:layout_width="75dp"
    android:layout_height="38dp"
    android:layout_marginBottom="8dp"
    android:layout_marginEnd="8dp"
    android:layout_marginStart="8dp"
    android:layout_marginTop="8dp"
    android:gravity="top|right"
    android:paddingBottom="10dp"
    android:text="cm³"
    android:textAlignment="textEnd"
    android:textColor="@android:color/darker_gray"

```

```

        android:textSize="18sp"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.362"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent"
        app:layout_constraintVertical_bias="0.63" />
<TextView
    android:id="@+id/textView12"
    android:layout_width="204dp"
    android:layout_height="19dp"
    android:layout_marginBottom="8dp"
    android:layout_marginEnd="8dp"
    android:layout_marginStart="8dp"
    android:layout_marginTop="8dp"
    android:text="Ambient Pollution Levels"
    android:textAlignment="center"
    android:textColor="@color/cardview_light_background"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.043"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent"
    app:layout_constraintVertical_bias="0.688" />
<TextView
    android:id="@+id/textView14"
    android:layout_width="wrap_content"
    android:layout_height="28dp"
    android:layout_marginEnd="8dp"
    android:layout_marginStart="8dp"
    android:layout_marginTop="10dp"
    android:paddingLeft="5dp"
    android:text="Visibility"

```

```

        android:textColor="@color/cardview_light_background"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.151"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent"
        app:layout_constraintVertical_bias="0.761" />
<SeekBar
    android:id="@+id/seekv"
    android:layout_width="188dp"
    android:layout_height="33dp"
    android:layout_marginBottom="4dp"
    android:layout_marginEnd="8dp"
    android:layout_marginStart="8dp"
    android:max="15"
    android:progressBackgroundTint="#80CBC4"
    android:progressTint="#26A69A"
    android:thumbTint="#26A69A"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.615"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent"
    app:layout_constraintVertical_bias="0.767" />
<TextView
    android:id="@+id/textView10"
    android:layout_width="62dp"
    android:layout_height="33dp"
    android:gravity="right"
    android:paddingTop="1dp"
    android:text=" KM"
    android:textColor="@android:color/darker_gray"
    android:textSize="18sp"

```

```

app:layout_constraintBottom_toBottomOf="parent"
app:layout_constraintEnd_toEndOf="parent"
app:layout_constraintHorizontal_bias="0.996"
app:layout_constraintStart_toStartOf="parent"
app:layout_constraintTop_toTopOf="parent"
app:layout_constraintVertical_bias="0.761" />
<TextView
    android:id="@+id/visText"
    android:layout_width="38dp"
    android:layout_height="32dp"
    android:gravity="right"
    android:paddingTop="1dp"
    android:text=" 0"
    android:textColor="@android:color/darker_gray"
    android:textSize="18sp"
    app:layout_constraintBottom_toBottomOf="parent"
    app:layout_constraintEnd_toEndOf="parent"
    app:layout_constraintHorizontal_bias="0.897"
    app:layout_constraintStart_toStartOf="parent"
    app:layout_constraintTop_toTopOf="parent"
    app:layout_constraintVertical_bias="0.759" />
<EditText
    android:id="@+id/Note"
    android:layout_width="211dp"
    android:layout_height="77dp"
    android:layout_marginBottom="8dp"
    android:layout_marginEnd="8dp"
    android:layout_marginStart="8dp"
    android:layout_marginTop="8dp"
    android:backgroundTint="@android:color/darker_gray"
    android:ems="10"
    android:hint="Additional Notes\n"
    android:inputType="textMultiLine"

```



```

        android:maxLength="30"
        android:textColor="@android:color/darker_gray"
        android:textColorHint="@android:color/darker_gray"
        app:layout_constraintBottom_toBottomOf="parent"
        app:layout_constraintEnd_toEndOf="parent"
        app:layout_constraintHorizontal_bias="0.195"
        app:layout_constraintStart_toStartOf="parent"
        app:layout_constraintTop_toTopOf="parent"
        app:layout_constraintVertical_bias="0.98" />
</android.support.constraint.ConstraintLayout>

```

### AddActivity.kt

```

package finalproject.ggcfinal
import android.app.AlertDialog
import android.app.SearchManager
import android.content.Context
import android.content.DialogInterface
import android.content.Intent
import android.support.v7.app.AppCompatActivity
import android.os.Bundle
import android.os.Vibrator
import android.support.design.widget.Snackbar
import android.support.v4.view.MenuItemCompat
import android.support.v7.widget.SearchView
import android.widget.EditText
import android.widget.SeekBar
import android.widget.TextView
import android.widget.SeekBar.OnSeekBarChangeListener
import android.text.Editable
import android.text.TextWatcher
import android.view.Menu
import android.view.MenuInflater

```

```

import android.view.MenuItem
import android.view.View
import com.android.volley.Request
import com.android.volley.Response
import com.android.volley.toolbox.StringRequest
import com.android.volley.toolbox.Volley
import kotlinx.android.synthetic.main.activity_add.*
import kotlinx.android.synthetic.main.activity_main.*
import org.jetbrains.anko.toast
import org.json.JSONException
import org.json.JSONObject
@Suppress("DEPRECATION")
class AddActivity : AppCompatActivity() {
    var liter: Long = 0
    var vol: Long = 0
    var vis: Long = 0
    var wType: String = ""
    var wconvention: String = ""
    var uid: Int = 0
    var insid: Int = 0
    var note: String = ""
    var fname: String = ""
    var uname: String = ""
    var lname: String = ""
    var inscode: Int = 0
    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)
        setContentView(R.layout.activity_add)
        fname = intent.extras.getString("FNAME")
        uname = intent.extras.getString("UNAME")
        lname = intent.extras.getString("LNAME")
        uid = intent.extras.getInt("ID")
        insid = intent.extras.getInt("INSID")
    }
}

```

```

incode = intent.extras.getInt("CODE")
val seekBar = findViewById<SeekBar>(R.id.seekBar) as SeekBar
val seekBarValue = findViewById<EditText>(R.id.seekvalue) as EditText
vis = 0
seekBar.setOnSeekBarChangeListener(object : SeekBar.OnSeekBarChangeListener {
    override fun onProgressChanged(seekBar: SeekBar, progress: Int,
                                   fromUser: Boolean) {
        seekBarValue.setText(progress.toString())
        liter = progress.toLong()
        vol = liter * 1000
        textView13.text = vol.toString()
    }
    override fun onStartTrackingTouch(seekBar: SeekBar) {
    }
    override fun onStopTrackingTouch(seekBar: SeekBar) {
    }
}))
seekv.setOnSeekBarChangeListener(object : SeekBar.OnSeekBarChangeListener {
    override fun onProgressChanged(seekBar: SeekBar, progress: Int, fromUser: Boolean) {
        vis = progress.toLong()
        visText.text = progress.toString()
    }
    override fun onStartTrackingTouch(seekBar: SeekBar) {}
    override fun onStopTrackingTouch(seekBar: SeekBar) {
    } })
seekBarValue.addTextChangedListener(object : TextWatcher {
    override fun beforeTextChanged(s: CharSequence, start: Int, count: Int, after: Int) {
    }
    override fun onTextChanged(s: CharSequence, start: Int, before: Int, count: Int) {}
    override fun afterTextChanged(s: Editable) {
        try {
            seekBar.setProgress(Integer.parseInt(s.toString()))
        } catch (ex: Exception) { } } })
override fun onCreateOptionsMenu(menu: Menu): Boolean {
    menuInflater.inflate(R.menu.done, menu)
}

```

```

        return true
    }
    override fun onOptionsItemSelected(item: MenuItem): Boolean {
        val v: Vibrator = getSystemService(Context.VIBRATOR_SERVICE) as Vibrator
        when (item.itemId) {
            R.id.action_done -> {
                addData()
                v.vibrate(25)
                toast("Data added successfully")
                val intent = Intent(this@AddActivity,DrawerActivity::class.java)
                intent.putExtra("UNAME",uname)
                intent.putExtra("FNAME",fname)
                intent.putExtra("LNAME",lname)
                intent.putExtra("ID",uid)
                intent.putExtra("INSID",insid)
                intent.putExtra("CODE",inscode)
                startActivity(intent)
                finish()
                return true
            }
            else -> return super.onOptionsItemSelected(item)
        }
    }
    override fun onBackPressed() {
        AlertDialog.Builder(this, R.style.DialogDark)
            .setMessage("Discard data?")
            .setCancelable(true)
            .setPositiveButton("DISCARD") { dialog, id -> this@AddActivity.finish() }
            .setNegativeButton("CANCEL", null)
            .show()
        val intent = Intent(this@AddActivity,DrawerActivity::class.java)
        intent.putExtra("UNAME",uname)
        intent.putExtra("FNAME",fname)
    }
}

```

```

intent.putExtra("LNAME",lname)
intent.putExtra("ID",uid)
intent.putExtra("INSID",insid)
startActivity(intent)
}
fun addData() {
    val pref = SharedPreferences.getInstance(this@AddActivity)
    if(raddsolid.isChecked){
        wType = "solid waste"
    } else if (raddliquid.isChecked){
        wType = "liquid waste"
    }
    if(raddbiod.isChecked){
        wconvention = "biodegradable"
    } else if (radnonbio.isChecked){
        wconvention = "non-biodegradable"
    }
    if(rec.isChecked){
        wconvention = "$wconvention"+" and"+" recyclable"
    }
    note = Note.text.toString()
    val url = "http://192.168.43.147/add.php"
    val q = Volley.newRequestQueue(this@AddActivity)
    val stringRequest = object : StringRequest(Request.Method.POST, url,
        Response.Listener { response ->
            }, Response.ErrorListener { error -> toast("$error") }) {
        public override fun getParams(): HashMap<String, String> {
            val params = HashMap<String, String>()
            params.put("uid", uid.toString())
            params.put("insid", insid.toString())
            params.put("wtype", wType)
            params.put("wconvention", wconvention)
            params.put("quantity", liter.toString())
        }
    }
}

```

```

        params.put("plevel", vis.toString())
        params.put("note", note)
        return params
    }
}
q.add(stringRequest)
}
}

```

### 5.3.7 Spectator View

#### activity\_spectate.xml

```

<?xml version="1.0" encoding="utf-8"?>
<android.support.v4.widget.DrawerLayout
xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:id="@+id/drawer_layout"
    android:fitsSystemWindows="true"
    tools:openDrawer="start"
    app:itemTextColor="@color/colorAccent"
    app:itemIconTint="@color/colorAccent"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:background="@color/bg" >
    <include
        layout="@layout/app_bar_spectate"
        android:layout_width="match_parent"
        android:layout_height="match_parent" />
    <android.support.design.widget.NavigationView
        android:id="@+id/nav_view"
        android:layout_width="wrap_content"
        android:layout_height="match_parent"

```

```

        android:layout_gravity="start"
        android:fitsSystemWindows="true"
        app:headerLayout="@layout/nav_header_spectate"
        app:menu="@menu/activity_spectate_drawer"
        android:background="@color/colorPrimaryDark"
        app:itemIconTint="#FAFAFA"
        app:itemTextColor="#FAFAFA" />
</android.support.v4.widget.DrawerLayout>

```

### SpecCard.kt

```

package finalproject.ggcfinal

data class SpectateCard(var indx: String, var name: String, var gi: String, var rating: String)

```

### SpectateActivity.kt

```

package finalproject.ggcfinal

import android.content.Intent
import android.os.Bundle
import android.support.design.widget.Snackbar
import android.support.design.widget.NavigationView
import android.support.v4.view.GravityCompat
import android.support.v7.app.ActionBarDrawerToggle
import android.support.v7.app.AppCompatActivity
import android.support.v7.widget.LinearLayoutManager
import android.support.v7.widget.RecyclerView
import android.text.SpannableString
import android.text.style.UnderlineSpan
import android.view.Menu
import android.view.MenuItem
import android.widget.LinearLayout
import com.android.volley.Request
import com.android.volley.Response
import com.android.volley.toolbox.StringRequest

```

```

import com.android.volley.toolbox.Volley
import kotlinx.android.synthetic.main.activity_spectate.*
import kotlinx.android.synthetic.main.app_bar_spectate.*
import kotlinx.android.synthetic.main.content_drawer.*
import org.jetbrains.anko.toast
import org.json.JSONException
import org.json.JSONObject
import java.util.ArrayList
class SpectateActivity : AppCompatActivity(),
NavigationView.OnNavigationItemSelectedListener {
    var fname: String = ""
    var uname: String = ""
    var lname: String = ""
    var id: Int = 0
    var insid: Int = 0
    var inscode: Int = 0
    var up: Float = 0F
    var ei: Float = 0F
    var per: Float = 0F
    override fun onCreate(savedInstanceState: Bundle?) {
        super.onCreate(savedInstanceState)
        setContentView(R.layout.activity_spectate)
        setSupportActionBar(toolbar)

        fname = intent.extras.getString("FNAME")
        uname = intent.extras.getString("UNAME")
        lname = intent.extras.getString("LNAME")
        id = intent.extras.getInt("ID")
        insid = intent.extras.getInt("INSID")
        inscode = intent.extras.getInt("CODE")
        val xup = intent.extras.getFloat("UP")
        loadGData()
        val toggle = ActionBarDrawerToggle(

```



```

        this, drawer_layout, toolbar, R.string.navigation_drawer_open,
R.string.navigation_drawer_close)
        drawer_layout.addDrawerListener(toggle)
        toggle.syncState()
        nav_view.setNavigationItemSelectedListener(this)
    }
    override fun onBackPressed() {
        if (drawer_layout.isDrawerOpen(GravityCompat.START)) {
            drawer_layout.closeDrawer(GravityCompat.START)
        } else {
            moveTaskToBack(true)
        }
    }
    override fun onCreateOptionsMenu(menu: Menu): Boolean {
        menuInflater.inflate(R.menu.spectate, menu)
        return true
    }
    override fun onOptionsItemSelected(item: MenuItem): Boolean {
        when (item.itemId) {
            R.id.action_help -> return true
            R.id.action_quit -> {
                moveTaskToBack(true)
                return true
            }
            R.id.action_logout -> {
                val pref = SharedPrefManager.getInstance(this@SpectateActivity)
                pref.logout()
                finish()
                return true
            }
            else -> return super.onOptionsItemSelected(item)
        }
    }
}

```

```

override fun onNavigationItemSelected(item: MenuItem): Boolean {
    when (item.itemId) {
        R.id.nav_dash -> {
            val spIntent = Intent(this@SpectateActivity,DrawerActivity::class.java)
            spIntent.putExtra("UNAME",uname)
            spIntent.putExtra("FNAME",fname)
            spIntent.putExtra("LNAME",lname)
            spIntent.putExtra("ID",id)
            spIntent.putExtra("INSID",insid)
            spIntent.putExtra("CODE",inscode)
            startActivity(spIntent)
            overridePendingTransition(0, 0)
            finish()
        }
        R.id.nav_spec -> {}
        R.id.nav_set -> {
            val sIntent = Intent(this@SpectateActivity,SettingsActivity::class.java)
            startActivity(sIntent)
        }
    }
    drawer_layout.closeDrawer(GravityCompat.START)
    return true
}

fun loadData() {
    val recyclerView = findViewById<RecyclerView>(R.id.recyclerspectate) as RecyclerView
    recyclerView.layoutManager = LinearLayoutManager(this, LinearLayoutManager.VERTICAL,
false)
    val url = "http://192.168.43.147/spectate.php"
    val q = Volley.newRequestQueue(this@SpectateActivity)
    val stringRequest = object : StringRequest(Request.Method.POST, url,
        Response.Listener { response ->
            val specCard = ArrayList<SpectateCard>()
            try{

```

```

val obj = JSONObject(response)
val jsnobj = obj.getJSONArray("response")
for (i in 0 until jsnobj.length()) {
    val jsonObject = jsnobj.getJSONObject(i)
    val gindex = jsonObject.getString("GreenIndex")
    val insname = jsonObject.getString("InsName")
    var rating: String = ""
    val a=i+1
    val leedindex=gindex.toFloat()*20
    if(leedindex<=50){
        rating = "Certified"
    }else if(leedindex<60 && leedindex>=50){
        rating = "Silver"
    }else if(leedindex<80 && leedindex>=60){
        rating="Gold"
    }else if(leedindex>=80 && leedindex<100){
        rating="Platinum"
    }
    specCard.add(SpectateCard("#"+"$a", "$insname", " "+"$leedindex"+" /100"+"
(↑"+"$up"+"%)" , " "+"$rating"))
    val adapter = SpectateAdapter (specCard)
    recyclerView.adapter = adapter
}
} catch (e: JSONException) {
    toast("Please check your credentials and try again")
}
}, Response.ErrorListener { error -> toast("The server could not process your
request")) {
    public override fun getParams(): HashMap<String, String> {
        val params = HashMap<String, String>()
        params.put("uid", id.toString())
        return params
    }
}

```

```

    }
    q.add(stringRequest)
}

fun loadGData() {
    val url = "http://192.168.43.147/gdata.php"
    val q = Volley.newRequestQueue(this@SpectateActivity)
    val stringRequest = object : StringRequest(Request.Method.POST, url,
        Response.Listener { response ->
            try{
                val obj = JSONObject(response)
                val num = obj.getInt("num")
                val rec = obj.getInt("rec")
                val total = obj.getInt("total")
                ei = (rec.toFloat()/num.toFloat())*5
                ei = (Math.floor((ei*10).toDouble())/10).toFloat()
                per = ((num*0.83).toFloat())
                var rper = (num.toFloat()/total.toFloat())
                up = rper
                loadData()
            } catch(e: JSONException){ toast("$e") }
        }, Response.ErrorListener { error -> toast("The server could not process your
request") }) {
        public override fun getParams(): java.util.HashMap<String, String> {
            val params = java.util.HashMap<String, String>()
            params.put("uid", id.toString())
            return params
        }
    }
    q.add(stringRequest)
}
}

```

### 5.3.8 Drawer

#### activity\_drawer.xml

```
<?xml version="1.0" encoding="utf-8"?>
<android.support.v4.widget.DrawerLayout
xmlns:android="http://schemas.android.com/apk/res/android"
    xmlns:app="http://schemas.android.com/apk/res-auto"
    xmlns:tools="http://schemas.android.com/tools"
    android:id="@+id/drawer_layout"
    app:itemTextColor="@color/colorAccent"
    app:itemIconTint="@color/colorAccent"
    android:layout_width="match_parent"
    android:layout_height="match_parent"
    android:fitsSystemWindows="true"
    tools:openDrawer="start"
    android:background="@color/bg">
    <include
        layout="@layout/app_bar_drawer"
        android:layout_width="match_parent"
        android:layout_height="match_parent" />
    <android.support.design.widget.NavigationView
        android:id="@+id/nav_view"
        android:layout_width="wrap_content"
        android:layout_height="match_parent"
        android:layout_gravity="start"
        android:background="@color/colorPrimaryDark"
        android:fitsSystemWindows="true"
        app:headerLayout="@layout/nav_header_drawer"
        app:itemIconTint="#FAFAFA"
        app:itemTextColor="#FAFAFA"
        app:menu="@menu/activity_drawer_drawer" />
```

## 5.4 Test Cases

### 5.4.1 User Login Attempt

TEST CASE	TEST DATA	EXPECTED RESULT	ACTUAL RESULT	STATUS
Checking login with valid credentials	Valid Username Valid Password Tap LOGIN	Toast notification saying “Welcome, ---”	Toast notification saying “Welcome, ---”	Pass
Checking login with invalid credentials	Invalid Username Invalid Password Tap LOGIN	Toast notification saying “Please check your info and try again”	Toast notification saying “Please check your info and try again”	Fail

### 5.4.2 Password Recovery Attempt

TEST CASE	TEST DATA	EXPECTED RESULT	ACTUAL RESULT	STATUS
Attempting account recovery with valid credentials	Valid Email Valid Country code Valid Phone Tap LOGIN	Snackbar notification saying “Please check your email for recovery options”	Snackbar notification saying “Please check your email for recovery options”	Pass
Attempting account recovery with invalid credentials	Invalid Email Invalid Country code Invalid Phone Tap LOGIN	Toast notification saying “Please check your input and try again”	Toast notification saying “Please check your input and try again”	Fail

### 5.4.3 New User Registration

TEST CASE	TEST DATA	EXPECTED RESULT	ACTUAL RESULT	STATUS
Registering for an account with valid information	Valid First Name Valid Last Name Valid Email Valid Username Valid Password Valid Institute Select Country Select State Select City	Toast notification saying “Account created successfully”	Toast notification saying “Account created successfully”	Pass
Registering for an account with a few invalid information	Valid First Name Valid Last Name Invalid Email Valid Username Valid Password Invalid Institute No Country Select State Select City	Toast notification saying “Please check the form and try again”	Toast notification saying “Please check the form and try again”	Fail

#### 5.4.4 New Institute Registration

TEST CASE	TEST DATA	EXPECTED RESULT	ACTUAL RESULT	STATUS
Registering an institute with valid information	Valid Institute Name Select Address Select Country Select State Select City Valid Area Valid Institute Code	Toast notification saying “Institute registered succefully”	Toast notification saying “Institute registered succefully”	Pass
Registering an institute with valid information	Invalid Institute Name Select Address No Country Select State Select City Invalid Area Valid Institute Code	Toast notification saying “Please check the form and try again”	Toast notification saying “Please check the form and try again”	Fail

#### 5.4.5 Addition of Data

TEST CASE	TEST DATA	EXPECTED RESULT	ACTUAL RESULT	STATUS
Addition of valid data	Any Waste Type Any Waste Convention Slider quantity Slider visibility Any Notes	Toast notification saying “Data added successfully”	Toast notification saying “Data added successfully”	Pass
Addition of random data	Any Waste Type Any Waste Convention Slider quantity Slider visibility Any Notes	Toast notification saying “Data added successfully”	Toast notification saying “Data added successfully”	Pass


#### 5.4.6 Searching for Existing Data Entries

TEST CASE	TEST DATA	EXPECTED RESULT	ACTUAL RESULT	STATUS
Enter data into search bar	Search string	Cards of data correlating with string	Cards of data correlating with string	Pass
Do not enter data into search bar	–	Blank fragment	Blank fragment	Pass

#### 5.4.7 Checking connectivity to server and database during specific scenarios.

TEST CASE	TEST DATA	EXPECTED RESULT	ACTUAL RESULT	STATUS
Disabling WiFi, Bluetooth, Cellular Data, Tethering	Invalid connection method	Toast notification saying “Could not establish a connection to the server”	Toast notification saying “Could not establish a connection to the server”	Fail
Powering off the all servers (Apache, MySQL)	Invalid server configuration	Toast notification saying “The server could not process your request”	Toast notification saying “The server could not process your request”	Fail

#### 5.4.8 Application performance profile




#### Gantt Chart Legend:

- LoginActivity
- iForgotActivity
- SignUpActivity
- RegInstituteActivity
- Dashboard
- AddActivity
- DrawerActivity
- SpectateActivity
- SettingsActivity




## Chapter 6. Screenshots


### a) Login Activity



### b) Forgot Password Activity



### c) Sign Up Activity



A screenshot of a mobile application's 'Sign Up' screen. The screen has a dark theme. At the top, there's a status bar with icons for signal, Wi-Fi, battery, and time (8:00). Below the status bar is a header bar with a back arrow and the text 'Sign Up'. In the center, there's a large white icon of a person with a plus sign. Below the icon, there are several input fields: 'First Name', 'Last Name', 'Email', 'Username', 'Password', and 'Institute Code'. At the bottom, there are two more dropdown menus labeled 'Select City' and 'Select State'.

Sign Up

+ person icon

First Name

Last Name

Email

Username


Password

Institute Code

Select City

Select State

### d) Register Institute Activity



A screenshot of a mobile application's 'Register Institute' screen. The screen has a dark theme. At the top, there's a status bar with icons for signal, Wi-Fi, battery, and time (8:00). Below the status bar is a header bar with a back arrow and the text 'Register Institute'. In the center, there's a large white icon of a building with a plus sign. Below the icon, there are several input fields: 'Institute Name', 'Address (Street, Area etc.)', 'Select Country', 'Select State', 'Select City', 'Campus Area (in km²)', and 'Institute Code'. At the bottom, there's a large button labeled 'REGISTER YOUR INSITUTE'.

Register Institute

+ building icon

Institute Name

Address (Street, Area etc.)

Select Country

Select State


Select City

Campus Area (in km<sup>2</sup>)


Institute Code

REGISTER YOUR INSITUTE

e) Dashboard Activity



f) Dashboard Data Search



### g) Add Activity

← Add Data ✓

Select waste type

☒ Solid Waste

☐ Liquid Waste

Select waste convention

☒ Biodegradable

☐ Non-Biodegradable

☒ Recyclable

Quantity

9 L


Volume 9000 cm<sup>3</sup>

Ambient Pollution Levels


Visibility 13 KM

Leaves near the cafeteria


### h) Application Drawer



## i) Spectate Activity



## j) Settings



## Chapter 7. Advantages

- **Free and Open Source:** This application is free to use, copy, modify and distribute under the GNU Public License (GPL). It is made using completely free and open source (FOSS) software, including Android frameworks, Apache, PHP, MySQL and open-source libraries such as Volley and GraphView.
- **Easy to use:** This application provides a familiar and easy-to-use Graphical User Interface (GUI) and visual representation of data in the form of a graph.
- **Portable:** This application can run on most Android devices available on the market and can be wirelessly accessed.
- **Sustainable:** Reduces waste by not needing pen and paper
- **Precise Data Logging:** We use internationally accepted rating systems, such as the Leadership for Environmental and Economic Development (LEED).
- **Community-oriented:** The intent is to provide users with a sense of pride and accomplishment for completing different goals and creating a competitive atmosphere.

## **Chapter 8. Applications**

The applications for this project include:

- Integrating app usage data by educational institutions, organizations and campuses to raise awareness and for research purposes.
- Implementation by businesses, to manage waste in their work place and promote hygiene and sustainability in the workplace.
- Usage by the maintenance and janitorial services of housing societies, colonies, condominiums etc., for sanity measures and upkeep.
- Surveying and data collection by government and non-government organizations, for census, studies and survey.
- Usage by restaurants, hotels, diners, eateries for sanitation checks, resourcefulness and waste management.

## **Chapter 9. Further Scope and Enhancements**

- Uploading application to the Google Play Store, F-Droid or other application repositories for ease-of-access.
- Integrating more metrics into the application for higher precision data, such as community ratings, engineering standards etc.
- High performance servers for low data-processing latency
- Adding external hardware support for devices such as mini wind vanes, dosimeters etc. or Internet of Things (IoT) support.



## **Chapter 10. Conclusion**

Through use of technology and methods like mobile computing, continued efforts to reduce the use of hazardous materials, we have created a simple solution for the conservation of our environment via technology. This project raises awareness of our potential impact on our shared resources and, therefore, we need to claim responsibility to be a good environmental steward. As we continue to accelerate to the future, we need to minimize our impact on the environment.

# Bibliography

## References

- [1] **Android Developers** – <https://developer.android.com/>
- [2] **Android GraphView Library** – <http://android-graphview.org/>
- [3] **Android Volley Library** – [developer.android.com/training/volley/index.html](https://developer.android.com/training/volley/index.html)
- [4] **The Apache, MySQL, PHP suite** – <https://www.apachefriends.org/index.html>
- [5] **The Leadership in Energy and Environmental Design -**  
<https://new.usgbc.org/leed>
- [6] **The Restriction of Hazardous Substances** –  
<https://rohscompliancedefinition.com>
- [7] **Ministry of Environment, Forests and Climate Change, Government of India** –  
<http://envfor.nic.in>
- [8] **National Solid Waste Association of India** –  
<https://nswai.in>
- [9] **National Oceanography and Atmospheric Administration, United States** –  
<http://noaa.gov>
- [10] **The ARM Architecture** – <https://www.arm.com>
- [11] **The GoGreenCampus Source Code Repository** –  
<https://www.gitlab.com/QuikMafs/GoGreenCampus>
- [12] **StackOverflow/StackExchange** – <https://www.stackoverflow.com>