CINCH / PRODUCT DESIGN HANDOFF

Wave 3: every screen earns its new face

Detailed directions for Claude Design covering fixes 56-100. This is an atlas commission, not an implementation prompt.

Outcome. Deliver an annotated, implementation-ready atlas set that makes Cinch feel quiet, editorial, legible, image-led, and honest - while preserving the shipping behavior and the shared system settled in Waves 0-2.

Commission	Wave 3 screen refacing
Scope	45 fixes: audit items 56-100
Design width	393 pt, pt-for-px
Platform	iPhone / Expo 57 / light-only
Primary artifact	.dc.html atlas source + PNG renderings
Prepared	11 August 2026

Authority order

Shipping behavior first. Frozen product contracts second. This handoff third. Older screenshots and atlases are evidence, not permission to restore stale claims.

1. The instruction to Claude Design

You are Claude Design. Redraw the Wave 3 surfaces of Cinch. Do not write production code.

Work in the sequence specified here. Begin with the seven-screen first-run hallway because it establishes the emotional entry to the product. Then draw Today and its plate, Closet and Item, Plan and Packing, the social/event rooms, and finally the account/system surfaces. Do not hand decorative mockups directly to engineering.

You must return

- **Annotated atlases** for every named screen and state, preserving existing state IDs and using the registry in this brief.
- **PNG renderings** generated from the same source as each atlas, so the source and evidence cannot disagree.
- **Component/state inventory** naming every reusable component, its variants, and every state shown.
- **Transition notes** for navigation, loading, slow, offline, failure, retry, canceled/restored, permission, limit, and success paths.
- **Accessibility notes** for Dynamic Type, VoiceOver order and labels, contrast, 44 pt targets, keyboard behavior, and Reduce Motion.
- **Analytics map** at offer, start, completion, failure, and recovery. Name events conceptually; do not invent payload content that could expose user data.
- **Deviation ledger** listing every place you depart from an existing atlas and the governing reason.
- **Implementation acceptance checklist** traceable screen by screen. Claude Code must be able to compare a simulator capture to a specific rendering and state ID.

Stop conditions

- Stop and report when a product fact, price, limit, permission, destination, or behavioral state is missing. Reserve space; do not guess.
- Do not add a fifth Add Clothes door. The undefined Lookup door remains reserved and undrawn.
- Do not renumber existing states. New states take the next free ID after checking the registry.
- Do not alter tokens. If a needed value is absent, annotate the conflict instead of inventing a value.
- Do not design a standalone screen when the contract says sheet, interrupt, or inline state.

2. Product truth and frozen decisions

User, moment, job

Dimension	Design truth
User	A person with a full closet who still feels she has nothing to wear; often already asking friends what to wear.
Trigger	Morning dressing, an upcoming event, a trip, or a garment she cannot place.
Desired outcome	A credible outfit from real owned clothes, with a reason she can inspect and a fast decision she can make.
Promise	Photograph ten things you already own. Cinch does the arithmetic and dresses you every morning from there.
Activation	The closet can generate honest outfit cores from the user's actual pieces.
Daily primary action	Choose or react to a real outfit, then mark what was actually worn.
Emotional intent	A beautifully made print lookbook that regenerates itself: considered, quiet, confident, honest.

Four founder decisions already resolved

1. **Button weights:** Medium on primary, ink, and critical fills. Regular on secondary, ghost, and inverse.
2. **Atlas order:** first-run hallway; Today/Plate; Closet/Item; Plan/Packing; social/events; settings/privacy.
3. **Updated positioning:** "Your closet first. Shop only when something is genuinely missing."
4. **Global cache privacy:** raw user-entered garment descriptions do not belong in a global unattributed cache. Design no screen that promises otherwise.

Commerce correction

Older briefs say "no shop" and "no affiliate links." That is stale. Commerce is allowed in exactly two places: a computed Gap Feed recommendation and an opted-in friend's piece. It remains subordinate to closet reasoning, never changes ranking, carries "Paid link" next to every affiliate action, and disappears completely when the user turns off "Show where to buy."

Non-goals

- No public feed, stranger discovery, leaderboard, best-dressed ranking, or audience-building grammar.
- No purchase affordance on the user's own garments, Today plates, diary, share cards, email, or push.
- No generic AI gradients, glowing orbs, decorative dashboards, capsule controls, urgency, sale language, or unsupported social proof.
- No redesign of information architecture: tabs remain Today, Closet, Plan; the occasion remains an interrupt.

3. Visual and interaction constitution

Palette and typography

Rule	Direction
Canvas	#FBFAF6 warm paper; surface #FFFFFF; tray #F0ECE3; sand #EAE5DB.
Ink	#1C1A16. Secondary text is #6B665C. Never use faint #8A8578 as text.
Accent	#6E2B2B oxblood, spent on exactly one action per screen.
Display	Instrument Serif for display, plate names, and figures. One real weight only.
UI/body	Helvetica Neue regular for prose; Medium only for labels and filled actions. Never synthesize bold.
Small text	Annotate every line under 16 px as LABEL (Medium) or PROSE (regular). If it can end in a period, default to PROSE.

Shape, spacing, motion

- **Radius:** 2 / 4 / 8 / 12 / 16 / 20 / 38. Labelled controls are 12 px, never full capsules. Circles alone use full radius.
- **Spacing:** 1 / 8 / 12 / 20 / 24 / 28 / 44. Annotate any necessary half-step instead of leaving unexplained one-offs.
- **Targets:** every action has a 44 pt effective target. Do not rely on invisible hit slop where a crowded layout makes targets overlap.
- **Motion:** fast 140 ms, base 220, slow 380; one bouncy moment per delight. Every prominent animation has a Reduce Motion equivalent.
- **Shadow:** the single contact shadow is warm ink, 0 / 5 / 11 at 16 percent. Do not add a second elevation vocabulary.

Image rule

Wave 3 is image-led. The reliable cutout pipeline is now a precondition, not a future hope. Owned garments display their user photograph or their complete drawn silhouette. Product-feed imagery appears only inside the product sheet where shopping was explicitly requested. Do not substitute commerce photography into a closet, plate, packing memo, diary, or share artifact.

Global refusal checklist

- Progress is a count, never a bar or percentage.
- Prices, temperatures, and counts are printed when known or omitted. Never estimate and never print a dash as invented data.
- Nothing is silently lost. Destructive actions name the consequence and provide a named keep or undo path.
- Zero is quiet. Do not print "0 picks" or expose who has not voted/shared.
- No bar, no labelled capsule, no faint text, no hidden close, no delayed dismissal.

4. Atlas sequence and end-to-end flow

Draw in this order. Do not begin a later group until the earlier group establishes the components it owns.

Order	Atlas group	Why first / dependency
1	First-run hallway: Tour -> choice -> The Ten or Walkthrough -> Procession -> Reveal -> dismissible paywall -> Today	Defines first impression, doors, progress, consent cadence, and the product promise.
2	Today and Plate	Defines the daily artifact, garment composition, reaction density, and honest failure handoff.
3	Closet and Item	Defines browse density, garment image scale, stats, tags, filters, and ownership story.
4	Plan and Packing	Defines time-based rows, real imagery in summaries, trip hierarchy, and packing memo.
5	Occasions, friends, activity, boards, comments, share	Inherits garment/plate language and applies social rules without becoming a feed.
6	Profile, consent, privacy, safety, notifications, help, paywall	Applies the settled row, prose, and action systems to dense account surfaces.

State coverage required for every applicable surface

State family	Must show
Entry	First run, returning, deep link, permission education, consent deferred to action.
Data	Empty, partial, complete, loading skeleton, slow response, stale/offline.
Action	Idle, pressed, disabled-with-reason, saving, success, failure on its own row, retry.
Limits	Free limit, trial, paid, store unavailable, restore, canceled, resumed task.
Social	Waiting, invited, joined, declined/not now, blocked, reported, removed, tied, decided.
Commerce	No matches, matches, product sheet, affiliate disclosure, preference off, owner shoppable off.

A state without an atlas frame is not complete. Each state also needs a developer fixture route with working controls when handed to engineering.

5. First-run hallway and Today

5.1 First-run hallway (Tour, The Ten, Walkthrough, Procession, Reveal)

Job: Get a new person from promise to a usable real closet without making the work feel like cataloguing.

Design directions

- Draw all seven connected surfaces as one hallway: shared door-plate geometry, typography cadence, camera chrome, count language, and transition rhythm.
- Replace the old absolute "No shop" promise with: **Your closet first. Shop only when something is genuinely missing.**
- The Ten remains the slot model: 3 tops, 2 bottoms, 1 dress, 2 shoes, 1 outerwear, 1 bag. All ten are visible immediately; order is guidance, never a gate.
- Progress is "4 of 10" and remaining count, never a bar. Slots may be declined and redirected without losing a captured source.
- Do not redraw The Ten alone. Show its visual relationship to Tour, the two-door choice, Walkthrough, Procession, Reveal, and the post-Reveal paywall.
- The post-Reveal paywall is annual-first and immediately dismissible. Dismissal lands on Today with the free closet intact.

Required states

first run / returning / photo path / voice path / partial ten / permission denied / processing / repair / reveal / paywall dismissed

Acceptance

- A clean-device reviewer can identify the single next action on every frame.
- No fixed outfit-count marketing claim appears; only user-computed results appear in Reveal.
- Voice and photography read as equal doors, not primary and fallback.
- Every caption-sized sentence is regular, not Medium.

Audit trace: 100

5.2 Today masthead and daily plate

Job: Put a believable, actionable outfit above everything else, while making the reason inspectable.

Design directions

- Reduce the greeting footprint. Day, location/weather context, and name must not consume the first viewport before the outfit begins.
- Remove duplicated temperature information. If masthead and plate show different weather facts, label their distinct roles; otherwise print it once.
- Replace abstract overlapping color rectangles with owned garment cutouts or complete silhouettes. Keep every piece identifiable; no tile may cover another piece's name.
- Keep the plate's editorial name, short regular-weight rationale, owned-garment list, palette, and printed-or-dropped cost-per-wear.
- Redraw the action row so Love it, Not for me, and I wore this remain legible at larger Dynamic Type. Preserve one dominant action and a 44 pt target for each.
- The honest "nothing works" state hands into the Gap Feed without sounding like failure or pushing shopping prematurely.

Required states

normal day / loading / empty closet / partial closet / nothing works / offline/stale / occasion interrupt present / reaction pending/saved/failed

Acceptance

- At 393 pt the first outfit name or garment composition is visible without scrolling.
- No garment is represented only by a label on a color block when a cutout/silhouette exists.
- The plate works with 3-6 pieces and larger text without clipped controls.
- Offline copy names what may be stale and retains a usable saved plate.

Audit trace: 56, 57, 58, 59

6. Closet, garment intake, and review

6.1 Closet

Job: Make the wardrobe easy to scan and make ownership data valuable without turning the page into a dashboard.

Design directions

- Lighten category filters, garment names, wear counts, and the total piece count. Name may be a label; wear/price metadata is regular prose.
- Show horizontal-filter overflow deliberately: safe trailing inset and a visual cue that more categories exist. Never present a half-cut final chip as accidental clipping.
- Rebalance card geometry so the garment is the largest useful thing in the image well. Reduce excess tile height or enlarge the cutout while preserving consistent scale by category.
- Keep wear count and cost-per-wear together as one metadata cluster instead of detaching price at the far edge.
- Category controls use 12 px chip radius, not capsules. Search uses tray, 12 px radius, and collapses without layout jump.

Required states

populated / mixed photo/silhouette / all silhouette / search / filtered / multi-select / empty / loading / stored pieces

Acceptance

- Grid hierarchy reads image -> name -> wear/price.
- No category chip is inaccessible or visually clipped.
- All-silhouette and mixed grids look complete, never degraded.
- Stats remain centered with widest values.

Audit trace: 60, 61, 62, 63

6.2 Item detail

Job: Tell one garment's ownership story and make the next action obvious.

Design directions

- Reduce tag count and weight. Group tags by meaning; show only high-signal attributes before an explicit edit/more action.
- Consolidate the four-cell statistics treatment into a calmer ruled band. Center figures and labels, preserve wider cells for cost figures, and omit unknown price-derived data.
- Keep the hero garment dominant. Floating icons must remain legible over light and dark photography.
- Friend-view variant may show wear count but never private price, receipt, storage status, or notes.

Required states

photo / silhouette / unknown price / never worn / stored / owner edit / friend view / borrowable

Acceptance

- Tags do not visually outweigh the garment name.
- No unknown statistic renders as zero or dash.
- Every action has clear ownership and consequence.

Audit trace: 64, 65

6.3 Add Clothes chooser

Job: Let a returning user choose the fastest truthful intake method.

Design directions

- Keep four equal doors: Camera, Photo Library, Describe it, and **Describe by voice**. Do not use "Talk it in."
- Reduce plate height and unused lower-screen space. Preserve 44 pt targets and one-line explanations in regular weight.
- No door receives oxblood; they are peers. Consent appears only after the selected door requires it.

Required states

default / camera denied / AI consent unresolved/declined / capacity reached

Acceptance

- All four doors fit without making one look secondary.
- The fifth Lookup slot is reserved but not drawn.
- The destination of every visible door is defined.

Audit trace: 66, 67

6.4 Capture

Job: Photograph one garment quickly while understanding what is happening.

Design directions

- Lighten Done, Library, Describe, and instructional copy. UI chrome must sit behind the live garment.
- Shrink the lower instruction panel. Preserve the camera affordance and enough live preview to frame the item.
- Use one radius language between viewfinder and sheet. Keep Done, Close, and camera controls inside safe areas.

Required states

camera ready / permission ask / denied / captured / processing queue / error/retry / capacity gate

Acceptance

- The preview remains the dominant area.
- A stale native client or unavailable camera has a named recovery state.
- No text clips at larger type.

Audit trace: 68, 69

6.5 Describe it

Job: Find or add a garment from words or a product URL with minimal ambiguity.

Design directions

- Shorten the opening paragraph. State plainly that the field accepts a garment description or product URL.
- Reduce the initial text-area height; grow with content rather than reserving an empty half-screen.
- Make disabled Find visually inert and pair it with a reason when necessary.

- Search results are choices, not a commerce feed. Paid links appear only in the separate approved commerce product sheet.

Required states

empty input / typing / URL recognized / searching / results / no result / declined source / offline / quota/consent failure

Acceptance

- Input purpose is understood without reading a paragraph.
- Keyboard never covers Find or errors.
- Source and image provenance remain visible.

Audit trace: 70, 71

6.6 Review

Job: Confirm or correct Cinch's best guess without making the user audit a form.

Design directions

- Reduce sheet height and move the decision controls closer to the garment and fields.
- Keep Skip and Looks right as honest peers, with only the accepted primary action filled.
- Low-confidence guesses hedge in muted prose. Corrections preserve the source image and return to the same card.

Required states

confident / low confidence / editing category / editing colors / editing details / unknown price / save failed/retry

Acceptance

- The garment and guessed fields fit with actions in a coherent first viewport.
- No correction is lost on failure.
- Progress is a count only.

Audit trace: 72

7. Consent, privacy, diary, plan, and packing

7.1 AI consent

Job: Earn informed consent without making every fact shout.

Design directions

- Turn four dense bold facts into short Medium headings with regular supporting sentences.
- Reduce primary and secondary action height enough to restore breathing room around the legal footer while maintaining 44 pt targets.
- Only claim what Cinch controls. Do not claim model-provider zero retention or no training unless a frozen contract proves it.
- Keep Allow processing and Keep photos on this phone semantically clear; "Not now" must remain a real exit.

Required states

first consent / declined / withdrawal / on-device-only / sent log / backfill existing pieces

Acceptance

- A reader can distinguish facts in five seconds.
- The sheet is dismissible and does not cover its own footer.
- Every factual sentence has a claim source.

Audit trace: 73, 74

7.2 Privacy and data

Job: Explain what Cinch holds, sends, and deletes without forcing a wall of legal prose.

Design directions

- Replace the single continuous disclosure card with concise summary rows and expandable detail.
- Keep full legal detail available in-app; the collapsed state must still name photos, wear/plans, location/calendar, account data, analytics, AI partners, commerce partners, export, and deletion.
- Update the listing-search section for licensed Datafeedr behavior and the remaining fallback path. Distinguish provider search, shop image loading, and affiliate clicks.
- Disclose that raw descriptions are not retained in a global cache under the approved privacy decision.

Required states

index collapsed / section expanded / AI consent details / export requested/building/ready/failed / delete warning/confirmed/completed

Acceptance

- The first viewport provides an understandable summary.
- Expansion preserves readable 17 px body text.
- No privacy statement contradicts shipping data flow.

Audit trace: 75, 76

7.3 Wear diary

Job: Let the user read real wear history quickly and open the story behind a day.

Design directions

- Allocate more width to garment/outfit names. Dates, thumbnails, and trailing metadata must not consume space that creates needless ellipses.
- Lighten filter chips, month headers, and wear metadata; keep the actual garment/outfit name primary.
- A planned day is never presented as worn. Missing price removes cost-per-wear rather than inserting a placeholder.

Required states

populated / filtered year / entry detail / editable within 24 hours / empty / loading / offline

Acceptance

- Representative long names fit or wrap meaningfully.
- Filters remain comprehensible without bolding every option.
- Undo accurately updates counts and names the 24-hour rule.

Audit trace: 77, 78

7.4 Plan week

Job: See a usable week of outfits, weather, and plans without losing names to density.

Design directions

- Remove one-line truncation from outfit names and reasoning. Use a two-line hierarchy or an expandable day row.
- Replace color squares with garment thumbnails or silhouettes wherever imagery is available.
- Keep weather and date compact. A plan remains a plan until the user marks it worn.
- The occasion entry is present but quiet until used.

Required states

week populated / partial week / empty week / loading / offline / planning pending/failed / occasion present

Acceptance

- Every day identifies the outfit without clipped core pieces.
- A six-day range remains scannable.
- Images and type do not compete for the same narrow column.

Audit trace: 79, 80

7.5 Packing gate and memo

Job: Turn a trip into a smaller believable bag, with reuse as visible proof.

Design directions

- Use recognizable garment cutouts/silhouettes in the bag and day/night itinerary, not anonymous color squares.
- Tighten the vertical gaps between summary, counts, bag, and itinerary. Follow the required order: prose first, bag second, days third.

- Shorten the Pro gate copy and expose the monthly/yearly choice before the CTA. No urgency, crossed-out price, countdown, or hidden close.
- Repeat counts sit on pieces; one departure shoe may read "worn." Cost-per-wear appears only when every packed piece has a price.

Required states

first trip gate / history gate / questionnaire / building/slow / memo / beyond forecast / short closet / membership unknown / timeout/retry

Acceptance

- The bag is visually understandable without reading a list.
- The CTA names Pro and the selected term.
- All four failure states retain a forward path and none upsells.

Audit trace: 81, 82, 83

8. Gap Feed, friends, activity, and occasions

8.1 Gap Feed and product sheet

Job: Explain a computed wardrobe gap first; offer shopping only as subordinate help.

Design directions

- Substantially reduce the opening headline and paragraph. Get the first computed gap into the first viewport.
- Replace unexplained +7/+6/+4 figures with explicit copy such as "+7 outfit cores" or a sentence stating what changes.
- When the closet is full, "Add anyway" must not be the loudest repeated action. Route addition through the same swap/store decision as Closet.
- The computed line is always above and visually stronger than the merchant row. At most three merchants; price is a floor; "Paid link" is adjacent and full-strength.
- Product sheet shows shop image, product, price, and Open. It repeats the commission/ranking relationship every time.

Required states

computed gaps only / merchant matches / no matches / product sheet / preference off / closet full / swap/store / provider unavailable

Acceptance

- A gap card remains complete with no commerce row.
- No commission signal affects visual or data ordering.
- Adding never bypasses capacity.
- No shop grammar appears.

Audit trace: 84, 85, 86, 87

8.2 Friends list

Job: Handle real relationship decisions with compact, humane rows.

Design directions

- Reduce row height. Make Accept/Add back the only strong action; Not now remains quiet and sends nothing.
- Names are primary. Handles, relationship status, and section counts use regular secondary styling.
- Overflow actions remain reachable but visually connected to their row.

Required states

requests / friends / search / empty / loading / failed action/retry / blocked result

Acceptance

- A user can scan at least five rows in the first viewport.
- No rejection is implied when the backend only dismisses.
- Long names and handles do not collide with actions.

Audit trace: 88, 89

8.3 Activity

Job: Resolve requests and event activity without turning it into an engagement feed.

Design directions

- Replace large paired buttons with compact inline actions sized to the decision.
- Lighten names inside sentences, timestamps, and secondary actions. Use emphasis only on the actor or the decision, not both.
- Keep the Today indicator as one dot, never a count. Rows cover only the bounded recent activity contract.

Required states

five row kinds / empty / loading / error / pending action / failed action/retry / dismissed

Acceptance

- Rows read as sentences, not stacks of badges.
- Failures retry on the same row.
- No leaderboard or unread score emerges.

Audit trace: 90, 91

8.4 Event detail

Job: Show the occasion, the user's decision, and who is ready without wasting the page on controls.

Design directions

- Reduce oversized Hosting/Going and Invite controls. Give the card height to the look and the event facts rather than empty space.
- Spend blush once on Your look; invitee Join may take the single accent instead.
- Use the composed-look grid object consistently at every size; do not use the overlapping Today stack for voting.

Required states

host / invitee coarse / joined / waiting / your look absent/present / decided / day-of / canceled

Acceptance

- Primary event status is clear before actions.
- No absent attendee behavior is exposed.
- Every destructive action names what changes and what is kept.

Audit trace: 92

8.5 Event comments

Job: Keep the table conversation readable, private to the room, and recoverable on failure.

Design directions

- Reduce bold names and timestamps; improve line wrapping around avatar and overflow controls.
- Give the composer an explicit send state and visible reply context. Keyboard and sheet must not cover the active draft.
- System/moderation messages alone use tray. Failed comments remain in place with Retry; removals are named.

Required states

thread / replying / sending / failed/retry / hidden comment / reported/blocked / closed occasion

Acceptance

- A 2-3 line comment has a stable reading column.
- Draft text survives every failure.
- Comments never leak into diary, profile, or share.

Audit trace: 93, 94

8.6 Look Board

Job: Help friends decide between one person's real options without making people compete.

Design directions

- Prevent caption truncation inside large cards; resize copy or image allocation before using ellipsis.
- Reduce prominence of voting and Ahead. Ahead is a transient status, not a score; one crown appears only after decision.
- Posting order stays stable. Ties hold. Zero counts are omitted.

Required states

waiting / two looks / voting open / your pick / tie / decided/crown / comments sheet open

Acceptance

- No cross-attendee comparison exists.
- Every garment in a look remains visible.
- The crown is the only bouncy social moment.

Audit trace: 95, 96

9. Share, saved, safety, and final positioning

9.1 Share a Look picker

Job: Compose a real outfit for an occasion without hiding the closet behind the selection UI.

Design directions

- Reduce the persistent bottom selection bar. Keep enough grid visible to compare garments while preserving count and Compose.
- Use the same composed-look grid as the board. Selection order is explicit and reorderable; overflow rules are fixed.
- Selected garment names remain readable in a three-column grid.

Required states

empty selection / 1-2 selected / 3-6 selected / reorder / caption / posting / failed/retry

Acceptance

- At least one full additional grid row remains visible above the bar.
- Compose is disabled with an understandable reason.
- No selected state relies on color alone.

Audit trace: 97

9.2 Saved plates and boards

Job: Keep useful looks without making incomplete mosaics look broken.

Design directions

- Lighten board filter chips and plate metadata.
- Resolve blank 2x2 quadrants intentionally: use the fixed composed layout, a complete silhouette, or a designed empty cell treatment that cannot be mistaken for failed loading.
- Deleting a board keeps the plates and returns them to All. The confirmation must say this.

Required states

all saved / filtered board / board detail / empty / loading / keep sheet / delete board

Acceptance

- No blank tile resembles a missing asset.
- Filter names fit or scroll.
- Saved state and wear count are visually distinct.

Audit trace: 98

9.3 Safety: blocked people

Job: Let someone reverse a block with full understanding and no ambiguity.

Design directions

- Add confirmation before Unblock. State that the person can find the user again and that retracted votes are not restored.

- Keep Unblock ink, not oxblood; it is not destructive. Report and block stay two taps deep elsewhere.
- Use regular explanatory copy; do not bold the entire consequence paragraph.

Required states

blocked list / unblock confirm / unblocking / failed/retry / empty

Acceptance

- The consequence is understandable before the action.
- The keep option is named for remaining blocked.
- No promise is made that comments are restored or deleted.

Audit trace: 99

9.4 Positioning copy across onboarding and empty states

Job: State the closet-first promise while remaining truthful about narrowly scoped commerce.

Design directions

- Use the approved line: **Your closet first. Shop only when something is genuinely missing.**
- Sweep Welcome, Tour, Today empty, The Ten, Reveal, Gap Feed, privacy, press-derived in-app copy, and help for contradictory "No shop," "No affiliate links," or "never shows products" absolutes.
- Do not turn the correction into shopping positioning. The ten-piece wedge and real owned garments remain the first and strongest promise.

Required states

welcome / tour / empty closet / nothing works / gap handoff / commerce off

Acceptance

- Commerce is named only where relevant.
- A user with buying suggestions off experiences a complete closet-first product.
- No surface implies owned garments are for sale.

Audit trace: 100

10. Audit-item trace: all 45 Wave 3 fixes

Every item below must appear in at least one atlas annotation and in the final deviations/acceptance ledger.

#	Surface	Required correction
56	Today	Shrink greeting; expose outfit sooner
57	Today	Remove or explain duplicate temperature
58	Today plate	Use real cutouts; keep every piece identifiable
59	Today actions	Fit three reactions at accessibility sizes
60	Closet	Lighten filters, names, counts
61	Closet	Make final category fully reachable
62	Closet	Improve garment-to-well scale
63	Closet	Group price with wear count
64	Item	Reduce tag count/weight
65	Item	Calm and consolidate stats
66	Add Clothes	Rename Talk it in
67	Add Clothes	Reduce card height/dead space
68	Capture	Lighten chrome and instructions
69	Capture	Shrink instruction panel
70	Describe	Shorter intro and textarea
71	Describe	Name description-or-URL input
72	Review	Reduce sheet height; move decision closer
73	Consent	Headings plus regular support
74	Consent	Smaller actions; legal breathing room
75	Privacy	Expandable sections
76	Privacy	Keep full detail without wall of text
77	Diary	Give names more width
78	Diary	Lighten filters and metadata
79	Plan	Remove one-line truncation
80	Plan	Use garment thumbnails/silhouettes
81	Packing	Use recognizable garments
82	Packing	Tighten vertical gaps
83	Packing gate	Shorten sales copy; show term choice
84	Gap Feed	Reduce opening headline/prose
85	Gap Feed	Explain gain figures
86	Gap Feed	Quiet Add anyway at capacity
87	Gap Feed	Use swap/store capacity flow

#	Surface	Required correction
88	Friends	Reduce row height; one strong action
89	Friends	Quiet handles/status/counts
90	Activity	Compact inline decisions
91	Activity	Lighten names/timestamps/secondary
92	Event detail	Reduce controls and empty card space
93	Comments	Improve hierarchy and wrapping
94	Comments	Explicit send/reply state
95	Look Board	Prevent caption truncation
96	Look Board	De-emphasize voting/Ahead
97	Share Look	Shrink selection bar
98	Saved	Light chips; resolve blank quadrants
99	Safety	Confirm Unblock and consequences
100	Positioning	Replace No shop absolute

11. Accessibility, privacy, and analytics contract

Accessibility acceptance

- Provide a 393 pt standard rendering and stress frames at the largest supported Dynamic Type for every shared control and every screen with a horizontal action row.
- Do not solve larger type by capping it more aggressively or adding ellipses. Allow height, wrap, reflow, or change composition.
- Every target is at least 44 x 44 pt and separated so hit regions do not overlap. Icon-only actions have visible affordance plus VoiceOver label and hint.
- VoiceOver order follows visual reading order. Composite outfit images expose a concise outfit summary, not ten unrelated decorative nodes.
- Selection, status, failure, and disabled state never rely on color alone. Use label, shape, icon, or copy as a second channel.
- Keyboard states are drawn for Describe, Comments, Invite, Stylist, and event creation. The active field, error, and submit action remain visible.
- All meaningful animation includes a Reduce Motion frame or annotation. Loading skeletons mirror final geometry exactly.

Privacy behavior

- No garment name, photo, free-text plan, calendar title, stylist question, invitee name, or raw product query belongs in analytics annotations.
- A product click carries product/referral context but no user identity, closet contents, or friend graph.
- Friend shopping is owner-opt-in and off by default; viewer "Show where to buy" is an independent global preference.
- Consent is deferred to the action that needs processing. Declining leaves all other doors understandable and usable.
- Deletion, export, and account actions use the three-horizon story: what happens now, what may take time, and what cannot be restored.

Analytics placement map

Flow	Offer	Start	Completion	Failure / recovery
First run	Door visible	Photo/voice chosen	Closet ready / Reveal viewed	Permission denied, parse failed, retry
Daily plate	Outfit set visible	Reaction/wear tapped	Saved/worn confirmed	Write failed, inline retry
Gap commerce	Merchant row visible	Product sheet opened	Merchant Open tapped	No products/provider unavailable
Packing	Pro gate visible	Questionnaire begun	Memo built/saved/shared	Forecast, short closet, membership, timeout recovery
Social	Invite/look offered	Invite/post/vote/comment begun	Action confirmed	Per-row failure and retry
Privacy	Export/delete offered	Request confirmed	Ready/deleted	Build or mail failed, retry

12. Dated inspiration board - principles, not cloning

Board date: 11 August 2026. Rights status: Cinch-owned interface captures and internal atlas artifacts only. No external fashion photography or third-party trade dress is included in this handoff.

Internal reference	Extract this principle	Do not copy forward
Today plate	Editorial title + inspectable reason + garment composition as the hero	Abstract color rectangles and hidden labels
Newest Closet atlas	Warm paper, disciplined rails, consistent garment scale	Overweight metadata and clipped chip rails
Capture atlas	Clear stage/action separation and honest processing states	Oversized instruction sheet
Match atlas	Choice under uncertainty; source/provenance visible	Long introductory copy
Share card	A distinctive artifact that can stand alone	Affiliate links, public scores, or invented facts
Print lookbook premise	Quiet hierarchy, captions as evidence, whitespace serving an object	Magazine decoration without a decision

Visual test


At a glance, the eye should land on a real garment or composed look, then its name, then the reason/data, then one action. If labels, pills, buttons, or framework chrome arrive first, the screen is not finished.

Reference exclusions

- Simulator dev gear and fixture state switchers are not product UI and must not be reproduced.
- Fixture truncation caused by dev-only horizontal state rails is not automatically a production constraint; validate against the 393 pt content frame.
- Shop photography is reference material only inside the product sheet.


Current-state evidence A

Simulator fixture captures used to identify hierarchy, density, weight, clipping, and image-composition issues. Ignore the floating development gear and bottom state selectors.



Current-state evidence B

Simulator fixture captures used to identify hierarchy, density, weight, clipping, and image-composition issues. Ignore the floating development gear and bottom state selectors.



13. Deliverable structure and final acceptance

Package structure

- Four inherited reference boards from Wave 2: buttons, stat columns, surfaces, door plate. Reference them; do not redraw competing primitives.
- One atlas folder per surface group with .dc.html source, renderings/, and one-page changelog.
- A master component/state inventory connecting each frame to an existing or proposed shared component.
- A deviations ledger with columns: screen/state, previous behavior, new drawing, authority, unresolved question.
- A single acceptance matrix mapping audit items 56-100 to atlas frame IDs and annotations.

Final acceptance checklist

- All 45 audit items are mapped and visibly resolved.
- All applicable empty, partial, loading, slow, offline, error, retry, limit, canceled/restored, permission, and success states are drawn.
- Every line below 16 px is annotated LABEL or PROSE; no prose uses Medium.
- Every equal-width statistic column is centered with the widest honest value tested.
- Every container resolves to documented flat / 12 / 20 / 38 radius; no labelled capsules.
- Exactly one oxblood action per frame. Blush is spent at most once per social page.
- Every garment surface assumes cutouts/silhouettes are normal. No commerce image leaks into owned-clothes artifacts.
- All controls survive larger type and meet the 44 pt target requirement.
- No screen reintroduces "No shop" or broad shopping grammar.
- No factual statement is untraceable. Unknown facts appear as [CLAIM] placeholders and are listed in handoff.
- Claude returns annotated designs, component/state inventory, transition notes, accessibility behavior, analytics points, asset rights, and deviations. Decorative mockups alone fail the commission.

Definition of done

Wave 3 design is done when Claude Code can implement every frame without inventing hierarchy, copy, state behavior, spacing, type weight, target geometry, image behavior, or recovery - and when a reviewer can verify the result state-by-state in a clean simulator.

Governing internal sources

docs/design/refacing-directive.md; positioning-contract.md; free-tier-contract.md; commerce-directive.md; membership-packing-contract.md; diary-boards-activity-contract.md; event-social-contract.md; privacy-invite-help-contract.md; system-safety-contract.md; type-weight-and-shape-refinement-spec.md; field-guide-content.md. Shipping code outranks all prose.