Visoka škola strukovnih studija za informacione i komunikacione tehnologije

Treemoon

https://nemanjajezdic.github.io/Treemoon/

Smer: Internet tehnologije Modul: Web programiranje Predmet: Web programiranje 1

Nemanja Jezdic 30/19

Sadržaj

- <u>1.</u> <u>Uvod</u>
 - 1.1 Korisćene tehnologije
 - 1.2 Opis funkcionalnosti
 - 1.3 Template
- 2. Organizacija
 - 2.1 Organizacija sajta
 - 2.2 Opis strane sajta
- з. Kodovi
 - 3.1 **HTML**
 - 3.2 **CSS**
 - 3.3 JavaScript

1. Uvod

1.1 Korisćene tehnologije

- HTML 5
- •
- CSS 3
- Bootstrap
- JavaScript
- jQuery
- •
- jQuery Fancybox plugin
- Visual Studio code

1.2 Opis funkcionalnosti

- Dinaičko učitavnje menija,za desktop i mobilne uredjaje.
- Za manje rezolucije se sklanja meni I postavlja hamburger,gde se klikom otvara I zatvara meni.
- Dinamičko učitavanje svih slajdera na sajtu.
- Na odredjenoj visini navigacija postaje fixna I preglednija.
- Dinamičko učitavanje galerije slika.
- Dinamičko učitavanje social ikonica u footeru.
- Jquery plugin za galeriju ,slajder,zoom I slideshow.
- Validacija forme prilikom slanja kontakt poruke regularnim izrazima.
- Preloader pre ucitavanja sajta.
- Custom made kursor sa specijalnim efektima.

1.3 Template

Korisćen je gotov css template https://www.free-css.com/free-css-templates/page260/wise.

2. Organizacija

2.1 Organizacija sajta

One page sajt.

2.2 Mapa sajta


```
<?xml version="1.0" encoding="UTF-8"?>
<urlset
      xmlns="http://www.sitemaps.org/schemas/sitemap/0.9"
     xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
     xsi:schemaLocation="http://www.sitemaps.org/schemas/sitemap/0.9
            http://www.sitemaps.org/schemas/sitemap/0.9/sitemap.xsd">
<url>
 <loc>https://nemanjajezdic.github.io/Treemoon/</loc>
 <lastmod>2020-12-11</lastmod>
 <changefreq>daily</changefreq>
 <priority>1.00</priority>
</url>
<url>
 <loc>https://nemanjajezdic.github.io/Treemoon/index.html</loc>
 <lastmod>2020-12-11 /lastmod>
 <changefreq>daily</changefreq>
 <priority>0.80</priority>
</url>
</urlset>
```

2.3 Opis strane sajta

Prvo se ucitava Preloader sa gifom drveta, posle nekoliko sekundi polako se smanjuje vidljivost Preloadera I on nestaje, pa potom krece sadrzaj.




Prvo se dinamicki ucitavaju navigacija I slajder u navigaciji,menjaju se slike sa naslovom I tekstom na klik strelica ili posle nekog vremena.Klikom na bilo koji link iz navigacije vodi do zeljenog dela na strain.



Na odredjenoj visini navigacija posle par trenutaka postaje fixna I smanjuje joj se padding. Zeleni kruzic na slici

oznacava custom made cursor koji predstavlja blok koji prati kursor, na klik se povecava I menja stil,a na prelazak preko linka ili hamburger se pojavljuje drugi still.

Na manjim rezolucijama se pojavljuje hamburger koji na klik expandira meni I na klik ga zatvara.



TREEMOON



TREEMOON



Home


About

Gallery

Our work

Contact us

Dinamicki se ispisuje galerija sa slikama. Nad galerijom je primenjen jquery plugin koji kad se klikne na bilo koju od slika, samu tu sliku I uvecava I tamni pozadinu. Zatim slike smesta u slider koji moze da pomera slike ili da ih uvecava, kao I opcije za slideshow ili izbor kokretnih slika.





Dinamicki ispisan slider isto kao I headeru.

TREEMOON HOME ABOUT GALLERY OUR WORK CONTACT US


Our work

Treemoon has a lot of amzaing people all over the globe in every nation that is fighting to make Earth more beautiful.If you want to plant a tree you can become a member of our team.



<

Dinamicki ispis autor slidera isto kao I prethodna 2.Forma koje je validirana tako ime mora da ima samo slova,broj telefona ima opstu formu kako mora biti napisan,email polje mora imati @ I da se zavrsava sa .com,.io ili .rs.Mora biti chekirano barem 2 checkboxa,dok polje Message nije obavezno pa ni nema ogranicenje.Ako je forma validna izbacuje poruku kako je uspesna I resetuje,u suprotnom oznava koje polja trebaju da se pravlno popune I poruku kako treba biti ispisano.



3. Kodovi

3.1 HTML

```
<!DOCTYPE html>
<html lang="en">
           <meta charset="utf-8">
           <meta http-equiv="X-UA-Compatible" content="IE=edge">
           <meta name="viewport" content="width=device-width, initial-scale=1">
           <meta name="viewport" content="initial-scale=1, maximum-scale=1">
           <title>Treemoon</title>
           <meta name="keywords" content="Treemoon, tree, trees, forest, plant">
           <meta name="description" content="Welcome to Treemoon, we plant trees all over the world. We saved and created a lot of new forests and we will continue.">
           <meta name="author" content="Nemanja Jezdic">
           <link rel="shortcut icon" type="image/x-icon" href="assets/images/favicon.png"/>
           k rel="stylesheet" href="https://cdn.jsdelivr.net/npm/bootstrap@4.5.3/dist/css/bootstrap.min.css" integrity="sha384-TX8t27EcRE3e/ihU7zmQxVncDAy5uIKz4rEkgIXeMed4M0"
           <link rel="stylesheet" href="assets/css/style.min.css">
            k rel="stylesheet" href="assets/css/jquery.mCustomScrollbar.min.css">
           | clink rel="stylesheet" href="assets/css/responsive.min.css" | clink rel="stylesheet" href="https://cdnjs.cloudflare.com/ajax/libs/fancybox/2.1.5/jquery.fancybox.min.css" | media="screen" | me
            <script src="https://oss.maxcdn.com/respond/1.4.2/respond.min.js"\times/script\times![endif]-->
           k rel="stylesheet" href="https://cdn.jsdelivr.net/gh/fancyapps/fancybox@3.5.7/dist/jquery.fancybox.min.css" />
     <body class="main-layout">
           <div id="load">
           <div id="cursor">
                 <div class="container">
                        <div class="row">
                                    <div class="full">
                                          <div class="center-desk">
                                                <div class="logo"> <a href="index.html">Treemoon</a> </div>
                              <div class="col-xl-9 col-lg-9 col-md-9 col-sm-9">
                                    <div class="menu-area">
                                          <div class="limit-box">
                                               <nav class="main-menu">
                                                    <button class="btn-menu">
                                                      <span id="bar" class="fas fa-bars"></span>
```

```
<span id="bar" class="fas fa-bars"></span>
  <div id="mobile-menu">
<section class="slider section">
  <div id="myCarousel" class="carousel slide banner-main" data-ride="carousel">
     <div class="carousel-inner" id="headerBanner">
     <a class="carousel-control-prev" href="#myCarousel" role="button" data-slide="prev">
     \begin{tabular}{ll} $$\langle i$ class='fa fa-angle-left' > & /i > \end{tabular}
     <div id="about" class="about top_layer">
  <div class="container">
     <div class="row">
       <div class="col-md-12">
          <div class="titlepage">
             <h2>About Informations</h2>
              <span>Our philosophy is to create sustainable ecosystems and allow farmers to meet the initial costs of planting trees, ensuring food sovereignty and income.
     <div class="row">
       <div class="col-md-12">
          <div class="img-box">
             <figure><img src="assets/images/about.png" alt="laptop"/></figure>
             <a href="#gallerys">view more</a>
<div id="gallerys" class="service">
     <div class="row">
           <div class="titlepage">
            <h2>Gallery</h2>
```

```
«span>Here are some photos of forests we manage to regrow thanks to our work by planting a lot of trees.We thank you for support and we will continue to make
   <div class="container margin-r-l">
      <div class="row" id="gallery">
      <div class="row">
         <div class="col-md-12">
                <h2>Our work</h2>
                <span>Treemoon has a lot of amzaing people all over the globe in every nation that is fighting to make Earth more beautiful. If you want to plant a tree you c.
      <div class="row">
          <div class="col-md-12">
                 <div class="carousel-inner" id="work">
                 <a class="carousel-control-prev" href="#main_slider" role="button" data-slide="prev"> <i class="fa fa-angle-left'></i></a> <a class="carousel-control-next" h</pre>
<div id="contacts" class="testimonial">
      <div class="row">
          <div class="col-md-12">
                <h3>Contact</h3>
          <div class="col-xl-6 col-lg-6 col-md-6 col-sm-12">
            <div id="testimonial_slider" class="carousel slide banner-bg" data-ride="carousel">
                 <div class="carousel-inner" id="autorslide">
                 <a class="carousel-control-prev" href="#testimonial_slider" role="button" data-slide="prev"> <i class='fa fa-angle-right'></i>></a> <a class="carousel-control-prev" href="#testimonial_slider" role="button" data-slide="prev"> <i class='fa fa-angle-right'></i>></a> <a class="carousel-control-prev" href="#testimonial_slider" role="button" data-slide="prev"> <i class='fa fa-angle-right'></i>></a> <a class="carousel-control-prev"</a>
```

```
<a class="carousel-control-prev" href="#testimonial_slider" role="button" data-slide="prev"> <i class="fa fa-angle-right'></i></i></a> <a class="carousel"><a class="carousel"><a class="carousel</a> <a class="carousel</a> <a class="carousel"><a class="carousel"><a class="carousel"><a class="carousel</a> <a class="carousel"><a class=
                          <div class="contact">
                                   <h3>Contact Us</h3>
                                  <form action="index.html" method="POST" class="needs-validation" id="firstform">
                                         <div class="row" id="red">
                                                       <input id="inputName" class="form-control contactus" placeholder="Name (only letters(3 min))" type="text" name="Name">
                                                 <div class="col-sm-12" id="inputcol2">
                                                       <input id="inputPhone" class="form-control contactus" placeholder="Phone (+38164-123-4567)" type="text" name="Phone">
                                                 <div class="col-sm-12" id="inputcol3">
                                                        <input id="inputEmail" class="form-control contactus" placeholder="Email (example1@gmail.com)" type="text" name="Email">
                                                     <textarea id="inputArea" class="form-control textarea" placeholder="Message(not required)" type="text" name="Message"></textarea>
                                                 <button class="send" id="contactbtn">Send</button>
<div class="footer">
                                <div class="address">
                                        <h3>Address</h3>
                                         \label{eq:condition} $$ \vec{s} = \underline{assets/icon/3.png} > 15 \ yemen \ road, Yemen </i>
                               <div class="address">
                                        <h3>Useful Link</h3>
                                          \label{localization} $$\langle i\rangle \leq mg \ src="assets/icon/1.png" > \  \  \  href="#">Documetation</a> </i>
```

Documetation link je fixed.

```
<div class="address">
                                               <h3>Useful Link</h3>
                                                <i><img src="assets/icon/1.png"><a href="#">Documetation</a></i>
                               <div class="col-lg-3 col-md-6 col-sm-12 p-3 width">
                                              <h3>Social Media </h3>
                               <div class="col-xl-3 col-lg-3 col-md-12 col-sm-12 width">
                                     <div class="address">
                                             <h3>Newsletter </h3>
                                              <form action="index.html" method="POST" class="needs-validation" id="secondform">
                                                    <input id="newsletter" class="form-control" placeholder="Enter your email" type="email" name="Enter your email">
                                                     <button type="submit" id="newsletterbtn" class="submit-btn">Subscribe</button>
               <div class="copyright">
                      Copyright @ Nemanja Jezdic 30/19
<script src="https://ajax.googleapis.com/ajax/libs/jquery/3.5.1/jquery.min.js"></script>
<script src="https://cdn.jsdelivr.net/npm/bootstrap@4.5.3/dist/js/bootstrap.bundle.min.js" integrity="sha384-ho+j7jyWK8fNQe+A12Hb8AhRq26LrZ/JpcUGGOn+Y7RsweNrtN/tE3MoK7Z</pre>
\label{lem:continuous} $$ \script src="https://cdn.jsdelivr.net/gh/fancyapps/fancybox@3.5.7/dist/jquery.fancybox.min.js"$$ \script src="https://cdn.jsdelivr.net/gh/fancyapps/fancybox.min.js"$$ \script src="https://cdn.jsdelivr.net/gh/fancyapps/fancyb
<script src="assets/js/main.min.js"></script>
```

3.2 CSS

(CSS korisncen sa teampleata ili bootstrapov). Ispod je samostalno napisan

```
#load{
   position:fixed;
   width:100%;
   height: 100vh;
   z-index:1000;
   overflow: visible;
   background: ■#fff url('../images/giphy.gif') no-repeat center;
@keyframes puls{
 from{
     width:20px;
     height: 20px;
 to{
     width:15px;
     height: 15px;
@keyframes puls2{
   0%{
       width:20px;
       height: 20px;
   50%{
       width:50px;
      height:50px;
   100%{
       width:20px;
      height: 20px;
       opacity:0;
   position:absolute;
   width:20px;
   height: 20px;
   border:1px solid □#000000;
   box-sizing: border-box;
   border-radius:50%;
   transition: 0.1s;
   transform: translate(-50%,-50%);
   pointer-events:none;
```

```
pointer-events:none;
   z-index:9000;
   background-color: #0fc690;
   animation:puls 0.5s infinite alternate;
.ca{
   width:100px !important;
   height: 100px !important;
   box-shadow: 0px 0px 10px □#111111 !important;
   border:1px solid ■#0fc690 !important;
   transition: 2s;
.grow{
   animation: puls2 0.5s forwards !important;
   background-color: transparent !important;
   box-shadow: 0px 0px 10px □#111111 !important;
   border:1px solid ■#0fc690 !important;
              ------Hamburger meni------
.btn-menu{
   background:none;
   font-size:30px;
   color: #fff;
   display:none;
   margin-left:300px;
   margin-top:-5px;
#mobile-menu {
   display: none;
   text-align: center;
   z-index: 200;
   width: 100%;
   background: ■#0fc690;
  #mobile-menu ul{
   border-top:1px solid ■#fff;
 #mobile-menu ul li {
   font-size: 25px;
   padding:10px;
  #mobile-menu ul li a {
   color: ■#ffffff;
```

```
#mobile-menu ul li a {
   color: □#ffffff;
 #mobile-menu ul li a:hover{
   color: □ #000000;
 #mobile-menu.active {
   display: block;
 @media screen and (max-width:768px){
    .btn-menu{
       display:block;
   .main-menu{
       display:none;
 @media screen and (max-width:576px){
    .btn-menu{
       margin:0px auto;
 @media screen and (min-width:768px){
   #mobile-menu.active{
     display:none;
#headerBanner img{
   filter: brightness(50%);
.address i a{
   color: #fff;
```

3.3 JavaScript

```
$(document).ready(function(){
   ispisMenu();
   ispisMobileMenu();
   ispisIcon();
   ispisHeaderSlider();
   ispisGallery();
   ispisOurwork();
   ispisAutor();
   /*----*/
   load(2);
   function load(opacity){
     if(opacity <=0 ) {
      removeLoader();
     else{
      document.getElementById("load").style.opacity=opacity;
      window.setTimeout( () =>{
      load(opacity-0.05);
      },100);
   function removeLoader(){
     document.getElementById("load").style.display="none";
   /*-----/
   var cursor=$("#cursor");
   $(document).on("mousemove",(e) => {
    let x=e.pageX;
    let y=e.pageY;
    $(cursor).css("left",x+"px");
     $(cursor).css("top",y+"px");
 });
 $(document).on("click",(e) => {
   $(cursor).addClass("grow");
   setTimeout(() =>{
     $(cursor).removeClass("grow");
   },500)
});
```

```
},500)
});
 $('a').mouseover(() => {
     $(cursor).addClass("ca");
     $(cursor).css(
      {"background-color": "transparent",
       "animation": "none"
     });
  })
  $('a').mouseout(() => {
     $(cursor).removeClass("ca");
     $(cursor).css(
     {"background-color":"#0fc690",
      "animation": "puls 0.5s infinite alternate"
   });
  })
 $('form').mouseover(() => {
   $(cursor).css("display","none");
  })
  $('form').mouseout(() => {
   $(cursor).css("display","block");
  })
 $('button').mouseover(() => {
   $(cursor).addClass("ca");
   $(cursor).css(
   {"background-color":"transparent",
     "animation": "none"
   });
  })
 $('button').mouseout(() => {
   $(cursor).removeClass("ca");
   $(cursor).css(
    {"background-color":"#0fc690",
    "animation": "puls 0.5s infinite alternate"
   });
  })
```

```
-----Header na scroll------
window.addEventListener("scroll", function(e){
   setTimeout(
   function() {
     if(window.scrollY>300){
       $(".header").css(
         {"position": "fixed",
           "z-index": "900",
           "width":"100%",
           "padding":"20px 0px",
           "padding-bottom":"15px",
           "box-shadow":"0px 0px 20px"
       $(".header").css(
         {"position": "relative",
           "width":"100%",
           "padding":"40px 0px",
           "padding-bottom":"35px",
           "box-shadow": "none"
    ,100);
           ------Hamburger meni------
var mobileMenuButton = document.querySelector(".btn-menu");
var mobileMenuButtonIcon = document.querySelector(".btn-menu span");
var mobileMenu = document.querySelector("#mobile-menu");
var toggleMenu = function () {
  if (mobileMenu.classList.contains("active")) {
     mobileMenu.classList.remove("active");
     mobileMenuButtonIcon.classList.add("fa-bars");
     mobileMenuButtonIcon.classList.remove("fa-times");
  } else {
     mobileMenu.classList.add("active");
     mobileMenuButtonIcon.classList.remove("fa-bars");
     mobileMenuButtonIcon.classList.add("fa-times");
```

```
-tınal > assets > js > 🎜 maın.js > 💢 ready() callback
        mobileMenu.classList.add("active");
        mobileMenuButtonIcon.classList.remove("fa-bars");
        mobileMenuButtonIcon.classList.add("fa-times");
  mobileMenuButton.addEventListener("click", function (e) {
     toggleMenu();
 });
  var mobileMenuItems = document.querySelectorAll("#mobile-menu ul li a");
  mobileMenuItems.forEach(function (i) {
     i.addEventListener("click", function (e) {
        toggleMenu();
    });
 });
  /*----*/
  $("#contactbtn").on("click", (e) => {
   e.preventDefault();
  validationName();
   validationPhone();
   validationEmail();
   validationCheck();
   if(validationName() && validationPhone() && validationEmail() && validationCheck())
     alert("Thank you!We will contact you as fast as possible.");
     document.getElementById("firstform").reset();
   else{
     alert("Please enter valid form");
})
/*----*/
var newP1=document.createElement("P");
newP1.textContent="Use only letters(3 min)";
newP1.style.color="red";
var stavi1=document.getElementById("inputcol1");
function validationName(){
 var nameValue=document.getElementById("inputName").value;
 var nameRegex=/^[a-z A-Z]{3,}$/g
 if(nameRegex.test(nameValue)){
```

```
var nameValue=document.getElementById("inputName").value;
  var nameRegex=/^[a-z A-Z]{3,}$/g
  if(nameRegex.test(nameValue)){
    $("#inputName").removeClass("is-valid");
    newP1.style.display="none";
    return true;
  else{
    newP1.style.display="block";
    newP1.textContent="Use only letters(3 min)";
    newP1.style.color="red";
    $("#inputName").removeClass("is-valid").addClass("is-invalid");
    stavi1.insertBefore(newP1,document.getElementById("inputName"));
    return false;
$("#inputName").on("keyup",() => {
  var nameValue=document.getElementById("inputName").value;
  var nameRegex=/^[a-z A-Z]{3,}$/g
  if(nameRegex.test(nameValue)){
    newP1.style.color="green";
    newP1.textContent="Valid name";
    $("#inputName").removeClass("is-invalid").addClass("is-valid");
  else{
    newP1.style.display="block";
    newP1.style.color="red";
    newP1.textContent="Use only letters(3 min)";
    $("#inputName").removeClass("is-valid").addClass("is-invalid");
    stavi1.insertBefore(newP1,document.getElementById("inputName"));
})
/*-----Phone polje----*/
var newP2=document.createElement("P");
newP2.textContent="+38164-123-4567";
newP2.style.color="red";
var stavi2=document.getElementById("inputcol2");
function validationPhone(){
 var nameValue=document.getElementById("inputPhone").value;
 var nameRegex=/^([+]381(60|61|62|63|64)[-]([0-9]{3})[-]([0-9]{4}))$/g
 if(nameRegex.test(nameValue)){
   $("#inputPhone").removeClass("is-valid");
   newP2.style.display="none";
```

```
mon-final > assets > js > JS main.js > 😚 ready() callback > 😚 validationPhone
      newrz.scyle.uispiay= none ;
      return true;
    3
    else{
      newP2.style.display="block";
      newP2.textContent="+38164-123-4567";
      newP2.style.color="red";
      $("#inputPhone").removeClass("is-valid").addClass("is-invalid");
      stavi2.insertBefore(newP2,document.getElementById("inputPhone"));
      return false;
   }
   $("#inputPhone").on("keyup",() => {
    var nameValue=document.getElementById("inputPhone").value;
    var nameRegex=/^([+]381(60|61|62|63|64)[-]([0-9]{3})[-]([0-9]{4}))$/g
    if(nameRegex.test(nameValue)){
      newP2.style.color="green";
      newP2.textContent="Valid phone";
      $("#inputPhone").removeClass("is-invalid").addClass("is-valid");
    else{
      newP2.style.display="block";
      newP2.style.color="red";
      newP2.textContent="+38164-123-4567";
      $("#inputPhone").removeClass("is-valid").addClass("is-invalid");
      stavi2.insertBefore(newP2,document.getElementById("inputPhone"));
    }
   })
   var newP3=document.createElement("P");
   newP3.textContent="example1@gmail.com";
   newP3.style.color="red";
   var stavi3=document.getElementById("inputcol3");
   function validationEmail(){
    var nameValue=document.getElementById("inputEmail").value;
    var nameRegex=/^[a-z A-Z 0-9]{3,}@[a-z A-Z 0-9]{4,}(.com|.rs|.io)$/g
    if(nameRegex.test(nameValue)){
      $("#inputEmail").removeClass("is-valid");
      newP3.style.display="none";
    else{
      newP3.style.display="block";
      newP3.textContent="example1@gmail.com";
```

```
newrs.textcontent= example1@gmall.com;
  newP3.style.color="red";
  $("#inputEmail").removeClass("is-valid").addClass("is-invalid");
  stavi3.insertBefore(newP3,document.getElementById("inputEmail"));
$("#inputEmail").on("keyup",() => {
var nameValue=document.getElementById("inputEmail").value;
var nameRegex=/^[a-z A-Z 0-9]{3,}@[a-z A-Z 0-9]{4,}(.com|.rs|.io)$/g
if(nameRegex.test(nameValue)){
  newP3.style.color="green";
  newP3.textContent="Valid email";
  $("#inputEmail").removeClass("is-invalid").addClass("is-valid");
else{
  newP3.style.display="block";
  newP3.style.color="red";
  newP3.textContent="example1@gmail.com";
  $("#inputEmail").removeClass("is-valid").addClass("is-invalid");
  stavi3.insertBefore(newP3,document.getElementById("inputEmail"));
  let divcheck=document.createElement("div");
  divcheck.classList.add("col-sm-12")
  divcheck.setAttribute("id","inputcol6");
  let pcheck=document.createElement("div");
  pcheck.textContent="What is your favourite trees? (check at least 2)"
  divcheck.appendChild(pcheck);
  let divhold=document.createElement("div");
  divhold.setAttribute("id","checkcol1");
  pcheck.appendChild(divhold);
   let nizID=["inlineCheckbox1","inlineCheckbox2","inlineCheckbox3","inlineCheckbox4","inlineCheckbox5"];
   let nizValue=["option1","option2","option3","option4","option5"];
   let nizTekst=["Maple","Oak","Sycamore","Pine","Sequoia"];
  let checkboxlist="";
   for(let i=0;i<5;i++){
    checkboxlist+=
```

```
let checkboxlist="";
        for(let i=0;i<5;i++){
               checkboxlist+=
                 <div class="form-check form-check-inline">
                   <input class="form-check-input check1" type="checkbox" id="${nizID[i]}" value="${nizValue[i]}">
                   <label class="form-check-label" for="${nizID[i]}">${nizTekst[i]}</label>
                 </div>
       divhold.innerHTML=checkboxlist;
       document.getElementById("red").insertBefore(divcheck,document.getElementById("inputcol5"));
     var newP14=document.createElement("P");
     newP14.textContent="Please check at least 2";
     newP14.style.color="red";
    var t12=document.getElementById("checkcol1");
function validationCheck(){
        var br=0;
        for(i=0;i<5;i++)
                         if(document.getElementById("checkcol1").children[i].children[0].checked)
                              br++;
        if(br>1)
             newP14.style.display="none";
             return true;
         newP14.style.display="block";
          newP14.style.color="red"
          newP14.textContent="Please check at least 2"
          t12.insertBefore(newP14,t12.lastChild);
for(i=0;i<5;i++)
    document.getElementsByClassName("check1")[i].addEventListener("click",function() \{ in the content of the cont
                      var br=0;
                     for(i=0;i<5;i++)
```

```
document.getElementsByClassName("check1")[i].addEventListener("click",function(){
       var br=0;
       for(i=0;i<5;i++)
         if(document.getElementById("checkcol1").children[i].children[0].checked)
             br++;
       if(br>1)
         newP14.style.color="green"
         newP14.textContent="Valid check"
         newP14.style.color="red"
         newP14.textContent="Please check at least 2";
}
 $("#newsletterbtn").on("click", (e) => {
   e.preventDefault();
   if(validationEmailfooter()){
     alert("Thank you!");
     document.getElementById("secondform").reset();
   else{
     alert("Please enter valid email");
})
  var newP=document.createElement("P");
  newP.textContent="example1@gmail.com";
  newP.style.color="red";
  var stavi=document.getElementById("secondform");
  function validationEmailfooter(){
   var nameValue=document.getElementById("newsletter").value;
   var nameRegex=/^[a-z A-Z 0-9]{3,}@[a-z A-Z 0-9]{4,}(.com|.rs|.io)$/g
    if(nameRegex.test(nameValue)){
```

```
var nameValue=document.getElementById("newsletter").value;
   var nameRegex=/^[a-z A-Z 0-9]{3,}@[a-z A-Z 0-9]{4,}(.com|.rs|.io)$/g
   if(nameRegex.test(nameValue)){
     $("#newsletter").removeClass("is-valid");
     newP.style.display="none";
     return true;
   else{
     newP.style.display="block";
     newP.textContent="example1@gmail.com";
     newP.style.color="red";
     $("#newsletter").removeClass("is-valid").addClass("is-invalid");
     stavi.insertBefore(newP,document.getElementById("newsletter"));
     return false;
 $("#newsletter").on("keyup",() => {
   var nameValue=document.getElementById("newsletter").value;
   var nameRegex=/^[a-z A-Z 0-9]{3,}@[a-z A-Z 0-9]{4,}(.com|.rs|.io)$/g
   if(nameRegex.test(nameValue)){
     newP.style.color="green";
     newP.textContent="Valid email";
     $("#newsletter").removeClass("is-invalid").addClass("is-valid");
   else{
     newP.style.display="block";
     newP.style.color="red";
     newP.textContent="example1@gmail.com";
     $("#newsletter").removeClass("is-valid").addClass("is-invalid");
     stavi.insertBefore(newP,document.getElementById("newsletter"));
 })
 });
          -----dinamicki ispis-funkcije-----
/*meni u navigaciji*/
 function ispisMenu(){
     let nizHref=["#","#about","#gallerys","#ourwork","#contacts"];
     let nizIme=["Home", "About", "Gallery", "Our work", "Contact us"];
     let navi=document.getElementById("navigation");
     let html="";
     for(var i=0;i<nizHref.length;i++){</pre>
       html+=`
         <a href="${nizHref[i]}">${nizIme[i]}</a>
```

```
html+=
                           <a href="${nizHref[i]}">${nizIme[i]}</a>
                  navi.innerHTML=html;
     function ispisMobileMenu(){
          var ul=document.createElement("ul");
          ul.setAttribute("id","navigationmenu");
          var mobilemenu=document.getElementById("mobile-menu");
           mobilemenu.appendChild(ul);
          let nizHref=["#","#about","#gallerys","#ourwork","#contacts"];
let nizIme=["Home","About","Gallery","Our work","Contact us"];
           let html="";
            for(var i=0;i<nizHref.length;i++){</pre>
                html+=
                     <a href="${nizHref[i]}">${nizIme[i]}</a>
           ul.innerHTML=html;
function ispisHeaderSlider(){
          let nizSrc=["assets/images/banner1.jpg","assets/images/banner2.jpg","assets/images/banner3.jpg"];
let nizAlt=["Forest","tree in forest","Foggy forest"];
            "All trees are good for the environment: they absorb CO2, emit oxygen, promote biodiversity, counteract soil erosion and much more.",
"Treemoon is a home to 263 planting projects from 33 differents countries. They use Treemoon to share with you their stories and get help in their journey to reforest th
            let nizH1=["Welcome to Treemoon",
            "We plant trees",
"You reforest the world"
           let banner=document.getElementById("headerBanner");
            for(var i=0;i<nizSlide.length;i++){</pre>
               html+=`
                  \label{limit} $$ \class="$\{nizSlide[i]\}'' \ src="$\{nizSrc[i]\}'' \ alt="$\{nizAlt[i]\}''> \class="states of the content of the 
                 ${nizP[i]}
<a href="#about">View More</a>
```

```
${nizP[i]}
              banner.innerHTML=html;
             banner.children[0].classList.add("active");
function ispisGallery(){
     let nizSlike=["assets/images/small1.jpg","assets/images/small2.jpg","assets/images/small3.jpg","assets/images/small4.jpg","assets/images/small5.jpg","assets/images/small6.jpg"
let nizAlt=["lake forest", "summer trees", "big tree", "huge forest", "park trees", "trees on sun"];
let nizBig=["assets/images/big1.jpg", "assets/images/big2.jpg", "assets/images/big3.jpg", "assets/images/big4.jpg", "assets/images/big5.jpg", "assets/images/big6.jpg"]
        let gallery=document.querySelector("#gallery");
        for(var i=0;i<nizSlike.length;i++){</pre>
             html+=`
                                <a data-fancybox="gallery" href="${nizBig[i]}"><img src="${nizSlike[i]}" class="zoom img-fluid " alt="${nizAlt[i]}"></a>
       gallery.innerHTML=html;
       function ispisOurwork(){
      let nizSlike=["assets/images/tree1.jpg","assets/images/tree2.jpg","assets/images/tree3.jpg"];
let nizAlt=["plant tree","workers plant","tree planting"];
let nizClass=["first-slide","second-slide","third-slide"];
       let slider=document.querySelector("#work");
        for(var i=0;i<nizSlike.length;i++){</pre>
            html+=
              \label{limit} $$ \vec{a} : \color= \col
        slider.innerHTML=html;
       slider.children[0].classList.add("active");
```

```
function ispisAutor(){
let nizSlike=["assets/images/slika1.jpg","assets/images/slika2.jpg"];
let nizAlt=["author","author photo"];
let nizClass=["first-slide","second-slide"];
let slider=document.querySelector("#autorslide");
let html="";
for(var i=0;i<nizSlike.length;i++){</pre>
  html+=`
  <img class="img-fluid ${nizClass[i]}" src="${nizSlike[i]}" alt="${nizAlt[i]}">
       <span><i class="fa fa-quote-left"></i> ( Author )<i class="fa fa-quote-right"></i></span>
       < your describe myself as positive hard working person that's ready for new challenges. So far i'm skilled in HTML,CSS,Bootstrap,C,Java,C#,JavaScript,Jque</p>
slider.innerHTML=html;
slider.children[0].classList.add("active");
function ispisIcon(){
    \label{let_nizSrc} \textbf{let nizSrc=["assets/icon/fb.png","assets/icon/tw.png","assets/icon/lin (2).png","assets/icon/instagram.png"];} \\
    let nizAlt=["facebook icon","twitter icon","linkedin icon","instagram icon"];
    let contactIcon=$(".contant_icon")[0];
    let html="";
    for(var i=0;i<nizSrc.length;i++){</pre>
       html+=
          <a href="${nizSajt[i]}" target="_blank"><img src="${nizSrc[i]}" alt="${nizAlt[i]}"/></a>
    contactIcon.innerHTML=html;
```