

☒ Manuali Completi - InvestPro Commercial Edition

Piattaforma Professionale di Investimenti con Ottimizzazione Markowitz, AI Insights e Gestione Portfolio

☒ Demo Live

☒ Indice

1. PANORAMICA GENERALE
 2. MANUALE INSTALLAZIONE TECNICA
 3. MANUALE UTENTE COMPLETO
 4. MANUALE AMMINISTRATORE
 5. CONFIGURAZIONI AVANZATE
 6. TROUBLESHOOTING & FAQ
 7. APPENDICI
-

PANORAMICA GENERALE

☒ Cos' è InvestPro Commercial

InvestPro Commercial Edition è una piattaforma professionale di investimenti completa che offre:

- ☒ **AI-Powered Analysis:** Predizioni di mercato basate su machine learning
- ☒ **Markowitz Optimization:** Algoritmo Nobel Prize per ottimizzazione portfolio
- ☒ **Sistema Pagamenti:** Integrazione Stripe completa con 4 piani subscription
- ☒ **Affiliate Program:** Sistema commissioni con broker partner
- ☒ **Multi-Platform:** Responsive design per desktop, tablet e mobile

- **☒ Multi-Language:** Supporto Italiano/Inglese con auto-detection

☒ Piattaforma Live

- **URL:** <https://w4kz18zgiu.space.minimax.io>
- **Status:** ☒ Completamente operativa
- **Versione:** 1.0.0 Commercial Edition

☒ Piani Subscription

Piano	Prezzo	Caratteristiche Principali
Free	Gratuito	3 portfolio, 5 ricerche/giorno, analisi base
Basic	\$9.99/mese	10 portfolio, 50 ricerche/giorno, Markowitz base
Premium	\$29.99/mese	Portfolio illimitati, AI predictions, export PDF
Pro	\$99.99/mese	API access, white-label, consultazioni 1-on-1

MANUALE INSTALLAZIONE TECNICA

☒ Prerequisiti

Requisiti Sistema

- **Node.js:** 18.x o superiore
- **Package Manager:** pnpm 8.x (raccomandato) o npm 9.x
- **Git:** Per version control
- **Browser:** Chrome 90+, Firefox 88+, Safari 14+

Servizi Esterni (Produzione)

- **Stripe Account:** Per sistema pagamenti

- **Firebase Project:** Per autenticazione
- **Domain:** Per hosting produzione

☒ Installazione Rapida

1. Clone Repository

```
# Clone del repository
git clone https://github.com/your-organization/investpro-commercial.git
cd investpro-commercial
```

2. Installazione Dipendenze

```
# Utilizzo pnpm (raccomandato)
pnpm install
```

```
# Oppure con npm
npm install
```

3. Configurazione Environment

Crea file `.env` nella root del progetto:

```
# ===== CONFIGURAZIONE BASE =====
VITE_APP_TITLE=InvestPro Commercial
VITE_APP_DESCRIPTION=Professional Investment Platform
VITE_APP_VERSION=1.0.0

# ===== URL API =====
VITE_API_URL=https://api.investpro.com/v1

# ===== FEATURE FLAGS =====
VITE_ENABLE_AI_FEATURES=true
```

```
VITE_ENABLE_AFFILIATE_PROGRAM=true
VITE_ENABLE_SUBSCRIPTION=true
VITE_ENABLE_ANALYTICS=true

# ===== INTERNAZIONALIZZAZIONE =====
VITE_DEFAULT_LANGUAGE=it
VITE_SUPPORTED_LANGUAGES=it,en

# ===== STRIPE CONFIGURATION =====
VITE_STRIPE_PUBLIC_KEY=pk_test_your_stripe_public_key
VITE_STRIPE_PRICE_BASIC=price_basic_monthly
VITE_STRIPE_PRICE_PREMIUM=price_premium_monthly
VITE_STRIPE_PRICE_PRO=price_pro_monthly

# ===== FIREBASE AUTHENTICATION =====
VITE_FIREBASE_API_KEY=your_firebase_api_key
VITE_FIREBASE_AUTH_DOMAIN=your-project.firebaseio.com
VITE_FIREBASE_PROJECT_ID=your-project-id
VITE_FIREBASE_STORAGE_BUCKET=your-project.appspot.com
VITE_FIREBASE_MESSAGING_SENDER_ID=123456789
VITE_FIREBASE_APP_ID=1:123456789:web:abcdef

# ===== FINANCIAL DATA APIS =====
VITE_YAHOO_FINANCE_API_KEY=your_yahoo_finance_key
VITE_ALPHA_VANTAGE_API_KEY=your_alpha_vantage_key
VITE_FINNHUB_API_KEY=your_finnhub_key

# ===== ANALYTICS & MONITORING =====
VITE_GOOGLE_ANALYTICS_ID=G-XXXXXXXXXX
VITE_SENTRY_DSN=https://your-sentry-dsn@sentry.io/project
```

```
# ===== DEVELOPMENT FLAGS =====  
VITE_DEBUG_MODE=false  
VITE MOCK_API=false
```

4. Avvio Sviluppo

Avvia server di sviluppo

```
pnpm dev
```

La piattaforma sarà disponibile su http://localhost:5173

☒ Build Produzione

1. Build Applicazione

Crea build ottimizzata

```
pnpm build
```

Files ottimizzati saranno in /dist

2. Anteprima Build

Testa build in locale

```
pnpm preview
```

☒ Deploy Produzione

Opzione 1: Deploy Automatico (Vercel/Netlify)

Vercel:

Installa Vercel CLI

```
npm i -g vercel
```

Deploy

```
vercel --prod
```

Configura environment variables nel dashboard Vercel

Netlify:

Installa Netlify CLI

```
npm i -g netlify-cli
```

Deploy

```
netlify deploy --prod --dir=dist
```

Configura environment variables nel dashboard Netlify

Opzione 2: Deploy Manuale (Server Linux)

1. Carica files build sul server

```
scp -r dist/* user@server:/var/www/html/
```

2. Configura Nginx

```
sudo nano /etc/nginx/sites-available/investpro
```

Configurazione Nginx:

```
server {  
    listen 80;  
    listen 443 ssl;  
    server_name investpro.com www.investpro.com;  
  
    root /var/www/html;  
    index index.html;
```

```

# SPA Configuration
location / {
    try_files $uri $uri/ /index.html;
}

# Gzip Compression
gzip on;
gzip_types text/plain text/css application/json application/javascript text/xml appl

# Security Headers
add_header X-Frame-Options "SAMEORIGIN" always;
add_header X-XSS-Protection "1; mode=block" always;
add_header X-Content-Type-Options "nosniff" always;
add_header Referrer-Policy "no-referrer-when-downgrade" always;
add_header Content-Security-Policy "default-src 'self' http: https: data: blob: 'uns
}

# 3. Abilita sito e riavvia Nginx
sudo ln -s /etc/nginx/sites-available/investpro /etc/nginx/sites-enabled/
sudo systemctl reload nginx

```

Opzione 3: Deploy Container (Docker)

```

# Dockerfile
FROM node:18-alpine AS builder

WORKDIR /app
COPY package*.json ./
RUN npm ci --only=production

```

```
COPY . .
RUN npm run build

FROM nginx:alpine
COPY --from=builder /app/dist /usr/share/nginx/html
COPY nginx.conf /etc/nginx/nginx.conf

EXPOSE 80
CMD ["nginx", "-g", "daemon off;"]

# Build e deploy container
docker build -t investpro-commercial .
docker run -p 80:80 investpro-commercial
```

☒ Configurazione Stripe

1. Setup Account Stripe

1. Crea account su stripe.com
2. Ottieni le chiavi API dal dashboard
3. Configura webhook endpoint

2. Creazione Prodotti Subscription

```
# Esempio con Stripe CLI

stripe products create --name="InvestPro Basic" --description="Essential investment tool
stripe prices create --product=prod_xxx --unit-amount=999 --currency=usd --recurring='{

stripe products create --name="InvestPro Premium" --description="Advanced investment pla
stripe prices create --product=prod_yyy --unit-amount=2999 --currency=usd --recurring='{
```



```
stripe products create --name="InvestPro Pro" --description="Enterprise investment solution"  
stripe prices create --product=prod_zzz --unit-amount=9999 --currency=usd --recurring='{
```

3. Configurazione Webhook

URL Webhook: `https://yourdomain.com/api/webhooks/stripe`

Eventi da ascoltare: `-customer.subscription.created` `-customer.subscription.updated`
`-customer.subscription.deleted` `-invoice.payment_succeeded` `-invoice.payment_failed`

☒ Configurazione Firebase

1. Setup Progetto Firebase

1. Vai su `console.firebase.google.com`
2. Crea nuovo progetto
3. Abilita Authentication
4. Configura provider Email/Password
5. Aggiungi dominio autorizzato

2. Configurazione Authentication

```
// Firebase config (da inserire in .env)  
const firebaseConfig = {  
  apiKey: "your-api-key",  
  authDomain: "your-project.firebaseio.com",  
  projectId: "your-project-id",  
  storageBucket: "your-project.appspot.com",  
  messagingSenderId: "123456789",  
  appId: "1:123456789:web:abcdef"  
};
```

MANUALE UTENTE COMPLETO

☒ Getting Started

Registrazione Account

1. **Visita la piattaforma:** Vai su <https://w4kz18zgiu.space.minimax.io>
2. **Clicca “Registrati”** : Pulsante in alto a destra
3. **Compila il form:**
 - Email valida
 - Password sicura (min 8 caratteri)
 - Conferma password
 - Accettazione Terms & Conditions
4. **Verifica email:** Controlla la tua casella email
5. **Accesso automatico:** Sarai reindirizzato alla dashboard

Primo Login

1. **Email e Password:** Usa le credenziali di registrazione
2. **Dashboard Welcome:** Vedrai la schermata di benvenuto
3. **Tour Guidato:** Segui il tour per conoscere le funzionalità
4. **Impostazioni Profilo:** Completa il tuo profilo

☒ Dashboard Principale

Overview Dashboard

La dashboard è il centro di controllo della tua attività di investimento:

Sezioni Principali: - **Portfolio Overview:** Valore totale e performance - **Asset Allocation:** Distribuzione percentuale investimenti - **Performance Charts:** Grafici performance storici - **Recent Activity:** Ultime transazioni e modifiche - **Market News:** Notizie finanziarie rilevanti - **AI Insights:** Raccomandazioni intelligenti (Premium+)

Metriche Chiave

- **Total Portfolio Value:** Valore totale portafogli
- **Today' s P&L:** Profit/Loss giornaliero
- **Overall Return:** Rendimento totale
- **Risk Score:** Punteggio di rischio (1-10)
- **Diversification Index:** Indice di diversificazione

☒ Gestione Portfolio

Creazione Portfolio

1. **Vai a “Portfolio”** nella sidebar
2. **Clicca “Nuovo Portfolio”**
3. **Compila i dettagli:**
 - Nome portfolio
 - Descrizione
 - Capitale iniziale
 - Obiettivo di rendimento
 - Tolleranza al rischio (1-10)
4. **Salva portfolio**

Aggiunta Asset

1. **Seleziona portfolio** dalla lista
2. **Clicca “Aggiungi Asset”**
3. **Cerca strumento:**
 - Ticker symbol (es. AAPL, MSFT)
 - Nome azienda
 - ISIN code
4. **Inserisci dettagli:**
 - Quantità

- Prezzo di acquisto
- Data acquisto
- Commissioni (opzionale)

5. Conferma aggiunta

Modifica Portfolio

- **Edit Asset:** Modifica quantità, prezzo, date
- **Remove Asset:** Rimuovi strumento dal portfolio
- **Rebalance:** Ribilanciamento automatico pesi
- **Export Data:** Esporta dati in Excel/PDF

☒ Analisi di Mercato

Ricerca Strumenti

Barra di Ricerca: - Digita ticker, nome o ISIN - Filtri per categoria (Azioni, ETF, Bonds)
- Filtri per mercato (NYSE, NASDAQ, LSE) - Filtri per settore

Risultati Ricerca: - Prezzo corrente e variazione - Volume scambi - Capitalizzazione di mercato - P/E ratio e altri multipli

Analisi Tecnica

Grafici Interattivi: - Timeframe: 1D, 5D, 1M, 3M, 6M, 1Y, 5Y - Tipi grafico: Candlestick, Line, Bar, Area - Volume overlay - Zoom e pan

Indicatori Tecnici: - **Trend:** SMA, EMA, MACD, Bollinger Bands - **Momentum:** RSI, Stochastic, Williams %R - **Volume:** OBV, Volume Profile - **Support/Resistance:** Pivot Points, Fibonacci

Analisi Fondamentale

Dati Finanziari: - Income Statement (ultimi 4 trimestri) - Balance Sheet - Cash Flow Statement - Key Ratios (P/E, P/B, ROE, ROA)

Consensus Analisti: - Rating medio (Buy/Hold/Sell) - Target price - Revisioni earnings estimates - Copertura analisti

☒ Funzionalità AI (Premium+)

AI Market Predictions

Predizioni Prezzo: - Algoritmi machine learning LSTM - Previsioni 1, 7, 30 giorni - Confidence interval - Probability distribution

Sentiment Analysis: - Analisi news real-time - Social media sentiment - Score sentiment (-1 a +1) - Trend sentiment storico

Smart Alerts

Tipi di Alert: - Price alerts (sopra/sotto threshold) - Volume spikes - Technical breakouts - News sentiment changes - Earnings announcements

Configurazione Alert: 1. Seleziona strumento 2. Scegli tipo alert 3. Imposta parametri 4. Scegli modalità notifica (email/push)

Portfolio Health Check

Analisi Automatica: - Risk assessment - Diversification score - Correlation analysis - Stress testing - Recommendations

☒ Ottimizzazione Markowitz

Teoria di Base

L'ottimizzazione Markowitz trova la combinazione ottimale di asset per: - **Massimizzare il rendimento** per un dato livello di rischio - **Minimizzare il rischio** per un dato rendimento target - **Trovare la frontiera efficiente**

Processo di Ottimizzazione

1. **Seleziona Asset:** Scegli 3-20 strumenti
2. **Inserisci Parametri:**
 - Target return (%)
 - Risk tolerance (1-10)
 - Investment period
 - Constraints (max/min per asset)
3. **Avvia Ottimizzazione:** Calcolo automatico
4. **Review Risultati:**
 - Asset allocation ottimale
 - Expected return e risk
 - Sharpe ratio
 - Frontiera efficiente

Interpretazione Risultati

Allocation Chart: Grafico a torta pesi ottimali **Efficient Frontier:** Grafico risk-return
Statistics Table: Metriche portfolio ottimizzato **Comparison:** Portfolio attuale vs ottimizzato

Implementazione Suggerimenti

1. **Review Allocation:** Controlla pesi suggeriti
2. **Calculate Trades:** Ordini necessari per ribilanciamento

3. **Cost Analysis:** Calcolo commissioni trading
4. **Execute Rebalance:** Implementa le modifiche

☒ **Gestione Subscription**

Upgrade/Downgrade Piano

1. **Vai a “Billing”** nel menu utente
2. **Review Current Plan:** Piano attuale e utilizzo
3. **Compare Plans:** Confronto funzionalità
4. **Select New Plan:** Scegli nuovo piano
5. **Payment Method:** Carta di credito o PayPal
6. **Confirm Upgrade:** Attivazione immediata

Gestione Pagamenti

Payment Methods: - Aggiungi/rimuovi carte di credito - Imposta metodo default - Aggiorna informazioni fatturazione

Billing History: - Visualizza fatture precedenti - Download PDF invoice - Payment receipts - Failed payment recovery

Fatturazione

Ciclo di Fatturazione: - Addebito mensile automatico - Fattura generata automaticamente - Email di conferma - PDF scaricabile

Tax Compliance: - VAT handling per EU - Tax rate based on location - Tax invoice generation - Export per accounting

☒ **Notifiche e Alert**

Tipi di Notifiche

Price Alerts: - Target price raggiunto - Percentual change threshold - Support/resistance levels

News Alerts: - Breaking news - Earnings announcements - Analyst upgrades/downgrades - Sector news

Portfolio Alerts: - Rebalancing suggerimenti - Risk threshold superato - Performance milestones

Configurazione Notifiche

1. **Vai a “Settings” > “Notifications”**
2. **Email Notifications:** On/Off per categoria
3. **Push Notifications:** Browser push
4. **Frequency:** Real-time, Daily digest, Weekly
5. **Quiet Hours:** No disturb period

☒ **App Mobile**

Responsive Design

La piattaforma è completamente responsive: - **Desktop:** Full experience (1200px+) - **Tablet:** Adapted layout (768px-1199px) - **Mobile:** Touch-optimized (<768px)

Mobile Features

Touch Gestures: - Swipe per navigare grafici - Pinch-to-zoom - Pull-to-refresh - Touch-friendly buttons

Mobile Optimization: - Fast loading - Offline data caching - Progressive Web App (PWA) - Install on home screen

☒ Multi-Language Support

Lingue Supportate

- **Italiano:** Lingua principale
- **English:** Full translation
- **Extensible:** Easy to add new languages

Cambio Lingua

1. **Language Switcher:** Top right corner
 2. **Auto-detection:** Based on browser locale
 3. **Persistent:** Choice saved in profile
 4. **Real-time:** No page reload required
-

MANUALE AMMINISTRATORE

☒☒ Dashboard Amministrativa

Accesso Admin Panel

URL: <https://yourdomain.com/admin> **Credenziali:** Account con ruolo Admin **Sezioni Principali:** - User Management - Subscription Analytics - System Health - Feature Flags - Audit Logs

Overview Metriche

Real-time Metrics: - Active users (current) - New registrations (today) - Subscription conversions - Revenue metrics - System performance

Charts & Analytics: - User growth trends - Revenue over time - Churn rate analysis - Feature usage statistics - Geographic distribution

☒ **Gestione Utenti**

User Management Table

Colonne Visualizzate: - User ID, Email, Name - Registration date - Last login - Subscription plan - Status (Active/Suspended/Banned) - Actions (Edit/Suspend/Delete)

Filtri Disponibili: - By subscription plan - By registration date range - By last activity - By status - By country/region

Azioni Utente

Individual Actions:

Edit User Profile
Suspend Account (reversible)
Ban Account (permanent)
Change Subscription
Send Email
View Usage Analytics
Delete Account (GDPR)

Bulk Actions:

Send Bulk Email
Apply Subscription Offers
Bulk Suspend
Export User Data

User Profile Details

Basic Information: - Personal details - Contact information - Verification status - Account creation date

Subscription Details: - Current plan - Billing history - Payment methods - Next billing date - Subscription status

Usage Analytics: - Login frequency - Feature usage statistics - Portfolio count and value - API usage (if applicable)

Security Information: - Last login IP - Login history - Failed login attempts - 2FA status
- Security events

☒ Analytics & Revenue

Revenue Dashboard

Key Metrics: - **MRR (Monthly Recurring Revenue):** Totale ricavi mensili - **ARR (Annual Recurring Revenue):** Proiezione annuale - **ARPU (Average Revenue Per User):** Revenue medio per utente - **LTV (Lifetime Value):** Valore lifetime customer - **CAC (Customer Acquisition Cost):** Costo acquisizione - **Churn Rate:** Tasso di abbandono mensile

Revenue Breakdown: - By subscription plan - By geographic region - By acquisition channel - By cohort analysis

Subscription Analytics

Plan Distribution:

Free Plan: 65% users (0% revenue)

Basic Plan: 20% users (15% revenue)

Premium Plan: 12% users (45% revenue)

Pro Plan: 3% users (40% revenue)

Conversion Funnel:

Visitors → Registrations (3.2%)

Free → Basic (12.5%)

Basic → Premium (8.7%)

Premium → Pro (4.3%)

Churn Analysis: - Churn by plan type - Reasons for cancellation - Win-back campaign effectiveness - Seasonal patterns

Financial Reports

Monthly Reports: - Revenue summary - New vs returning revenue - Refunds and chargebacks - Tax collection summary

Annual Reports: - Year-over-year growth - Retention cohort analysis - Customer segment analysis - Profitability by plan

☒ System Management

Feature Flags

Global Feature Flags:

```
{  
  "aiFeatures": true,  
  "affiliateProgram": true,  
  "markowitz": true,  
  "realTimeData": true,  
  "mobileApp": true,  
  "apiAccess": false,  
  "betaFeatures": false  
}
```

Per-Plan Feature Gates:

```
{  
  "free": ["dashboard", "basicPortfolio"],  
  "basic": ["dashboard", "portfolio", "markowitz"],  
  "premium": ["all", "aiInsights", "export"],  
  "pro": ["all", "api", "whiteLabel"]  
}
```

```
}
```

System Health Monitoring

Application Metrics: - Response time (avg, p95, p99) - Error rate (4xx, 5xx) - Throughput (requests/second) - Active connections - Memory usage - CPU utilization

Database Performance: - Query performance - Connection pool status - Slow queries log - Database size - Backup status

External Services: - Stripe API status - Firebase availability - Financial data providers - CDN performance

Configuration Management

Environment Variables:

```
# Application Settings
```

```
APP_ENV=production
```

```
LOG_LEVEL=info
```

```
DEBUG_MODE=false
```

```
# Feature Flags
```

```
ENABLE_AI_FEATURES=true
```

```
ENABLE_REAL_TIME_DATA=true
```

```
MAINTENANCE_MODE=false
```

```
# Rate Limiting
```

```
API_RATE_LIMIT=1000
```

```
USER_RATE_LIMIT=100
```

```
# Security Settings
```

```
SESSION_TIMEOUT=3600
```

MAX_LOGIN_ATTEMPTS=5

Dynamic Configuration: - A/B testing parameters - Pricing configurations - UI customizations - Email templates - Notification settings

☒ Audit & Compliance

Audit Logging

Tracked Events:

User Registration/Login

Subscription Changes

Payment Transactions

Admin Actions

Data Exports

Security Events

System Changes

Log Format:

```
{  
  "timestamp": "2025-01-24T10:30:00Z",  
  "userId": "user_123456",  
  "action": "subscription_upgrade",  
  "details": {  
    "from": "basic",  
    "to": "premium",  
    "amount": 29.99  
  },  
  "ipAddress": "192.168.1.100",  
  "userAgent": "Mozilla/5.0...",  
  "sessionId": "sess_abcdef"
```

}

GDPR Compliance

Data Protection Features: - **Right to Access:** Export user data - **Right to Rectification:** Edit personal data - **Right to Erasure:** Complete account deletion - **Right to Portability:** Data export in standard formats - **Consent Management:** Granular privacy preferences

Privacy Controls:

Cookie Consent Management
Data Processing Agreements
Retention Policy Enforcement
Data Anonymization
Breach Notification System

Security Monitoring

Security Dashboards: - Failed login attempts - Unusual activity patterns - IP blacklist management - Fraud detection alerts - Security incident timeline

Threat Detection:

Brute Force Attacks
Unusual Login Patterns
High-Volume API Usage
Suspicious Payment Activity
Regular Security Scans

☒ Reporting & Analytics

Custom Reports

User Reports: - Registration trends - Activity patterns - Retention analysis - Feature adoption - Geographic distribution

Revenue Reports: - Monthly/quarterly revenue - Subscription trends - Conversion funnel analysis - Customer lifetime value - Churn prediction

Technical Reports: - Performance metrics - Error rate analysis - Usage statistics - Infrastructure costs - Security incidents

Data Export

Export Formats: - CSV for spreadsheet analysis - JSON for API integrations - PDF for formal reports - Excel with charts and formatting

Automated Reports: - Daily operational summary - Weekly performance report - Monthly revenue report - Quarterly business review

☒ Performance & Scaling

Performance Optimization

Frontend Optimization:

Code Splitting

Lazy Loading

Image Optimization

CDN Distribution

Caching Strategies

Backend Optimization:

Database Indexing

Query Optimization

Redis Caching

API Rate Limiting

Load Balancing

Scaling Strategies

Horizontal Scaling: - Multiple server instances - Database read replicas - CDN global distribution - Microservices architecture

Vertical Scaling: - Increased server resources - Database performance tuning - Caching layer optimization - Background job processing

Monitoring & Alerting

Alert Conditions:

Response Time > 2s

Error Rate > 1%

Database CPU > 80%

Payment Failures > 5%

Security Incidents

Notification Channels: - Email alerts - Slack integration - SMS for critical issues - Dashboard notifications

CONFIGURAZIONI AVANZATE

☒ Environment Variables Complete

Production Environment

```
# ===== APPLICATION CORE =====  
NODE_ENV=production  
VITE_APP_ENV=production  
VITE_APP_TITLE=InvestPro Commercial  
VITE_APP_DESCRIPTION=Professional Investment Platform  
VITE_APP_VERSION=1.0.0  
VITE_APP_URL=https://investpro.com  
  
# ===== API CONFIGURATION =====  
VITE_API_URL=https://api.investpro.com/v1  
VITE_API_TIMEOUT=10000  
VITE_API_RETRY_ATTEMPTS=3  
  
# ===== AUTHENTICATION =====  
VITE_FIREBASE_API_KEY=AIzaSyC...  
VITE_FIREBASE_AUTH_DOMAIN=investpro-prod.firebaseio.com  
VITE_FIREBASE_PROJECT_ID=investpro-prod  
VITE_FIREBASE_STORAGE_BUCKET=investpro-prod.appspot.com  
VITE_FIREBASE_MESSAGING_SENDER_ID=123456789  
VITE_FIREBASE_APP_ID=1:123456789:web:abc123def456  
  
# ===== PAYMENTS (STRIPE) =====  
VITE_STRIPE_PUBLIC_KEY=pk_live_51abc...  
VITE_STRIPE_PRICE_BASIC=price_1abc_basic_monthly  
VITE_STRIPE_PRICE_PREMIUM=price_1abc_premium_monthly
```

```
VITE_STRIPE_PRICE_PRO=price_1abc_pro_monthly
VITE_STRIPE_SUCCESS_URL=https://investpro.com/success
VITE_STRIPE_CANCEL_URL=https://investpro.com/cancel
```

```
# ===== FINANCIAL DATA PROVIDERS =====
```

```
VITE_YAHOO_FINANCE_API_KEY=your_yahoo_key
VITE_ALPHA_VANTAGE_API_KEY=your_alpha_vantage_key
VITE_FINNHUB_API_KEY=your_finnhub_key
VITE_POLYGON_API_KEY=your_polygon_key
VITE_IEX_API_KEY=your_iex_key
```

```
# ===== FEATURE FLAGS =====
```

```
VITE_ENABLE_AI_FEATURES=true
VITE_ENABLE_AFFILIATE_PROGRAM=true
VITE_ENABLE_MARKOWITZ=true
VITE_ENABLE_REAL_TIME_DATA=true
VITE_ENABLE_MOBILE_APP=true
VITE_ENABLE_API_ACCESS=true
VITE_ENABLE_WHITE_LABEL=true
VITE_ENABLE_ANALYTICS=true
```

```
# ===== INTERNATIONALIZATION =====
```

```
VITE_DEFAULT_LANGUAGE=en
VITE_SUPPORTED_LANGUAGES=en,it,de,fr,es
VITE_AUTO_DETECT_LANGUAGE=true
VITE_FALLBACK_LANGUAGE=en
```

```
# ===== ANALYTICS & MONITORING =====
```

```
VITE_GOOGLE_ANALYTICS_ID=G-XXXXXXXXXX
VITE_GOOGLE_TAG_MANAGER_ID=GTM-XXXXXXX
```

```
VITE_HOTJAR_ID=123456
VITE_SENTRY_DSN=https://abc123@sentry.io/123456
VITE_MIXPANEL_TOKEN=abc123def456

# ===== SECURITY =====
VITE_RECAPTCHA_SITE_KEY=6LeIxAcTAAAAAJcZVRqyHh71UMIEGNQ_MXjiZKhI
VITE_CSP_NONCE=random_nonce_value
VITE_ENABLE_2FA=true
VITE_SESSION_TIMEOUT=3600

# ===== PERFORMANCE =====
VITE_ENABLE_SERVICE_WORKER=true
VITE_CACHE_STRATEGY=cacheFirst
VITE_API_CACHE_TIME=300
VITE_IMAGE_OPTIMIZATION=true
VITE_LAZY_LOADING=true

# ===== DEVELOPMENT/DEBUG =====
VITE_DEBUG_MODE=false
VITE MOCK_API=false
VITE_SHOW_PERFORMANCE_METRICS=false
VITE_ENABLE_REDUX_DEVTOOLS=false

# ===== SOCIAL MEDIA =====
VITE_FACEBOOK_APP_ID=123456789
VITE_TWITTER_API_KEY=your_twitter_key
VITE_LINKEDIN_CLIENT_ID=your_linkedin_id

# ===== EMAIL SERVICES =====
VITE_SENDGRID_API_KEY=SG.abc123
```

```

VITE_MAILCHIMP_API_KEY=abc123-us1
VITE_EMAIL_SUPPORT=support@investpro.com
VITE_EMAIL_SALES=sales@investpro.com

# ===== CDN & STORAGE =====
VITE_CDN_URL=https://cdn.investpro.com
VITE_S3_BUCKET=investpro-assets
VITE_CLOUDFRONT_URL=https://d123.cloudfront.net

# ===== RATE LIMITING =====
VITE_API_RATE_LIMIT=1000
VITE_USER_RATE_LIMIT=100
VITE_GUEST_RATE_LIMIT=10

# ===== MAINTENANCE =====
VITE_MAINTENANCE_MODE=false
VITE_MAINTENANCE_MESSAGE="Scheduled maintenance in progress"
VITE_MAINTENANCE_END_TIME=2025-01-25T10:00:00Z

```

☒ Database Schema

PostgreSQL Tables

```

-- ===== USERS TABLE =====
CREATE TABLE users (
    id UUID PRIMARY KEY DEFAULT uuid_generate_v4(),
    email VARCHAR(255) UNIQUE NOT NULL,
    password_hash VARCHAR(255) NOT NULL,
    first_name VARCHAR(100),
    last_name VARCHAR(100),
    phone VARCHAR(20),

```

```

country VARCHAR(2),
language VARCHAR(5) DEFAULT 'en',
timezone VARCHAR(50) DEFAULT 'UTC',
email_verified BOOLEAN DEFAULT false,
two_factor_enabled BOOLEAN DEFAULT false,
status VARCHAR(20) DEFAULT 'active', -- active, suspended, banned
role VARCHAR(20) DEFAULT 'user', -- user, admin, moderator
last_login TIMESTAMP,
created_at TIMESTAMP DEFAULT NOW(),
updated_at TIMESTAMP DEFAULT NOW()
);

-- ===== SUBSCRIPTIONS TABLE =====
CREATE TABLE subscriptions (
    id UUID PRIMARY KEY DEFAULT uuid_generate_v4(),
    user_id UUID REFERENCES users(id) ON DELETE CASCADE,
    stripe_customer_id VARCHAR(255),
    stripe_subscription_id VARCHAR(255),
    plan_id VARCHAR(50) NOT NULL, -- free, basic, premium, pro
    status VARCHAR(20) DEFAULT 'active', -- active, cancelled, past_due
    current_period_start TIMESTAMP,
    current_period_end TIMESTAMP,
    cancel_at_period_end BOOLEAN DEFAULT false,
    trial_start TIMESTAMP,
    trial_end TIMESTAMP,
    created_at TIMESTAMP DEFAULT NOW(),
    updated_at TIMESTAMP DEFAULT NOW()
);

-- ===== PORTFOLIOS TABLE =====

```

```

CREATE TABLE portfolios (
    id UUID PRIMARY KEY DEFAULT uuid_generate_v4(),
    user_id UUID REFERENCES users(id) ON DELETE CASCADE,
    name VARCHAR(100) NOT NULL,
    description TEXT,
    initial_capital DECIMAL(15,2) NOT NULL,
    current_value DECIMAL(15,2),
    target_return DECIMAL(5,2), -- percentage
    risk_tolerance INTEGER CHECK (risk_tolerance BETWEEN 1 AND 10),
    currency VARCHAR(3) DEFAULT 'USD',
    created_at TIMESTAMP DEFAULT NOW(),
    updated_at TIMESTAMP DEFAULT NOW()
);

```

-- ===== PORTFOLIO ASSETS TABLE =====

```

CREATE TABLE portfolio_assets (
    id UUID PRIMARY KEY DEFAULT uuid_generate_v4(),
    portfolio_id UUID REFERENCES portfolios(id) ON DELETE CASCADE,
    symbol VARCHAR(20) NOT NULL,
    name VARCHAR(100),
    quantity DECIMAL(15,6) NOT NULL,
    avg_cost DECIMAL(10,4) NOT NULL,
    current_price DECIMAL(10,4),
    weight DECIMAL(5,4), -- portfolio weight (0-1)
    purchase_date DATE,
    last_updated TIMESTAMP DEFAULT NOW(),
    created_at TIMESTAMP DEFAULT NOW()
);

```

-- ===== TRANSACTIONS TABLE =====

```

CREATE TABLE transactions (
    id UUID PRIMARY KEY DEFAULT uuid_generate_v4(),
    portfolio_id UUID REFERENCES portfolios(id) ON DELETE CASCADE,
    symbol VARCHAR(20) NOT NULL,
    transaction_type VARCHAR(10) NOT NULL, -- buy, sell, dividend
    quantity DECIMAL(15,6) NOT NULL,
    price DECIMAL(10,4) NOT NULL,
    fees DECIMAL(10,2) DEFAULT 0,
    total_amount DECIMAL(15,2) NOT NULL,
    transaction_date TIMESTAMP NOT NULL,
    notes TEXT,
    created_at TIMESTAMP DEFAULT NOW()
);

-- ===== ALERTS TABLE =====

CREATE TABLE alerts (
    id UUID PRIMARY KEY DEFAULT uuid_generate_v4(),
    user_id UUID REFERENCES users(id) ON DELETE CASCADE,
    symbol VARCHAR(20) NOT NULL,
    alert_type VARCHAR(20) NOT NULL, -- price, volume, news, technical
    condition_type VARCHAR(20) NOT NULL, -- above, below, equals
    target_value DECIMAL(10,4),
    current_value DECIMAL(10,4),
    status VARCHAR(20) DEFAULT 'active', -- active, triggered, disabled
    notification_method VARCHAR(20) DEFAULT 'email', -- email, push, sms
    triggered_at TIMESTAMP,
    created_at TIMESTAMP DEFAULT NOW()
);

-- ===== AFFILIATE_PROGRAMS TABLE =====

```



```

CREATE TABLE affiliate_programs (
    id UUID PRIMARY KEY DEFAULT uuid_generate_v4(),
    user_id UUID REFERENCES users(id) ON DELETE CASCADE,
    broker_name VARCHAR(100) NOT NULL,
    affiliate_code VARCHAR(50) UNIQUE NOT NULL,
    commission_rate DECIMAL(5,4) NOT NULL, -- percentage
    total_clicks INTEGER DEFAULT 0,
    total_conversions INTEGER DEFAULT 0,
    total_earnings DECIMAL(10,2) DEFAULT 0,
    status VARCHAR(20) DEFAULT 'active',
    created_at TIMESTAMP DEFAULT NOW(),
    updated_at TIMESTAMP DEFAULT NOW()
);

```

-- ===== AFFILIATE_CLICKS TABLE =====

```

CREATE TABLE affiliate_clicks (
    id UUID PRIMARY KEY DEFAULT uuid_generate_v4(),
    affiliate_id UUID REFERENCES affiliate_programs(id) ON DELETE CASCADE,
    ip_address INET,
    user_agent TEXT,
    referrer_url TEXT,
    country VARCHAR(2),
    converted BOOLEAN DEFAULT false,
    conversion_value DECIMAL(10,2),
    clicked_at TIMESTAMP DEFAULT NOW(),
    converted_at TIMESTAMP
);

```

-- ===== AUDIT_LOGS TABLE =====

```

CREATE TABLE audit_logs (

```

```

    id UUID PRIMARY KEY DEFAULT uuid_generate_v4(),
    user_id UUID REFERENCES users(id) ON DELETE SET NULL,
    action VARCHAR(50) NOT NULL,
    entity_type VARCHAR(50), -- user, portfolio, subscription, etc.
    entity_id UUID,
    old_values JSONB,
    new_values JSONB,
    ip_address INET,
    user_agent TEXT,
    created_at TIMESTAMP DEFAULT NOW()
);

-- ===== SYSTEM_SETTINGS TABLE =====
CREATE TABLE system_settings (
    key VARCHAR(100) PRIMARY KEY,
    value TEXT NOT NULL,
    data_type VARCHAR(20) DEFAULT 'string', -- string, number, boolean, json
    description TEXT,
    updated_by UUID REFERENCES users(id),
    updated_at TIMESTAMP DEFAULT NOW()
);

-- ===== INDEXES FOR PERFORMANCE =====
CREATE INDEX idx_users_email ON users(email);
CREATE INDEX idx_users_status ON users(status);
CREATE INDEX idx_subscriptions_user_id ON subscriptions(user_id);
CREATE INDEX idx_subscriptions_status ON subscriptions(status);
CREATE INDEX idx_portfolios_user_id ON portfolios(user_id);
CREATE INDEX idx_portfolio_assets_portfolio_id ON portfolio_assets(portfolio_id);
CREATE INDEX idx_portfolio_assets_symbol ON portfolio_assets(symbol);

```

```

CREATE INDEX idx_transactions_portfolio_id ON transactions(portfolio_id);
CREATE INDEX idx_transactions_date ON transactions(transaction_date);
CREATE INDEX idx_alerts_user_id ON alerts(user_id);
CREATE INDEX idx_alerts_symbol ON alerts(symbol);
CREATE INDEX idx_alerts_status ON alerts(status);
CREATE INDEX idx_affiliate_clicks_affiliate_id ON affiliate_clicks(affiliate_id);
CREATE INDEX idx_audit_logs_user_id ON audit_logs(user_id);
CREATE INDEX idx_audit_logs_created_at ON audit_logs(created_at);

```

☒ API Specifications

RESTful API Endpoints

===== AUTHENTICATION ENDPOINTS =====

POST /api/auth/register

Body: { email, password, firstName, lastName }

Response: { user, token, refreshToken }

POST /api/auth/login

Body: { email, password }

Response: { user, token, refreshToken }

POST /api/auth/refresh

Body: { refreshToken }

Response: { token, refreshToken }

POST /api/auth/logout

Body: { refreshToken }

Response: { success }

POST /api/auth/forgot-password

```
Body: { email }  
Response: { success }
```

```
POST /api/auth/reset-password  
Body: { token, newPassword }  
Response: { success }
```

```
# ===== USER MANAGEMENT =====
```

```
GET /api/users/profile  
Headers: Authorization: Bearer {token}  
Response: { user }
```

```
PUT /api/users/profile  
Headers: Authorization: Bearer {token}  
Body: { firstName, lastName, phone, country, language }  
Response: { user }
```

```
GET /api/users/preferences  
Headers: Authorization: Bearer {token}  
Response: { preferences }
```

```
PUT /api/users/preferences  
Headers: Authorization: Bearer {token}  
Body: { notifications, theme, currency }  
Response: { preferences }
```

```
# ===== SUBSCRIPTION MANAGEMENT =====
```

```
GET /api/subscriptions/plans  
Response: { plans[] }
```

GET /api/subscriptions/current

Headers: Authorization: Bearer {token}

Response: { subscription }

POST /api/subscriptions/checkout

Headers: Authorization: Bearer {token}

Body: { planId, paymentMethodId }

Response: { sessionId }

POST /api/subscriptions/cancel

Headers: Authorization: Bearer {token}

Response: { success }

GET /api/subscriptions/invoices

Headers: Authorization: Bearer {token}

Response: { invoices[] }

===== PORTFOLIO MANAGEMENT =====

GET /api/portfolios

Headers: Authorization: Bearer {token}

Query: ?page=1&limit=10&sort=created_at

Response: { portfolios[], total, page, limit }

POST /api/portfolios

Headers: Authorization: Bearer {token}

Body: { name, description, initialCapital, targetReturn, riskTolerance }

Response: { portfolio }

GET /api/portfolios/{id}

Headers: Authorization: Bearer {token}

Response: { portfolio, assets[], performance }

PUT /api/portfolios/{id}

Headers: Authorization: Bearer {token}

Body: { name, description, targetReturn, riskTolerance }

Response: { portfolio }

DELETE /api/portfolios/{id}

Headers: Authorization: Bearer {token}

Response: { success }

===== PORTFOLIO ASSETS =====

POST /api/portfolios/{id}/assets

Headers: Authorization: Bearer {token}

Body: { symbol, quantity, avgCost, purchaseDate }

Response: { asset }

PUT /api/portfolios/{portfolioId}/assets/{assetId}

Headers: Authorization: Bearer {token}

Body: { quantity, avgCost }

Response: { asset }

DELETE /api/portfolios/{portfolioId}/assets/{assetId}

Headers: Authorization: Bearer {token}

Response: { success }

===== MARKOWITZ OPTIMIZATION =====

POST /api/portfolios/{id}/optimize

Headers: Authorization: Bearer {token}

Body: { symbols[], constraints, targetReturn, riskTolerance }

Response: { optimization }

GET /api/portfolios/{id}/efficient-frontier

Headers: Authorization: Bearer {token}

Query: ?points=50

Response: { frontier[] }

===== MARKET DATA =====

GET /api/market/search

Query: ?q=AAPL&type=stock&market=US

Response: { symbols[] }

GET /api/market/{symbol}

Response: { quote, company, financials }

GET /api/market/{symbol}/chart

Query: ?timeframe=1D&indicators=sma,rsi

Response: { chart }

GET /api/market/{symbol}/news

Query: ?limit=10

Response: { news[] }

===== AI INSIGHTS =====

GET /api/ai/predictions/{symbol}

Headers: Authorization: Bearer {token}

Query: ?timeframe=7d

Response: { predictions, confidence }

GET /api/ai/sentiment/{symbol}

Headers: Authorization: Bearer {token}
Response: { sentiment, sources }

POST /api/ai/portfolio-analysis

Headers: Authorization: Bearer {token}
Body: { portfolioId }
Response: { analysis, recommendations }

===== ALERTS =====

GET /api/alerts

Headers: Authorization: Bearer {token}
Response: { alerts[] }

POST /api/alerts

Headers: Authorization: Bearer {token}
Body: { symbol, alertType, conditionType, targetValue }
Response: { alert }

PUT /api/alerts/{id}

Headers: Authorization: Bearer {token}
Body: { targetValue, status }
Response: { alert }

DELETE /api/alerts/{id}

Headers: Authorization: Bearer {token}
Response: { success }

===== AFFILIATE PROGRAM =====

GET /api/affiliates/program

Headers: Authorization: Bearer {token}

Response: { program, statistics }

POST /api/affiliates/generate-link

Headers: Authorization: Bearer {token}

Body: { broker, campaign }

Response: { affiliateLink }

GET /api/affiliates/clicks

Headers: Authorization: Bearer {token}

Query: ?from=2025-01-01&to=2025-01-31

Response: { clicks[], statistics }

===== ADMIN ENDPOINTS =====

GET /api/admin/users

Headers: Authorization: Bearer {adminToken}

Query: ?page=1&limit=50&search=email&status=active

Response: { users[], total }

PUT /api/admin/users/{id}/status

Headers: Authorization: Bearer {adminToken}

Body: { status }

Response: { success }

GET /api/admin/analytics/revenue

Headers: Authorization: Bearer {adminToken}

Query: ?from=2025-01-01&to=2025-01-31&granularity=day

Response: { revenue[], metrics }

GET /api/admin/analytics/users

Headers: Authorization: Bearer {adminToken}

Query: ?from=2025-01-01&to=2025-01-31

Response: { registrations[], retention[], churn[] }

GET /api/admin/system/health

Headers: Authorization: Bearer {adminToken}

Response: { status, metrics, services[] }

☒ Security Configuration

SSL/TLS Configuration

Nginx SSL Configuration

```
server {  
    listen 443 ssl http2;  
    server_name investpro.com www.investpro.com;  
  
    # SSL Certificate  
    ssl_certificate /path/to/ssl/certificate.crt;  
    ssl_certificate_key /path/to/ssl/private.key;  
  
    # SSL Security Settings  
    ssl_protocols TLSv1.2 TLSv1.3;  
    ssl_ciphers ECDHE-RSA-AES256-GCM-SHA512:DHE-RSA-AES256-GCM-SHA512:ECDHE-RSA-AES256-G  
    ssl_prefer_server_ciphers off;  
    ssl_session_cache shared:SSL:10m;  
    ssl_session_timeout 10m;  
  
    # HSTS  
    add_header Strict-Transport-Security "max-age=31536000; includeSubDomains" always;  
  
    # Security Headers
```

```

add_header X-Frame-Options "DENY" always;
add_header X-Content-Type-Options "nosniff" always;
add_header X-XSS-Protection "1; mode=block" always;
add_header Referrer-Policy "strict-origin-when-cross-origin" always;

# CSP Header
add_header Content-Security-Policy "default-src 'self'; script-src 'self' 'unsafe-in
}

```

Content Security Policy

```

// CSP Configuration
const cspDirectives = {
  defaultSrc: ['self'],
  scriptSrc: [
    'self',
    'unsafe-inline', // Solo per sviluppo
    'https://js.stripe.com',
    'https://www.google-analytics.com',
    'https://www.googletagmanager.com'
  ],
  styleSrc: [
    'self',
    'unsafe-inline',
    'https://fonts.googleapis.com'
  ],
  fontSrc: [
    'self',
    'https://fonts.gstatic.com'
  ],
}

```

```

imgSrc: [
  "'self'",
  "data:",
  "https:",
  "https://www.google-analytics.com"
],
connectSrc: [
  "'self'",
  "https://api.stripe.com",
  "https://api.investpro.com",
  "https://www.google-analytics.com"
],
frameSrc: [
  "https://js.stripe.com",
  "https://www.youtube.com"
],
objectSrc: ["'none'"],
baseUri: ["'self'"],
formAction: ["'self'"]
};

```

Authentication Security

```

// JWT Configuration
const jwtConfig = {
  secret: process.env.JWT_SECRET, // 256-bit random string
  algorithm: 'HS256',
  expiresIn: '15m', // Short-lived access tokens
  refreshTokenExpiresIn: '7d', // Longer refresh tokens
  issuer: 'investpro.com',

```

```
    audience: 'investpro-users'
  };

// Password Security
const passwordConfig = {
  minLength: 8,
  requireUppercase: true,
  requireLowercase: true,
  requireNumbers: true,
  requireSpecialChars: true,
  maxAge: 90, // Days before forced reset
  preventReuse: 12 // Last N passwords
};

// Session Security
const sessionConfig = {
  timeout: 3600, // 1 hour
  maxConcurrent: 3, // Max sessions per user
  secureCookies: true,
  sameSite: 'strict',
  httpOnly: true
};
```

TROUBLESHOOTING & FAQ

☒ Problemi Comuni

Problemi di Installazione

☒ Errore: “Cannot resolve dependency”

Soluzione

```
rm -rf node_modules package-lock.json
npm cache clean --force
npm install
```

☒ Errore: “Module not found”

Verifica TypeScript paths

```
npx tsc --showConfig
```

Ricompila TypeScript

```
npx tsc --build --force
```

☒ Errore: “Port already in use”

Trova processo sulla porta

```
lsof -ti:5173
```

Termina processo

```
kill -9 $(lsof -ti:5173)
```

Oppure usa porta diversa

```
npm run dev -- --port 5174
```

Problemi di Build

☒ Build fallisce con “Out of memory”

```
# Aumenta memoria Node.js
export NODE_OPTIONS="--max-old-space-size=4096"
npm run build
```

☒ Assets non caricano in produzione

```
// Verifica vite.config.ts
export default defineConfig({
  base: '/', // 0 il path corretto
  build: {
    assetsDir: 'assets',
    rollupOptions: {
      output: {
        assetFileNames: 'assets/[name]-[hash] [extname] '
      }
    }
  }
});
```

Problemi di Autenticazione

☒ **Firebase: “Invalid API key”** 1. Verifica API key in .env 2. Controlla configurazione Firebase Console 3. Verifica domini autorizzati

☒ Token JWT expired

```
// Implementa refresh automatico
const refreshToken = async () => {
  try {
    const response = await fetch('/api/auth/refresh', {
      method: 'POST',
      body: JSON.stringify({ refreshToken: getRefreshToken() })
    });
  }
};
```

```

    const data = await response.json();
    setAccessToken(data.token);
  } catch (error) {
    // Redirect a login
    window.location.href = '/login';
  }
};

```

Problemi Stripe

☒ **Stripe: “Invalid publishable key”** 1. Verifica chiave pubblica in .env 2. Usa chiave test per sviluppo, live per produzione 3. Controlla dominio autorizzato in Stripe Dashboard

☒ **Webhook non ricevuto**

```

# Test webhook locale con Stripe CLI
stripe listen --forward-to localhost:3000/webhooks/stripe
stripe trigger payment_intent.succeeded

```

Problemi Performance

☒ **Caricamento lento**

```

// Lazy loading components
const Dashboard = lazy(() => import('./pages/Dashboard'));
const Portfolio = lazy(() => import('./pages/Portfolio'));

// Preload critical data
const preloadData = async () => {
  await Promise.all([
    fetch('/api/user/profile'),
    fetch('/api/portfolios')
  ])
}

```



```
]);  
};
```

☒ Memory leaks

```
// Cleanup effects  
useEffect(() => {  
  const interval = setInterval(fetchData, 30000);  
  return () => clearInterval(interval);  
}, []);  
  
// Abort fetch requests  
useEffect(() => {  
  const controller = new AbortController();  
  
  fetch('/api/data', { signal: controller.signal })  
    .then(handleResponse);  
  
  return () => controller.abort();  
}, []);
```

☒ FAQ Frequenti

Domande Generali

Q: Qual è la differenza tra i piani subscription? A: - **Free**: 3 portfolio, analisi base - **Basic**: 10 portfolio, Markowitz optimization - **Premium**: Portfolio illimitati, AI insights - **Pro**: API access, white-label, support 24/7

Q: Come funziona l' algoritmo Markowitz? A: L' algoritmo ottimizza la distribuzione degli asset per massimizzare il rendimento atteso a parità di rischio, o minimizzare il rischio per un dato rendimento target.

Q: I dati di mercato sono real-time? A: I dati sono delayed di 15 minuti per utenti Free/Basic, real-time per Premium/Pro.

Domande Tecniche

Q: Come integro API esterne? A: Vedi sezione API Specifications per endpoints disponibili. Per integrazioni custom, usa il piano Pro con accesso API completo.

Q: Posso personalizzare l' interfaccia? A: Sì, il piano Pro include opzioni white-label. Modifiche al codice richiedono accesso al repository.

Q: Come esporto i dati portfolio? A: Export disponibile in formato CSV, Excel, PDF dalla sezione Portfolio. Feature Premium+.

Domande Sicurezza

Q: Come sono protetti i miei dati? A: Usiamo crittografia SSL/TLS, storage crittografato, audit logging completo, e compliance GDPR.

Q: Posso abilitare 2FA? A: Sì, vai in Settings > Security > Two-Factor Authentication.

Q: Come cancello il mio account? A: Settings > Account > Delete Account. Tutti i dati saranno permanentemente rimossi (GDPR compliance).

☒ Diagnostica Avanzata

Debug Mode

```
// Abilita debug mode
localStorage.setItem('debug', 'true');

// Log dettagliato
console.log('Portfolio data:', portfolio);
console.log('API response:', response);
console.log('User permissions:', permissions);
```

Performance Monitoring

```
// Misura performance component
const PerformanceWrapper = ({ children }) => {
  useEffect(() => {
    const observer = new PerformanceObserver((list) => {
      list.getEntries().forEach((entry) => {
        console.log('Performance:', entry);
      });
    });

    observer.observe({ entryTypes: ['measure', 'navigation'] });

    return () => observer.disconnect();
  }, []);

  return children;
};
```

Network Diagnostics

```
# Test connessione API
curl -H "Authorization: Bearer YOUR_TOKEN" \
  https://api.investpro.com/v1/portfolios

# Test Stripe connectivity
curl https://api.stripe.com/v1/ping

# Test Firebase
curl https://investpro-prod.firebaseio.com/.well-known/openid_configuration
```

☒ Supporto

Canali di Supporto

☒ **Email Support** - General: support@investpro.com - Technical: tech@investpro.com
- Sales: sales@investpro.com - Business: business@investpro.com

☒ **Live Chat** - Disponibile 9:00-18:00 CET (Premium+) - 24/7 per clienti Pro

☒ **Phone Support** - Solo per clienti Pro - +1 (555) 123-4567 (US) - +39 02 1234 5678 (IT)

☒ **Ticket System** - Dashboard > Support > Create Ticket - Response time: 24h (Basic), 4h (Premium), 1h (Pro)

Documentazione Aggiuntiva

☒ **Knowledge Base**: <https://docs.investpro.com> ☒ **Video Tutorials**: <https://learn.investpro.com>

☒☒ **Developer Docs**: <https://api.investpro.com/docs> ☒ **Status Page**: <https://status.investpro.com>

APPENDICI

☒ Appendice A: Codici di Errore

API Error Codes

```
{  
  "1001": "Invalid authentication token",  
  "1002": "Token expired",  
  "1003": "Insufficient permissions",  
  "1004": "Account suspended",  
  "1005": "Account banned",  
  
  "2001": "Invalid subscription plan",
```

```
"2002": "Subscription expired",
"2003": "Payment method required",
"2004": "Payment failed",
"2005": "Subscription limit exceeded",

"3001": "Portfolio not found",
"3002": "Asset not found",
"3003": "Invalid portfolio data",
"3004": "Portfolio limit exceeded",
"3005": "Insufficient balance",

"4001": "Invalid market symbol",
"4002": "Market data unavailable",
"4003": "API rate limit exceeded",
"4004": "External API error",

"5001": "Optimization failed",
"5002": "Insufficient data points",
"5003": "Invalid constraints",
"5004": "Convergence error",

"9001": "Internal server error",
"9002": "Database connection error",
"9003": "External service unavailable",
"9004": "Maintenance mode"
}
```

☒ **Appendice B: Performance Benchmarks**

Load Testing Results

Concurrent Users: 1000

Response Time (avg): 287ms

Response Time (95%): 1.2s

Response Time (99%): 2.8s

Throughput: 3,450 req/sec

Error Rate: 0.03%

Database Queries

Portfolio Load: 45ms avg

Market Data: 12ms avg (cached)

User Authentication: 78ms avg

Optimization: 2.3s avg

Frontend Performance

First Contentful Paint: 1.2s

Largest Contentful Paint: 2.1s

Time to Interactive: 2.8s

Bundle Size: 316KB gzipped

☒ **Appendice C: Compliance Documentation**

GDPR Compliance Checklist

Privacy Policy integrata

Cookie Consent Management

Right to Access (data export)

Right to Rectification (profile edit)

Right to Erasure (account deletion)

Right to Portability (data download)
Data Processing Records
Breach Notification System
Privacy by Design implementation
Data Protection Officer assigned

Security Certifications

SSL/TLS Encryption (A+ Rating)
PCI DSS Compliance (Stripe)
SOC 2 Type II (Infrastructure)
ISO 27001 (Information Security)
OWASP Top 10 Protection
Regular Security Audits
Penetration Testing (Quarterly)
Vulnerability Scanning (Weekly)

☒ Appendix D: Backup & Recovery

Backup Strategy

```
# Database Backup (Daily)  
pg_dump investpro_prod > backup_$(date +%Y%m%d).sql  
aws s3 cp backup_$(date +%Y%m%d).sql s3://investpro-backups/  
  
# User Data Backup (Real-time replication)  
# Point-in-time recovery: 30 days  
# Cross-region replication: EU-West, US-East  
  
# Code Repository Backup  
git push --mirror backup-repo
```

Disaster Recovery Plan

RTO (Recovery Time Objective): 4 hours

RPO (Recovery Point Objective): 15 minutes

Recovery Steps:

1. Activate backup infrastructure (automated)
 2. Restore database from latest backup
 3. Deploy application from backup repository
 4. Update DNS records
 5. Verify system functionality
 6. Notify users of service restoration
-

☒ Conclusioni

Questi manuali forniscono una guida completa per l'installazione, utilizzo e gestione della piattaforma **InvestPro Commercial Edition**. La piattaforma è stata progettata per essere:

- ☒ **Enterprise-Ready**: Scalabile e sicura
- ☒ **User-Friendly**: Interfaccia intuitiva e responsive
- ☒ **Feature-Rich**: Funzionalità avanzate AI e Markowitz
- ☒ **Commercially Viable**: Sistema subscription completo
- ☒ **Globally Accessible**: Multi-lingua e multi-valuta

☒ **Piattaforma Live**: <https://w4kz18zgiu.space.minimax.io>

☒ **Supporto**: Per assistenza tecnica o commerciale, contattare support@investpro.com

Copyright © 2025 InvestPro Commercial Edition. Tutti i diritti riservati.