

Scan of Large Arrays

1 Overview

1.1 Location \$<APPSDKSamplesInstallPath>\samples\opencl\cl\

1.2 How to Run

See the Getting Started guide for how to build samples. You first must compile the sample.

Use the command line to change to the directory where the executable is located. The default executables are placed in $\frac{\text{APPSDKSamplesInstallPath}}{\text{builds and }}$

Type the following command(s).

- ScanLargeArrays
 This performs a scan on default array size: 64.
- ScanLargeArrays -h
 This prints the help message.

1.3 Command Line Options

Table 1 lists, and briefly describes, the command line options.

Table 1 Command Line Options

Short Form	Long Form	Description
-h	help	Shows all command options and their respective meaning.
	device	Devices on which the program is to be run. Acceptable values are cpu or gpu.
- q	quiet	Quiet mode. Suppresses all text output.
-e	verify	Verify results against reference implementation.
-t	timing	Print timing.
	dump	Dump binary image for all devices.
	load	Load binary image and execute on device.
	flags	Specify compiler flags to build the kernel.
- p	platformId	Select platformld to be used (0 to N-1, where N is the number of available platforms).
-d	deviceId	Select deviceld to be used (0 to N-1, where N is the number of available devices).
-v	version	AMD APP SDK version string.
-x	length	Length of the input array.
-i	iterations	Number of iterations for kernel execution.

Scan of Large Arrays 1 of 2

2 Implementation Details

The scan is based on a prefix sum; however, the scan is done block-wise, then all blocks are combined into a single result array.

The large array ($size > 2 * MAX_BLOCK_SIZE$), is divided into blocks. Each block is scanned by a thread block. The sum of each block is written to an auxiliary array. The auxiliary array of the block sums is also scanned, which generates an array of block increments. This array is added to all elements of their respective blocks.

3 Recommended Input Option Settings

For best performance, enter the following on the command line: -x 16777216 -i 10 -q -t

4 References

Guy E. Blelloch, "Prefix Sums and Their Applications" in: J. H. Reif, *Synthesis of Parallel Algorithms* (Morgan Kaufmann: San Francisco, CA, 1993)

http://www.cs.cmu.edu/afs/cs.cmu.edu/project/scandal/public/papers/CMU-CS-90-190.html

Contact

Advanced Micro Devices, Inc. One AMD Place P.O. Box 3453 Sunnyvale, CA, 94088-3453 Phone: +1.408.749.4000 For AMD Accelerated Parallel Processing:

URL: developer.amd.com/appsdk
Developing: developer.amd.com/

Support: developer.amd.com/appsdksupport developer.amd.com/openclforum



The contents of this document are provided in connection with Advanced Micro Devices, Inc. ("AMD") products. AMD makes no representations or warranties with respect to the accuracy or completeness of the contents of this publication and reserves the right to make changes to specifications and product descriptions at any time without notice. The information contained herein may be of a preliminary or advance nature and is subject to change without notice. No license, whether express, implied, arising by estoppel or otherwise, to any intellectual property rights is granted by this publication. Except as set forth in AMD's Standard Terms and Conditions of Sale, AMD assumes no liability whatsoever, and disclaims any express or implied warranty, relating to its products including, but not limited to, the implied warranty of merchantability, fitness for a particular purpose, or infringement of any intellectual property right.

AMD's products are not designed, intended, authorized or warranted for use as components in systems intended for surgical implant into the body, or in other applications intended to support or sustain life, or in any other application in which the failure of AMD's product could create a situation where personal injury, death, or severe property or environmental damage may occur. AMD reserves the right to discontinue or make changes to its products at any time without notice.

Copyright and Trademarks

© 2013 Advanced Micro Devices, Inc. All rights reserved. AMD, the AMD Arrow logo, ATI, the ATI logo, Radeon, FireStream, and combinations thereof are trademarks of Advanced Micro Devices, Inc. OpenCL and the OpenCL logo are trademarks of Apple Inc. used by permission by Khronos. Other names are for informational purposes only and may be trademarks of their respective owners.