SAMPLE



Black-Scholes_OpenCL

1 Overview

1.1 Location \$<APPSDKSamplesInstallPath>\samples\opencl\cl\

1.2 How to Run

See the Getting Started guide for how to build samples. You first must compile the sample.

Use the command line to change to the directory where the executable is located. The precompiled sample executable is at $\arraycolor{100}{$<}APPSDKSamplesInstallPath>\arraycolor{100}{$<}APPSDKSamplesInstallPath>\arraycolor{100}{$<}APPSDKSamplesInstallPath>\arraycolor{100}{$<}APPSDKSamplesInstallPath>\arraycolor{100}{$<}APPSDKSamplesInstallPath>\arraycolor{100}{$<}APPSDKSamplesInstallPath>\arraycolor{100}{$<}APPSDKSamplesInstallPath>\arraycolor{100}{$<}APPSDKSamplesInstallPath>\arraycolor{100}{$<}APPSDKSamplesInstallPath>\arraycolor{100}{$<}APPSDKSamplesInstallPath>\arraycolor{100}{$<}APPSDKSamplesInstallPath>\arraycolor{100}{$<}APPSDKSamplesInstallPath>\arraycolor{100}{$<}APPSDKSamplesInstallPath>\arraycolor{100}{$<}APPSDKSamplesInstallPath>\arraycolor{100}{$<}APPSDKSamplesInstallPath>\arraycolor{100}{$<}APPSDKSamplesInstallPath>\arraycolor{100}{$<}APPSDKSamplesInstallPath>\arraycolor{100}{$<}APPSDKSamplesInstallPath>\arraycolor{100}{$<}APPSDKSamplesInstallPath>\arraycolor{100}{$<}APPSDKSamplesInstallPath>\arraycolor{100}{$<}APPSDKSamplesInstallPath>\arraycolor{100}{$<>}APPSDKSamplesInstallPath>\arraycolor{100}{$<>}APPSDKSamplesInstallPath>\arraycolor{100}{$<>}APPSDKSamplesInstallPath>\arraycolor{100}{$<>}APPSDKSamplesInstallPath>\arraycolor{100}{$<>}APPSDKSamplesInstallPath>\arraycolor{100}{$<>}APPSDKSamplesInstallPath>\arraycolor{100}{$<>}APPSDKSamplesInstallPath>\arraycolor{100}{$<>}APPSDKSamplesInstallPath>\arraycolor{100}{$<>}APPSDKSamplesInstallPath>\arraycolor{100}{$<>}APPSDKSamplesInstallPath>\arraycolor{100}{$<>}APPSDKSamplesInstallPath>\arraycolor{100}{$<>}APPSDKSamplesInstallPath>\arraycolor{100}{$<>}APPSDKSamplesInstallPath>\arraycolor{100}{$<>}APPSDKSamplesInstallPath>\arraycolor{100}{$<>}APPSDKSamplesInstallPath>\arraycolor{100}{$<>}APPSDKSamplesInstallPath>\arraycolor{100}{$<>}APPSDKSamplesInstallPath>\arraycolor{100}{$<>}APPSDKSamplesInstallPath>\arraycolor{100}{$<>}APPSDKSamplesInstallPath>\arraycolor{100}{$<>}APPSDKSamplesInstallPath>\arraycolor{100}{$<>}APPSDKSamplesInstallPath>\arraycolor{$

Type the following command(s).

- BlackScholes
 This runs the program with the default options; x = 4096.
- BlackScholes -hThis prints the help file.

1.3 Command Line Options

Table 1 lists, and briefly describes, the command line options.

Table 1 Command Line Options

Short Form	Long Form	Description
-h	help	Shows all command options and their respective meaning.
	device	Devices on which the program is to be run. Acceptable values are cpu or gpu.
- q	quiet	Quiet mode. Suppresses all text output.
-e	verify	Verify results against reference implementation.
-t	timing	Print timing.
	dump	Dump binary image for all devices.
	load	Load binary image and execute on device.
	flags	Specify compiler flags to build the kernel.
- p	platformId	Select platformId to be used (0 to N-1, where N is the number of available platforms).
-d	deviceId	Select deviceld to be used (0 to N-1, where N is the number of available devices).
-v	version	AMD APP SDK version string.
-x	samples	Number of samples to be calculated.
-i	iterations	Number of iterations for kernel execution.
-s	scalar	Run the scalar version of the Black-Scholes and BlackScholesDP.

2 Introduction

The Option pricing is a very important problem encountered in financial engineering. This sample shows an implementation of the Black-Scholes model for European Options.

The most common definition of an *option* is an agreement between two parties, the *option seller* and the *option buyer*, whereby the option buyer is granted a right (but not an obligation), secured by the option seller, to carry out some operation (or *exercise* the option) at some moment in the future (see reference [1]). The predetermined price is referred to as the *strike price*, and the future date is called the *expiration date*.

The two primary option types are:

- A call option grants its holder the right to buy the underlying asset at a strike price at some moment in the future.
- A *put option* gives its holder the right to *sell* the *underlying asset* at a *strike price* at some moment in the future.

There are several factors to consider in regard to options, mostly depending on when the option can be exercised.

European options can be exercised only on the expiration date. American-style options are more flexible: they can be exercised at any time up to, and including, the expiration date; as such, they generally are priced at least as high as corresponding European options. Other types of options are path-dependent or have multiple exercise dates (Asian, Bermudian). For a call option, the profit made at the exercise date is the difference between the price of the asset on that date and the strike price, minus the option price paid. For a put option, the profit made at the exercise date is the difference between the strike price and the price of the asset on that date, minus the option price paid. Thus, the price of the asset at expiration date and the strike price strongly influence how much is paid for an option.

Other important factors in the price of an option are:

- The time to the expiration date, T: Longer periods imply a wider range of possible values for the underlying asset on the expiration date; this means more uncertainty about the value of the option.
- The riskless rate of return, r, which is the annual interest rate of bonds or other "risk-free" investments: Any amount of dollars, P, is guaranteed to be worth P e^{rT} dollars T years from now if placed today in one of these investments; in other words, if an asset is worth P dollars T years from now, it is worth P e^{-rT} today.

3 Black-Scholes Model

The Black-Scholes model (see reference [2]) provides a partial differential equation (PDE) for the evolution of an option price under certain assumptions. For European options, a closed-form solution exists for this PDE.

Equation 1
$$V_{call} = S \cdot PHI(d_1) - X \cdot e^{-rT} \cdot PHI(d_2)$$

Equation 2
$$V_{\text{put}} = X \cdot e^{-rT} \cdot \text{PHI}(-d_2) - S \cdot \text{PHI}(-d_1)$$

Equation 3
$$d_1 = \frac{\log{(\frac{S}{X})} + (r + \frac{v^2}{2})T}{v\sqrt{T}}$$

Equation 4
$$d_2 = \frac{\log \left(\frac{S}{X}\right) + (r - \frac{v^2}{2})T}{v\sqrt{T}}$$

where

 V_{call} is the price for an option call.

 V_{put} is the price for an option put.

PHI(d) is the cumulative normal distribution function.

S is the current option price.

X is the strike price.

T is the time to expiration.

r is the continuously compounded risk free interest rate.

v is the implied volatility for the underlying stock.

The cumulative normal distribution function (see reference [3]) is computed using the Abromowitz-Stegun approximation.

4 Implementation Details

Each work-item calculates the sample of call and put price from a given sample of stock price, strike price, time to expiration, volatility, and sigma. Samples are populated on the host and passed on to the device.

5 Recommended Input Option Settings

For best performance, enter the following on the command line: -x 8388608 -i 10 -q -t

6 References

- 1. http://en.wikipedia.org/wiki/Option (finance)
- 2. http://en.wikipedia.org/wiki/Black-Scholes#The model
- 3. Fischer Black and Myron Scholes (1973). "The Pricing of Options and Corporate Liabilities." *Journal of Political Economy* 81 (3): 637-654.

Contact

Advanced Micro Devices, Inc. One AMD Place P.O. Box 3453 Sunnyvale, CA, 94088-3453

Phone: +1.408.749.4000

For AMD Accelerated Parallel Processing:

URL: developer.amd.com/appsdk Developing: developer.amd.com/

Forum: developer.amd.com/openclforum



The contents of this document are provided in connection with Advanced Micro Devices, Inc. ("AMD") products. AMD makes no representations or warranties with respect to the accuracy or completeness of the contents of this publication and reserves the right to make changes to specifications and product descriptions at any time without notice. The information contained herein may be of a preliminary or advance nature and is subject to change without notice. No license, whether express, implied, arising by estoppel or otherwise, to any intellectual property rights is granted by this publication. Except as set forth in AMD's Standard Terms and Conditions of Sale, AMD assumes no liability whatsoever, and disclaims any express or implied warranty, relating to its products including, but not limited to, the implied warranty of merchantability, fitness for a particular purpose, or infringement of any intellectual property right.

AMD's products are not designed, intended, authorized or warranted for use as components in systems intended for surgical implant into the body, or in other applications intended to support or sustain life, or in any other application in which the failure of AMD's product could create a situation where personal injury, death, or severe property or environmental damage may occur. AMD reserves the right to discontinue or make changes to its products at any time without notice.

Copyright and Trademarks

© 2012 Advanced Micro Devices, Inc. All rights reserved. AMD, the AMD Arrow logo, ATI, the ATI logo, Radeon, FireStream, and combinations thereof are trademarks of Advanced Micro Devices, Inc. OpenCL and the OpenCL logo are trademarks of Apple Inc. used by permission by Khronos. Other names are for informational purposes only and may be trademarks of their respective owners.