

$y = ace$	$t_2 - t_1$	$\sec x = \frac{1}{\cos x}$	$\cot x = \frac{\cos x}{\sin x}$
$grav = -\frac{1}{2}gt^2 + Vot + So$		$\tan^2 x = \sec^2 x - 1$	$\sec x = \frac{1}{\cos x}$
FORMULARIO DE SUST. TROGONOMETRICA		$\csc^2 x = 1 + \cot^2 x$	$\csc x = \frac{1}{\sin x}$
$si\sqrt{a^2 - u^2} \Rightarrow x = asen\beta \Rightarrow \cos\beta$		$\csc^2 x - \cot^2 x = 1$	
$si\sqrt{a^2 + u^2} \Rightarrow x = a\tan\beta \Rightarrow \sec\beta$		$\cot^2 x = \csc^2 x - 1$	
$si\sqrt{u^2 - a^2} \Rightarrow x = asec\beta \Rightarrow \tan\beta$			

ECUACIONES DE LA RECTA

Forma simplificada	$y = mx + b$
Punto pendiente	$y - y^1 = m(x - x^1)$
Dos puntos	$\frac{y - y^1}{x - x^1} = \frac{y^1 - y^2}{x^1 - x^2}$
Pendiente	$m = \frac{y^2 - y^1}{x^2 - x^1}$
Simétrica	$\frac{x}{a} + \frac{y}{b} = 1$
Distancia origen-recta	$d = \frac{b}{\sqrt{1 + m^2}}$
Distancia dos rectas	$d = \frac{b_2 - b_1}{\sqrt{1 + m^2}}$
Distancia punto-recta	$d = \frac{Ax + By + C}{\pm \sqrt{A^2 + B^2}}$
Distancia dos puntos	$d \overline{AB} = \sqrt{(x_2 - x_1)^2 + (y_2 - y_1)^2}$
-	$\frac{x_1 + x_2}{2}$

COMBINACIONES

$\binom{n}{r} = nCr = \frac{n!}{r!(n-r)}$
TERNAS PITAGÓRICAS
$a=(v^2-u^2)$
$b=(2uv) \quad v>u$
$c=(u^2+v^2)$

PERMUTACIONES

$nPr = \frac{n!}{(n-r)!}$
CONGRUENCIAS
$ab \equiv (\text{mod } d) \quad d/a-b$

$radian = \frac{grados \cdot \pi}{180}$	$= \frac{radian \cdot 180}{\pi}$
Ley de Senos	$\frac{SenA}{a} = \frac{SenB}{b} = \frac{SenC}{c}$
	$b^2 = a^2 + c^2 - 2acCosB$
	$a^2 = b^2 + c^2 - 2bcCosA$
	$c^2 = a^2 + b^2 - 2abCosC$
Ley de Cosenos	$CosA = \frac{b^2 + c^2 - a^2}{2bc}$
	$CosB = \frac{a^2 + c^2 - b^2}{2ac}$

We and our 41 IAB TCF partners store and access information on your device for the following purposes: store and/or access information on a device, advertising and content measurement, audience research, and services development, personalised advertising, and personalised content.

Personal data may be processed to do the following: use precise geolocation data and actively scan device characteristics for identification.

Our third party IAB TCF partners may store and access information on your device such as IP address and device characteristics. Our IAB TCF Partners may process this personal data on the basis of legitimate interest, or with your consent. You may change or withdraw your preferences for this website at any time by clicking on the cookie icon or link; however, as a consequence, you may not see relevant ads or personalized content.

Our website may use these cookies to:

- Measure the audience of the advertising on our website, without profiling
- Display personalized ads based on your navigation and your profile
- Personalize our editorial content based on your navigation
- Allow you to share content on social networks or platforms present on our website
- Send you advertising based on your location

[Privacy Policy](#)

[Third Parties](#)

Customize Your Choices

Accept All

Reject All

$$\log_a \# = \frac{\log_{10} \#}{\log_{10} a}$$

$$\log_a \# = \frac{\log \text{del nm}}{\log \text{de la base}}$$

FRMULA PARA FRACCIN

$$\log \frac{a}{b} = \log a - \log b$$

LOGARITMO PARA OBTENER LA BASE

$$\log_x b \# = y$$

$$x = \sqrt[y]{\#}$$

$$Sen(\frac{a}{2}) = \sqrt{\frac{1 - Cosa}{2}}$$

Angulo Mitad

$$Cos(\frac{a}{2}) = \sqrt{\frac{1 + Cosa}{2}}$$

$$Tan(\frac{a}{2}) = \sqrt{\frac{1 - Cosa}{1 + Cosa}}$$

EXPONENCIALES Y LOGARITMICAS

$$y = \log_a x$$

$$\log_a xy = \log_a x + \log_a y$$

$$\log_a \frac{x}{y} = \log_a x - \log_a y$$

$$a^{\log_a x} = x$$

$$\log_a a^x = x$$

$$\log_a 1 = 0$$

$$\log_a a = 1$$

$$\log x = \log_{10} x$$

$$\log_b u = \frac{\log_a u}{\log_a b}$$

COCIENTES NOTABLES

$$x^2 - y^2 = (x + y)(x - y)$$

$$x^3 - y^3 = (x - y)(x^2 + xy + y^2)$$

$$x^3 + y^3 = (x + y)(x^2 - xy + y^2)$$

$$\text{Media (datos ordenados)}=\bar{X} = \frac{\sum_{i=1}^n x_i}{n}$$

$$\text{Media (datos agrupados)}= \bar{X} = \frac{\sum_{i=1}^n f_i x_i}{n}$$

$$\text{Mediana (datos agrupados)}=\hat{x}= L_{1+\left(\frac{\frac{N}{2}-(\sum f)1}{f_{mediana}}\right)C}$$

$$\text{Moda (datos agrupados)}= M_o = L_1 + \left(\frac{\Delta_1}{\Delta_1 + \Delta_2}\right)C$$

$$\text{Media geomtrica (datos normales)}= G = \sqrt[n]{x^1x^2 \cdots x^n}$$

$$\text{Media geomtrica (datos agrupados)}= L o g G = \frac{\sum f_i Log x_i}{n}$$

$$\text{Media armnica (datos ordenados)}= H = \frac{n}{\sum \frac{1}{x}}$$

$$\text{Media armnica (datos agrupados)}= H = \frac{N}{\sum \frac{f}{x}}$$

We and our 41 IAB TCF partners store and access information on your device for the following purposes: store and/or access information on a device, advertising and content measurement, audience research, and services development, personalised advertising, and personalised content.

Personal data may be processed to do the following: use precise geolocation data and actively scan device characteristics for identification.

Our third party IAB TCF partners may store and access information on your device such as IP address and device characteristics. Our IAB TCF Partners may process this personal data on the basis of legitimate interest, or with your consent. You may change or withdraw your preferences for this website at any time by clicking on the cookie icon or link; however, as a consequence, you may not see relevant ads or personalized content.

Our website may use these cookies to:

- Measure the audience of the advertising on our website, without profiling
- Display personalized ads based on your navigation and your profile
- Personalize our editorial content based on your navigation
- Allow you to share content on social networks or platforms present on our website
- Send you advertising based on your location

[Privacy Policy](#)

[Third Parties](#)

Customize Your Choices

Accept All

Reject All

clase Nº de clases = elemento máximo – elemento mínimo + 1/intervalo de la clase Intervalo de la clase = elemento máximo – elemento mínimo + 1/Nº de clases Nº de Clases (-50) =1+3.3 log(N) Nº de Clases (+50) =3+3.3 log(N) Límites reales de la clase = límite superior de la clase (n)+límite inferior de la clase (n+1)/2 Rango = mayor elemento de la colección - menor elemento de la colección	Permutaciones	$nPr = \frac{n!}{(n-r)!}$
--	----------------------	---------------------------

We and our 41 IAB TCF partners store and access information on your device for the following purposes: store and/or access information on a device, advertising and content measurement, audience research, and services development, personalised advertising, and personalised content.

Personal data may be processed to do the following: use precise geolocation data and actively scan device characteristics for identification.

Our third party IAB TCF partners may store and access information on your device such as IP address and device characteristics. Our IAB TCF Partners may process this personal data on the basis of legitimate interest, or with your consent. You may change or withdraw your preferences for this website at any time by clicking on the cookie icon or link; however, as a consequence, you may not see relevant ads or personalized content.

Our website may use these cookies to:

- Measure the audience of the advertising on our website, without profiling
- Display personalized ads based on your navigation and your profile
- Personalize our editorial content based on your navigation
- Allow you to share content on social networks or platforms present on our website
- Send you advertising based on your location

[Privacy Policy](#)

[Third Parties](#)

Customize Your Choices

Accept All

Reject All