EVERT NASEDKIN

SIMULATED INSTRUMENTAL CONSTRAINTS ON SUB-STELLAR ATMOSPHERIC RETRIEVALS FOR THE JAMES WEBB SPACE TELESCOPE'S MID-INFRARED IMAGER.

Evert Nasedkin Simulated Instrumental Constraints on Sub-Stellar Atmospheric Retrievals for the James Webb Space Telescope's Mid-Infrared Imager. TITLEBACK This document was written with LATEX on Ubuntu using ArsClassica, a reworking of the ClassicThesis style designed by André Miede, inspired to the masterpiece The Elements of Typographic Style by Robert Bringhurst. CONTACTS regretation evertages evertages evertages evertages evertages. The second evertages ev

ACKNOWLEDGEMENTS

We have seen that computer programming is an art, because it applies accumulated knowledge to the world, because it requires skill and ingenuity, and especially because it produces objects of beauty.

— Donald Ervin Knuth

I wish first of all to thank the members of the Italian TeX and LaTeX User Group, in particular Claudio Beccari, Fabiano Busdraghi, Gustavo Cevolani, Rosaria D'Addazio, Agostino De Marco, Massimiliano Dominici, Gloria Faccanoni, Claudio Fiandrino, Heinrich Fleck, Enrico Gregorio, Massimo Guiggiani, Roberto Giacomelli, Gianluca Gorni, Maurizio Himmelmann, Jerónimo Leal, Paride Legovini, Lapo Filippo Mori, Gianluca Pignalberi, Luigi Scarso, Marco Stara, Andrea Tonelli, Ivan Valbusa, Emiliano Giovanni Vavassori and Emanuele Vicentini, for their invaluable aid during the writing of this work, the detailed explanations, the patience and the precision in the suggestions, the supplied solutions, the competence and the kindness: thank you, guys! Thanks also to all the people who have discussed with me on the forum of the Group, prodigal of precious observations and good advices. Finally, thanks to André Miede, for his wonderful ClassicThesis style, and to Daniel Gottschlag, who gave to me the hint for this original reworking.

CONTENTS

```
1 INTRODUCTION
   1.1 Brown Dwarfs
       1.1.1 Physics
             Observational Properties
       1.1.2
  1.2 MIRI
                 1
       1.2.1
             JWST
                       1
       1.2.2
             MRS
       1.2.3 Coordinates
       1.2.4 Spectroscopy
  1.3 Atmosheric Modelling
       1.3.1 petitRadTrans
                               1
2 MODELLING THE MIRI MRS
                               3
  2.1 MIRISIM
       2.1.1 Architecture
       2.1.2 Data Products
       2.1.3 Instrumental effects
                                    3
       2.1.4 Fringing
       2.1.5 Implementation
  2.2 Fringing model comparison
                                     3
3 SPECTRUM EXTRACTION
       3.0.1 JWST Pipeline
  3.1 Fringing Results
       3.1.1 Cross-Correlation
       3.1.2 Effects of fringing on spectral extraction
                                                      5
4 ATMOSPHERIC RETRIVALS
  4.1 Introduction
  4.2 Bayesian methods
       4.2.1 MCMC
       4.2.2 Nested Sampling
       4.2.3 multinest
  4.3 Targets
       4.3.1 Atmospheric Parameters
       4.3.2 petitRadTrans
  4.4 Results
                  7
5 CONCLUSIONS
```

1 INTRODUCTION

- 1.1 BROWN DWARFS
- 1.1.1 Physics
- 1.1.2 Observational Properties
- 1.2 MIRI
- 1.2.1 JWST
- 1.2.2 MRS
- 1.2.3 Coordinates
- 1.2.4 Spectroscopy
- 1.3 ATMOSHERIC MODELLING
- 1.3.1 petitRadTrans

2 | MODELLING THE MIRI MRS

- 2.1 MIRISIM
- 2.1.1 Architecture
- 2.1.2 Data Products
- 2.1.3 Instrumental effects
- 2.1.4 Fringing

Random fringing text example ref:Argyriou2018.

FM Data

CV Data

Modelling

- 2.1.5 Implementation
- 2.2 FRINGING MODEL COMPARISON

3 | SPECTRUM EXTRACTION

3.0.1 JWST Pipeline

Stage 1 Processing

Stage 2 Processing

Fringing correction

Aperture Photometry

3.1 FRINGING RESULTS

3.1.1 Cross-Correlation

3.1.2 Effects of fringing on spectral extraction

4 | ATMOSPHERIC RETRIVALS

- 4.1 INTRODUCTION
- 4.2 BAYESIAN METHODS
- 4.2.1 MCMC
- 4.2.2 Nested Sampling
- 4.2.3 multinest
- 4.3 TARGETS
- 4.3.1 Atmospheric Parameters
- 4.3.2 petitRadTrans
- 4.4 RESULTS

5 conclusions