



# Laporan Pelatihan JQuery di Website W3schools

## A. Latihan JQuery Selector




The screenshot shows the 'jQuery Selectors' section on the W3Schools website. On the left, a sidebar lists 'Exercise 1' through 'Exercise 6', with 'Exercise 1' highlighted in green. Below the list is a link 'Go to jQuery Selectors Tutorial'. The main content area is titled 'Exercise:' and contains the instruction 'Use the correct selector to hide all <p> elements.' Below this is a large text input field containing the code `$("p").hide();`. At the bottom right of the main area is a green button labeled 'Submit Answer >'.

Gambar 1.a



The screenshot shows the 'jQuery Selectors' section on the W3Schools website. The sidebar on the left shows 'Exercise 1' and 'Exercise 2' with green checkmarks, and 'Exercise 2' is highlighted in green. The main content area is titled 'Exercise:' and contains the instruction 'Use the correct selector to hide an element with id="test".' Below this is a large text input field containing the code `$("#test").hide();`. At the bottom right of the main area is a green button labeled 'Submit Answer >'.

Gambar 2.a



The screenshot shows the 'jQuery Selectors' section on the W3Schools website. The sidebar on the left shows 'Exercise 1', 'Exercise 2', and 'Exercise 3' with green checkmarks, and 'Exercise 3' is highlighted in green. The main content area is titled 'Exercise:' and contains the instruction 'Use the correct selector to hide all elements with class="test".' Below this is a large text input field containing the code `$(".test").hide();`. At the bottom right of the main area is a green button labeled 'Submit Answer >'.

Gambar 3.a

Completed 3 of 60 Exercises:

jQuery Selectors

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

Exercise 4

Exercise 5

Exercise 6

[Go to jQuery Selectors Tutorial](#)

jQuery Events

jQuery Hide and Show

jQuery Fade

## Exercise:

Use the correct selector to hide all elements in the document.

```
$("#*").hide();
```

Submit Answer >

Gambar 4.a

Completed 4 of 60 Exercises:

jQuery Selectors

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

Exercise 5

Exercise 6

[Go to jQuery Selectors Tutorial](#)

jQuery Events

jQuery Hide and Show

jQuery Fade

## Exercise:

Use the correct selector to hide all elements with an href attribute.

```
$("#[href]").hide();
```

Submit Answer >

Gambar 5.a

Completed 5 of 60 Exercises:

jQuery Selectors

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

✓ Exercise 4

✓ Exercise 5

Exercise 6

[Go to jQuery Selectors Tutorial](#)

jQuery Events

jQuery Hide and Show

jQuery Fade

## Exercise:

Use the correct selector to hide all odd table rows in a table.

```
$("#tr:odd").hide();
```

Submit Answer >

Gambar 6.a

## B. Latihan jQuery Events

Completed 5 of 60 Exercises:

- jQuery Selectors
- jQuery Events
- Exercise 1
- Exercise 2
- Exercise 3
- Exercise 4
- Exercise 5
- [Go to jQuery Events Tutorial](#)
- jQuery Hide and Show
- jQuery Fade
- jQuery Slide

### Exercise:

Use the correct event to hide all <p> elements with a "click".

```
$("p").click(function(){  
    $(this).hide();  
});
```

Submit Answer >

Gambar 1.b

Completed 6 of 60 Exercises:

- jQuery Selectors
- jQuery Events
- ✓ Exercise 1
- Exercise 2
- Exercise 3
- Exercise 4
- Exercise 5
- [Go to jQuery Events Tutorial](#)
- jQuery Hide and Show
- jQuery Fade
- jQuery Slide

### Exercise:

Use the correct event to hide all <p> elements with a "double-click".

```
$("p").dblclick(function(){  
    $(this).hide();  
});
```

Submit Answer >

Gambar 2.b

Completed 7 of 60 Exercises:

- jQuery Selectors
- jQuery Events
- ✓ Exercise 1
- ✓ Exercise 2
- Exercise 3
- Exercise 4
- Exercise 5
- [Go to jQuery Events Tutorial](#)
- jQuery Hide and Show
- jQuery Fade
- jQuery Slide



### Exercise:

When the mouse pointer enters a <p> element, it should be hidden. Use the correct event to do so.

```
$("p").mouseenter(function(){  
    $(this).hide();  
});
```

Submit Answer >

Gambar 3.b

Completed 8 of 60 Exercises:

- jQuery Selectors
- jQuery Events
- ✓ Exercise 1
- ✓ Exercise 2
- ✓ Exercise 3
- Exercise 4**
- Exercise 5
- [Go to jQuery Events Tutorial](#)
- jQuery Hide and Show
- jQuery Fade
- jQuery Slide

## Exercise:

If you press a keyboard key inside an `<input>` element, it should be hidden. Use the correct event to do so.

```
$("#input").keypress(function(){
    $(this).hide();
});
```

Submit Answer >

Gambar 4.b

Completed 9 of 60 Exercises:

- jQuery Selectors
- jQuery Events
- ✓ Exercise 1
- ✓ Exercise 2
- ✓ Exercise 3
- ✓ Exercise 4
- Exercise 5**
- [Go to jQuery Events Tutorial](#)
- jQuery Hide and Show
- jQuery Fade
- jQuery Slide

## Exercise:

Use the `on()` method to attach a click event handler to all `<p>` elements.

```
$("p").on("click", function(){
    $(this).hide();
});
```

Submit Answer >

Gambar 5.b

## C. Latihan jQuery Hide and Show

Completed 11 of 60 Exercises:

- jQuery Selectors ✓
- jQuery Events ✓
- jQuery Hide and Show
- Exercise 1**
- Exercise 2
- Exercise 3
- Exercise 4
- [Go to jQuery Hide and Show Tutorial](#)
- jQuery Fade
- jQuery Slide
- jQuery Animate

## Exercise:

Use a jQuery method to hide a `<p>` element when it is clicked on.

```
$("p").click(function(){
    $(this).hide();
});
```

Submit Answer >

Gambar 1.c

Completed 12 of 60 Exercises:

- jQuery Selectors ✓
- jQuery Events ✓
- jQuery Hide and Show
- ✓ Exercise 1
- Exercise 2
- Exercise 3
- Exercise 4
- [Go to jQuery Hide and Show Tutorial](#)
- jQuery Fade
- jQuery Slide
- jQuery Animate

## Exercise:

Use a jQuery method to hide a `<p>` element when it is clicked on.

**Note:** The speed should be "slow".

```
$("p").click(function(){
    $(this).hide("slow");
});
```

Submit Answer >

Gambar 2.c

Completed 13 of 60 Exercises:

- jQuery Selectors ✓
- jQuery Events ✓
- jQuery Hide and Show
- ✓ Exercise 1
- ✓ Exercise 2
- Exercise 3
- Exercise 4
- [Go to jQuery Hide and Show Tutorial](#)
- jQuery Fade
- jQuery Slide
- jQuery Animate

## Exercise:

Use a jQuery method to show a `<p>` element.

```
$("#button").click(function(){
    $("#p").show();
});
```

Submit Answer >

Gambar 3.c

Completed 14 of 60 Exercises:

- jQuery Selectors ✓
- jQuery Events ✓
- jQuery Hide and Show
- ✓ Exercise 1
- ✓ Exercise 2
- ✓ Exercise 3
- Exercise 4
- [Go to jQuery Hide and Show Tutorial](#)
- jQuery Fade
- jQuery Slide
- jQuery Animate

## Exercise:

Use a jQuery method to toggle between hiding and showing a `<p>` element.

```
$("#button").click(function(){
    $("#p").toggle();
});
```

Submit Answer >

Gambar 4.c

## D. Latihan jQuery Fade

Completed 15 of 60 Exercises:

jQuery Selectors ✓

jQuery Events ✓

jQuery Hide and Show ✓

jQuery Fade

Exercise 1

Exercise 2

Exercise 3

Exercise 4

[Go to jQuery Fade Tutorial](#)

jQuery Slide

### Exercise:

Use a jQuery method to fade out a <div> element.

```
$("#div").fadeOut();
```

Submit Answer >

Gambar 1.d

Completed 16 of 60 Exercises:

jQuery Selectors ✓

jQuery Events ✓

jQuery Hide and Show ✓

jQuery Fade

✓ Exercise 1

Exercise 2

Exercise 3

Exercise 4

[Go to jQuery Fade Tutorial](#)

jQuery Slide

jQuery Animate

### Exercise:

Use a jQuery method to fade out a <div> element.

**Note:** The duration of the effect should be "slow".

```
$("#div").fadeOut("slow");
```

Submit Answer >

Gambar 2.d

Completed 17 of 60 Exercises:

jQuery Selectors ✓

jQuery Events ✓

jQuery Hide and Show ✓

jQuery Fade

✓ Exercise 1

✓ Exercise 2

Exercise 3

Exercise 4

[Go to jQuery Fade Tutorial](#)

jQuery Slide

### Exercise:

Use a jQuery method to fade a <div> element to an opacity of "0.2".

```
$("#div").fadeTo("slow", 0.2);
```

Submit Answer >

Gambar 3.d

Completed 18 of 60 Exercises:

- jQuery Selectors ✓
- jQuery Events ✓
- jQuery Hide and Show ✓
- jQuery Fade
- Exercise 1 ✓
- Exercise 2 ✓
- Exercise 3 ✓
- Exercise 4
- [Go to jQuery Fade Tutorial](#)
- jQuery Slide
- jQuery Animate

### Exercise:

Use a jQuery method to toggle between fading in and out a <div> element, when clicking on a button.

**Note:** The duration of the effect should be 1000 milliseconds.

```

$("button").click(function(){
    $("div").fadeToggle(1000);
});

```

Submit Answer >

Gambar 4.d

## E. Latihan jQuery Slide

Completed 19 of 60 Exercises:

- jQuery Selectors ✓
- jQuery Events ✓
- jQuery Hide and Show ✓
- jQuery Fade ✓
- jQuery Slide
- Exercise 1
- Exercise 2
- Exercise 3
- Exercise 4
- [Go to jQuery Slide Tutorial](#)

### Exercise:

Use a jQuery method to slide up a <div> element.

```

$("div").slideUp();

```

Submit Answer >

Gambar 1.e

Completed 20 of 60 Exercises:

- jQuery Selectors ✓
- jQuery Events ✓
- jQuery Hide and Show ✓
- jQuery Fade ✓
- jQuery Slide
- Exercise 1 ✓
- Exercise 2
- Exercise 3
- Exercise 4
- [Go to jQuery Slide Tutorial](#)
- jQuery Animate

### Exercise:

Use a jQuery method to slide up a <div> element.

**Note:** The duration of the effect should be "slow".

```

$("div").slideUp("slow");

```

Submit Answer >

Gambar 2.e

Completed 21 of 60 Exercises:

- jQuery Selectors ✓
- jQuery Events ✓
- jQuery Hide and Show ✓
- jQuery Fade ✓
- jQuery Slide
- ✓ Exercise 1
- ✓ Exercise 2
- Exercise 3
- Exercise 4
- [Go to jQuery Slide Tutorial](#)
- jQuery Animate

## Exercise:

Use a jQuery method to slide down a <div> element.

```
$("#div").slideDown();
```

Submit Answer >

Gambar 3.e

Completed 22 of 60 Exercises:

- jQuery Selectors ✓
- jQuery Events ✓
- jQuery Hide and Show ✓
- jQuery Fade ✓
- jQuery Slide
- ✓ Exercise 1
- ✓ Exercise 2
- ✓ Exercise 3
- Exercise 4
- [Go to jQuery Slide Tutorial](#)
- jQuery Animate

## Exercise:

Use a jQuery method to toggle between sliding up and down a <div> element, when clicking on a button.

```
$("#button").click(function(){
    $("#div").slideToggle();
});
```

Submit Answer >

Gambar 4.e

## F. Latihan jQuery Animate

Completed 23 of 60 Exercises:

- jQuery Selectors ✓
- jQuery Events ✓
- jQuery Hide and Show ✓
- jQuery Fade ✓
- jQuery Slide ✓
- jQuery Animate
- Exercise 1
- Exercise 2
- Exercise 3
- Exercise 4
- [Go to jQuery Animate Tutorial](#)

## Exercise:

Use the `animate()` method to move a <div> element 250 pixels to the right.

```
$("#div").animate({left: '250px'});
```

Submit Answer >

Gambar 1.f



Completed 24 of 60 Exercises:

- jQuery Selectors ✓
- jQuery Events ✓
- jQuery Hide and Show ✓
- jQuery Fade ✓
- jQuery Slide ✓
- jQuery Animate ✓
- Exercise 1 ✓
- Exercise 2
- Exercise 3
- Exercise 4

### Exercise:

Use the `animate()` method to set the height of a `<div>` element to 500 pixels.

```

$("div").animate({height: '500px'});

```

Submit Answer >

Gambar 2.f

jQuery Selectors ✓
jQuery Events ✓
jQuery Hide and Show ✓
jQuery Fade ✓
jQuery Slide ✓
jQuery Animate ✓
Exercise 1 ✓
Exercise 2 ✓
Exercise 3
Exercise 4
Go to jQuery Animate Tutorial
jQuery Stop

### Exercise:

Use the `animate()` method to set the following CSS properties for `<div>`:

opacity: 0.4, height: 500px, width: 500px.

```

$("div").animate({
  opacity: '0.4',
  height: '500px',
  width: '500px'
});

```

Submit Answer >

Gambar 3.f

Completed 26 of 60 Exercises:

- jQuery Animate
- Exercise 1 ✓
- Exercise 2 ✓
- Exercise 3 ✓
- Exercise 4
- Go to jQuery Animate Tutorial
- jQuery Stop
- jQuery Get
- jQuery Set
- jQuery Add
- jQuery Remove

### Exercise:

Use the `animate()` method to set the font-size of a `<div>` element to 100 pixels:

**Note:** The duration of the effect should be "slow".

```

$("div").animate({fontSize: '100px'}, "slow");

```

Submit Answer >

Gambar 4.f

## G. Latihan jQuery Stop

Completed 27 of 60 Exercises:

- jQuery Selectors ✓
- jQuery Events ✓
- jQuery Hide and Show ✓
- jQuery Fade ✓
- jQuery Slide ✓
- jQuery Animate ✓
- jQuery Stop
- Exercise 1
- Go to jQuery Stop Tutorial
- jQuery Get

### Exercise:

Use a jQuery method to stop the animation effect of a `<div>` element.

```

$("div").stop();

```

Submit Answer >

Gambar 1.g

## H. Latihan jQuery Get

Completed 28 of 60 Exercises:

jQuery Animate ✓

jQuery Stop ✓

jQuery Get

Exercise 1

Exercise 2

Exercise 3

Exercise 4

[Go to jQuery Get Tutorial](#)

jQuery Set

jQuery Add

### Exercise:

Use a jQuery method to return the text content of a <div> element.

```
$("#div").text();
```

Submit Answer >

Gambar 1.h

Completed 29 of 60 Exercises:

jQuery Animate ✓

jQuery Stop ✓

jQuery Get

✓ Exercise 1

Exercise 2

Exercise 3

Exercise 4

[Go to jQuery Get Tutorial](#)

jQuery Set

jQuery Add

### Exercise:

Use a jQuery method to return the HTML content of a <div> element.

```
$("#div").html();
```

Submit Answer >

Gambar 2.h

Completed 30 of 60 Exercises:

jQuery Animate ✓

jQuery Stop ✓

jQuery Get

✓ Exercise 1

✓ Exercise 2

Exercise 3

Exercise 4

[Go to jQuery Get Tutorial](#)

jQuery Set

jQuery Add

### Exercise:

Use a jQuery method to return the value of an input field.

```
$("#input").val();
```

Submit Answer >

Gambar 3.h

Completed 31 of 60 Exercises:

jQuery Animate

jQuery Stop

jQuery Get

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

Exercise 4

[Go to jQuery Get Tutorial](#)

jQuery Set

jQuery Add

## Exercise:

Use a jQuery method to return the URL address of a link.

```
$("#a").attr("href");
```

Submit Answer >

Gambar 4.h

## I. Latihan jQuery Set

Completed 32 of 60 Exercises:

jQuery Animate

jQuery Stop

jQuery Get

jQuery Set

Exercise 1

Exercise 2

Exercise 3

Exercise 4

[Go to jQuery Set Tutorial](#)

jQuery Add

## Exercise:

Use a jQuery method to change the text of a <div> element to "Hello World".

```
$("#div").text("Hello World");
```

Submit Answer >

Gambar 1.i

Completed 33 of 60 Exercises:

jQuery Animate

jQuery Stop

jQuery Get

jQuery Set

✓ Exercise 1

Exercise 2

Exercise 3

Exercise 4

[Go to jQuery Set Tutorial](#)

jQuery Add

## Exercise:

Use a jQuery method to change the value of an input field to "John Doe".

```
$("#input").val("John Doe");
```

Submit Answer >

Gambar 2.i

Completed 34 of 60 Exercises:

- jQuery Animate ✓
- jQuery Stop ✓
- jQuery Get ✓
- jQuery Set
- ✓ Exercise 1
- ✓ Exercise 2
- Exercise 3
- Exercise 4
- [Go to jQuery Set Tutorial](#)
- jQuery Add

### Exercise:

Use a jQuery method to change the value of an image's `src` attribute to "myimage.jpg".

```

$("img").attr("src", "myimage.jpg");

```

Submit Answer >

Gambar 3.i

Completed 35 of 60 Exercises:

- jQuery Animate ✓
- jQuery Stop ✓
- jQuery Get ✓
- jQuery Set
- ✓ Exercise 1
- ✓ Exercise 2
- ✓ Exercise 3
- Exercise 4
- [Go to jQuery Set Tutorial](#)
- jQuery Add
- jQuery Remove

### Exercise:

Use jQuery to change the text of a link to "Demo", and change the value of href's attribute value to "www.demo.com".

```

$("#myLink").text("Demo");
$("#myLink").attr("href", "https://www.demo.com");

```

Submit Answer >

Gambar 4.i

## J. Latihan jQuery Add

Completed 36 of 60 Exercises:

- jQuery Fade ✓
- jQuery Slide ✓
- jQuery Animate ✓
- jQuery Stop ✓
- jQuery Get ✓
- jQuery Set ✓
- jQuery Add
- Exercise 1
- Exercise 2
- [Go to jQuery Add Tutorial](#)
- jQuery Remove

### Exercise:

Use a jQuery method to insert the text "YES!" at the end of a `<p>` element.

```

$("p").append("YES!");

```

Submit Answer >

Gambar 1.j

Completed 37 of 60 Exercises:

- jQuery Fade ✓
- jQuery Slide ✓
- jQuery Animate ✓
- jQuery Stop ✓
- jQuery Get ✓
- jQuery Set ✓
- jQuery Add ✓
- ✓ Exercise 1
- Exercise 2
- [Go to jQuery Add Tutorial](#)

### Exercise:

Use a jQuery method to insert the text "YES!" at the beginning of a <p> element.

```

$("p").prepend("YES!");

```

Submit Answer >

Gambar 2.j

## K. Latihan jQuery Remove

Completed 38 of 60 Exercises:

- jQuery Slide ✓
- jQuery Animate ✓
- jQuery Stop ✓
- jQuery Get ✓
- jQuery Set ✓
- jQuery Add ✓
- jQuery Remove ✓
- Exercise 1
- Exercise 2
- Exercise 3

### Exercise:

Use a jQuery method to remove a <div> element.

```

$("div").remove();

```

Submit Answer >

Gambar 1.k

Completed 39 of 60 Exercises:

- jQuery Slide ✓
- jQuery Animate ✓
- jQuery Stop ✓
- jQuery Get ✓
- jQuery Set ✓
- jQuery Add ✓
- jQuery Remove ✓
- ✓ Exercise 1
- Exercise 2
- Exercise 3

### Exercise:

Use a jQuery method to only remove the child elements of a <div> element.

```

$("div").empty();

```

Submit Answer >

Gambar 2.k

Completed 40 of 60 Exercises:

- jQuery Slide ✓
- jQuery Animate ✓
- jQuery Stop ✓
- jQuery Get ✓
- jQuery Set ✓
- jQuery Add ✓
- jQuery Remove ✓
- Exercise 1 ✓
- Exercise 2 ✓
- Exercise 3
- [Go to jQuery Remove Tutorial](#)

## Exercise:

Use a jQuery method to remove all <div> elements with class="test" and class="demo".

```

$("div").remove(".test, .demo");

```

Submit Answer >

Gambar 3.k

## L. Latihan jQuery CSS Classes

Completed 41 of 60 Exercises:

- jQuery Animate ✓
- jQuery Stop ✓
- jQuery Get ✓
- jQuery Set ✓
- jQuery Add ✓
- jQuery Remove ✓
- jQuery CSS Classes ✓
- Exercise 1
- Exercise 2
- Exercise 3
- Exercise 4

## Exercise:

Use a jQuery method to add the "important" class to a <p> element.

```

$("p").addClass("important");

```

Submit Answer >

Gambar 1.1

Completed 42 of 60 Exercises:

- jQuery Animate ✓
- jQuery Stop ✓
- jQuery Get ✓
- jQuery Set ✓
- jQuery Add ✓
- jQuery Remove ✓
- jQuery CSS Classes ✓
- Exercise 1 ✓
- Exercise 2
- Exercise 3
- Exercise 4

## Exercise:

Use a jQuery method to add both the "important" and "test" class to a <p> element.

```

$("p").addClass("important test");

```

Submit Answer >

Gamnar 2.1

Completed 43 of 60 Exercises:

- jQuery Animate ✓
- jQuery Stop ✓
- jQuery Get ✓
- jQuery Set ✓
- jQuery Add ✓
- jQuery Remove ✓
- jQuery CSS Classes

✓ Exercise 1

✓ Exercise 2

**Exercise 3**

Exercise 4

Go to jQuery CSS Classes Tutorial

## Exercise:

Use a jQuery method to remove the "important" class from a <p> element.

```
$("#p").removeClass("important");
```

Submit Answer >

Gambar 3.1

Completed 44 of 60 Exercises:

- jQuery Animate ✓
- jQuery Stop ✓
- jQuery Get ✓
- jQuery Set ✓
- jQuery Add ✓
- jQuery Remove ✓
- jQuery CSS Classes

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

**Exercise 4**

## Exercise:

Use a jQuery method to toggle between adding and removing the "important" class from the <p> element on click.

```
$("#p").click(function(){
    $(this).toggleClass("important");
});
```

Submit Answer >

Gambar 4.1

## M. Latihan jQuery CSS

Completed 45 of 60 Exercises:

- jQuery Animate ✓
- jQuery Stop ✓
- jQuery Get ✓
- jQuery Set ✓
- jQuery Add ✓
- jQuery Remove ✓
- jQuery CSS Classes ✓
- jQuery CSS

**Exercise 1**

Exercise 2

Exercise 3

Exercise 4

## Exercise:

Use the .css() method to add a pink background color to a <p> element.

```
$("#p").css("background-color", "pink");
```

Submit Answer >

Gambar 1.m

Completed 46 of 60 Exercises:

jQuery Animate ✓

jQuery Stop ✓

jQuery Get ✓

jQuery Set ✓

jQuery Add ✓

jQuery Remove ✓

jQuery CSS Classes ✓

jQuery CSS

✓ Exercise 1

Exercise 2

Exercise 3

Exercise 4

KLIKFILM

1GB

Minggu

103

Exercise:

Use the `css()` method to add a 5 pixels red dotted border to a `<p>` element.

```
$("#p").css("border", "5px dotted red");
```

Submit Answer >

Gambar 2.m

Completed 47 of 60 Exercises:

jQuery Animate ✓

jQuery Stop ✓

jQuery Get ✓

jQuery Set ✓

jQuery Add ✓

jQuery Remove ✓

jQuery CSS Classes ✓

jQuery CSS

✓ Exercise 1

✓ Exercise 2

Exercise 3

Exercise 4

Exercise:

Return the background color of a `<p>` element.

```
$("#p").css("background-color");
```

Submit Answer >

Gambar 3.m

Completed 48 of 60 Exercises:

jQuery Animate ✓

jQuery Stop ✓

jQuery Get ✓

jQuery Set ✓

jQuery Add ✓

jQuery Remove ✓

jQuery CSS Classes ✓

jQuery CSS

✓ Exercise 1

✓ Exercise 2

✓ Exercise 3

Exercise 4

Exercise:

Use the `css()` method to set the following styles for `<p>`:

Green background color, white text color, 25 pixels font size and a padding of 15 pixels.

```
$("#p").css({
  "background-color": "green",
  "color": "white",
  "font-size": "25px",
  "padding": "15px"
});
```

Submit Answer >

Gambar 4.m



## N. Latihan jQuery Dimensions

Completed 49 of 60 Exercises:

jQuery Stop ✓

jQuery Get ✓

jQuery Set ✓

jQuery Add ✓

jQuery Remove ✓

jQuery CSS Classes ✓

jQuery CSS ✓

jQuery Dimensions

Exercise 1

Exercise 2

Exercise 3

Exercise 4

Exercise 5

### Exercise:

Use jQuery methods to set the height and width of <div> to 500 pixels.

```
$("#div").height(500).width(500);
```

Submit Answer >

Gambar 1.n

Completed 50 of 60 Exercises:

jQuery Stop ✓

jQuery Get ✓

jQuery Set ✓

jQuery Add ✓

jQuery Remove ✓

jQuery CSS Classes ✓

jQuery CSS ✓

jQuery Dimensions

✓ Exercise 1

Exercise 2

Exercise 3

MIT-Inspired And Award Winning Curriculum. Experienced & Top University Teachers.  
codinglab.com.sg

OPEN

### Exercise:

Use a jQuery method to get the height of a <div> element, excluding padding, border and margin.

```
$("#div").height()
```

Submit Answer >

Gambar 2.n

Completed 51 of 60 Exercises:

jQuery Stop ✓

jQuery Get ✓

jQuery Set ✓

jQuery Add ✓

jQuery Remove ✓

jQuery CSS Classes ✓

jQuery CSS ✓

jQuery Dimensions

✓ Exercise 1

✓ Exercise 2

Exercise 3

Exercise 4

### Exercise:

Use a jQuery method to get the height of a <div> element, including padding (not border and margin).

```
$("#div").innerHeight()
```

Submit Answer >

Gambar 3.n

Completed 52 of 60 Exercises:

jQuery Stop

jQuery Get

jQuery Set

jQuery Add

jQuery Remove

jQuery CSS Classes

jQuery CSS

jQuery Dimensions

Exercise 1

Exercise 2

Exercise 3

Exercise 4

Exercise:

Use a jQuery method to get the height of a `<div>` element, including padding and border.

```
$("#div").outerHeight()
```

Submit Answer >

Gambar 4.n

Completed 53 of 60 Exercises:

jQuery Stop

jQuery Get

jQuery Set

jQuery Add

jQuery Remove

jQuery CSS Classes

jQuery CSS

jQuery Dimensions

Exercise 1

Exercise 2

Exercise 3

Exercise 4

Exercise 5

Exercise:

Use a jQuery method to get the height of a `<div>` element, including padding, border and margin.

```
$("#div").outerHeight(true)
```

Submit Answer >

Gambar 5.n

## O. Latihan jQuery Traversing

Completed 54 of 60 Exercises:

jQuery Get

jQuery Set

jQuery Add

jQuery Remove

jQuery CSS Classes

jQuery CSS

jQuery Dimensions

jQuery Traversing

Exercise 1

Exercise 2

Exercise:

Use a jQuery method to get the direct parent of a `<span>` element.

```
$("#span").parent();
```

Submit Answer >

Gambar 1.o

Completed 55 of 60 Exercises:

jQuery Get

jQuery Set

jQuery Add

jQuery Remove

jQuery CSS Classes

jQuery CSS

jQuery Dimensions

jQuery Traversing

Exercise 1

Exercise 2

Exercise 3

Exercise 4

Exercise 5

Exercise 6

Exercise:

Use a jQuery method to get all ancestors of a `<span>` element.

```
$("span").parents();
```

Submit Answer >

Gambar 2.o

Completed 56 of 60 Exercises:

jQuery Get

jQuery Set

jQuery Add

jQuery Remove

jQuery CSS Classes

jQuery CSS

jQuery Dimensions

jQuery Traversing

Exercise 1

Exercise 2

Exercise 3

Exercise 4

Exercise 5

Exercise 6

Exercise:

Use a jQuery method to get all direct children of a `<div>` element.

```
$("div").children();
```

Submit Answer >

Gambar 3.o

Completed 57 of 60 Exercises:

jQuery Get

jQuery Set

jQuery Add

jQuery Remove

jQuery CSS Classes

jQuery CSS

jQuery Dimensions

jQuery Traversing

Exercise 1

Exercise 2

Exercise 3

Exercise 4

Exercise:

Use a jQuery method to get all `<span>` elements that are descendants of `<div>`.

```
$("div").find("span");
```

Submit Answer >

Gambar 4.o

Completed 58 of 60 Exercises:

jQuery Get

jQuery Set

jQuery Add

jQuery Remove

jQuery CSS Classes

jQuery CSS

jQuery Dimensions

jQuery Traversing

Exercise 1

Exercise 2

Exercise 3

Exercise 4

Exercise 5

Exercise:

Use a jQuery method to get all siblings elements of an `<h2>` element.

```
$("h2").siblings();
```

Submit Answer >

Gambar 5.o

Completed 59 of 60 Exercises:

jQuery Get

jQuery Set

jQuery Add

jQuery Remove

jQuery CSS Classes

jQuery CSS

jQuery Dimensions

jQuery Traversing

Exercise 1

Exercise 2

Exercise 3

Exercise 4

Exercise 5

Exercise 6

Exercise:

Use a jQuery method to get the first `<div>` element in the document.

```
$("div").first();
```

Submit Answer >

Gambar 6.o