

Type 1 Driver (JDBC-ODBC)

MS Access

```
Class.forName ("sun.jdbc.odbc.JdbcOdbcDriver");
```

```
Connection con=DriverManager.getConnection ("jdbc:odbc:db","", "");
```

OR

```
Connection con=DriverManager.getConnection ("jdbc:odbc:Driver={Microsoft Access Driver (*.mdb)};
```

```
DBQ=C:/student.mdb", "", "");
```

MySql

```
Class.forName ("sun.jdbc.odbc.JdbcOdbcDriver");
```

```
Connection con=DriverManager.getConnection ("jdbc:odbc:db","root","");
```

Oracle

```
Class.forName ("sun.jdbc.odbc.JdbcOdbcDriver");
```

```
Connection con=DriverManager.getConnection ("jdbc:odbc:db","system","tiger");
```

Type 4 Driver (All Java Driver)

MySql

```
Class.forName ("com.mysql.jdbc.Driver");
```

```
Connection con=DriverManager.getConnection ("jdbc:mysql://localhost:3306/test","root","");
```

Oracle

```
Class.forName("oracle.jdbc.driver.OracleDriver");
```

```
Connection con=DriverManager.getConnection("jdbc:oracle:thin:@localhost:1521:XE","system","tiger");
```

1 :import Packages

```
import java.sql.Connection;  
import java.sql.DriverManager;  
import java.sql.SQLException;
```

2: Register Database Driver to JDBC

```
Class.forName("Database Driver");
```

3: Open Connection

```
Connection connection=DriverManager.getConnection("jdbc:Database url", "username", "password");
```

4: Create Statement

```
Statement smt = conn.createStatement();
```

5: Execute Query

```
ResultSet rs=smt.executeQuery("SQL statement");
```

6: Extract Database

```
rs.next()  
int i=rs.getInt(index);  
int i=rs.getInt(columnName);
```

7: Close connection

```
connection.close()
```

Java Database Connectivity

Register driver

Get connection

Create statement

Execute query

Close connection

