

JSP ACTION TAGS

login.html

```
<html>
  <head>
    <title>JSP Directive Tags </title>
  </head>
  <body>
    <h3 align="center">Login</h3>
    <form action="login.jsp">
      User Name : <input type="text" name="un"><br>
      Password : <input type="password" name="pw"><br>
      <input type="submit" value="Login">
    </form>
  </body>
</html>
```

login.jsp

```
<%
```

```
String user=request.getParameter("un");
String pass=request.getParameter("pw");
if(user.equals("spkm")&&pass.equals("123"))
```

```
{%>
```

```
<jsp:forward page="welcome.jsp">
<jsp:param name="un" value="<%=user%>"/>
</jsp:forward>
```

```
<%}
```

```
else%>
```

```
{%>
```

```
<jsp:include page="login.html"/>
```

```
<%
```

```
out.print("<font color='red'>Invalid username or password</font>");
```

```
}
```

```
%>
```

welcome.jsp

```
<%@ page language="java" contentType="text/html" %>
```

```
<html>
```

```
<body>
```

```
<h1> Hello <%=request.getParameter("un")%></h1>
```

```
<jsp:plugin type="applet" name="test" code="DSquare.class" codebase="." height="600" width="700" align="top">
```

```
<jsp:fallback>Unable to load</jsp:fallback>
```

```
</jsp:plugin>
```

```
</body>
```

```
</html>
```

Output



Valid Input

Login Page


localhost:8081/login.html

Login

User Name : spkm

Password : ●●●

Login



Invalid Input

Login Page

localhost:8081/login.html

Login

User Name : abc

Password : ●●●●●

Login



Login Page

localhost:8081/login.jsp?un=abc&pw=12345

Login

User Name :

Password :

Login

Invalid username or password