



JavaBeans

OUTPUT

test1.jsp



test2.jsp



Student.java

```
package spkm;
import java.io.Serializable;
public class Student implements Serializable
{
    private String firstName;
    private String lastName;
    private int age;
    public void setFirstName(String firstname)
    {
        this.firstName=firstname;
    }
    public String getFirstName()
    {
        return firstName;
    }
    public void setLastName(String lastname)
    {
        this.lastName=lastname;
    }
    public String getLastName()
    {
        return lastName;
    }
    public void setAge(int age)
    {
        this.age=age;
    }
    public int getAge()
    {
        return age;
    }
}
```

test1.jsp

```
<%@ page language="java" import="spkm.StudentBean"%>
<html>
<body>
    <%
        StudentBean sb=new StudentBean();
        sb.setFirstName("Prashil");
        sb.setLastName("Maheta");
        sb.setAge(18);
        session.setAttribute("bean", sb);
    %>
    <jsp:useBean id="sb1" class="spkm.StudentBean" scope="session">
    <jsp:setProperty name="sb1" property="firstName" value="Shrey"/>
    <jsp:setProperty name="sb1" property="lastName" value="Maheta"/>
    <jsp:setProperty name="sb1" property="age" value="10"/>
    </jsp:useBean>
    <h3><a href="test2.jsp">Link</a></h3>
</body>
</html>
```

test2.jsp

```
<%@ page language="java" import="spkm.StudentBean"%>
<html>
<body>
<h3>Using Traditional Java way</h3>
<%
    StudentBean sb=(StudentBean)session.getAttribute("bean");
    out.println("First Name : "+sb.getFirstName());
    out.println("<br>Last Name : "+sb.getLastName());
    out.println("<br>Age : "+sb.getAge());
%>
<jsp:useBean id="sb1" class="spkm.StudentBean" scope="session">
</jsp:useBean>
<h3>Using useBean Tag </h3>
First Name :<jsp:getProperty name="sb1" property="firstName" /><br>
Last Name :<jsp:getProperty name="sb1" property="lastName" /><br>
Age : <jsp:getProperty name="sb1" property="age" />
</body>
</html>
```