



# TAYLOR BROTHERS

ARCHITECTURAL PRODUCTS

## Quotation / Contract

Vendor: Fleetwood PO#: \_\_\_\_\_

Sales Person: Ryan Chinnici Date: 10.2.24

### Sold To:

### Ship To:

Customer: Trent & Ria Kitsch

Job Name: 4104 The Strand

Address: 217 9th Street

Address: 4104 The Strand

City: Manhattan Beach Zip: 90266

City: Manhattan Beach Zip: 90266

E-Mail: trentkitsch@gmail.com Phone: (250) 317-5140

Contact: Trent Kitsch Cell: (250) 317-5140

### Order Description

Fleetwood - Ref. Quote # 62	\$318,380.71
-----------------------------	--------------

Approximate 8 - 10 week lead time	
-----------------------------------	--

Factory delivered directly to job site by Fleetwood	
---	--

50% deposit required to place order = \$175,405.91	
--	--

\*\*\*Please review your order carefully & let us know if there is anything you do not understand\*\*\*

Customer Account Type: <b>C.O.D. (Deposit Required / Balance Due on Delivery)</b>	Subtotal: \$318,380.71
---	------------------------

Order Payment Schedule: <b>50% Deposit due at time of order</b>	Taylor Brothers Delivery: \$0.00
---	----------------------------------

50% Balance due on or before delivery	Tax: 9.50% \$30,246.17
---------------------------------------	------------------------

Direct Delivery by Vendor:	\$2,184.94
----------------------------	------------

<b>Grand Total:</b>	<b>\$350,811.82</b>
---------------------	---------------------

### Terms & Conditions

- 1.) Customer understands that this contract is for SPECIAL ORDER materials. Customer understands and agrees to ALL of the specifications in this order and any attached detail pages. Customer understands that these items CANNOT be cancelled, returned, or exchanged.
- 2.) Customer agrees to pay in full for all items built to the specifications in this special order.
- 3.) Customer understands that it is their sole responsibility to verify that all details in this order are correct and will satisfy their local building code requirements. This includes, but is not limited to: Title 24, tempering, egress, fall prevention, & fire zone requirements.
- 4.) For C.O.D. accounts, a 50% deposit is due at the time the order is signed. The remaining balance is due on or before final delivery.
- 5.) We will provide CURBSIDE DELIVERY to your jobsite. Customer understands they must provide adequate man-power to off-load the products at the scheduled delivery time. Our delivery coordinator will advise you on the amount of people needed to safely unload.
- 6.) When orders arrive at our warehouse you MUST take delivery or willcall the products within 2 weeks of notification. We are unable to store products beyond two weeks due to space constraints. This also applies to partial orders that have back-orders.
- 7.) Customer understands that we will not be responsible for missing or damaged product if no one is present or willing to sign at delivery.
- 8.) Customer understands that all lead-times are approximate and dependent upon our suppliers. There is NO guarantee of a specific delivery date. Customer waives any claim for incidental or consequential damages because of delays in the delivery of this order.
- 9.) This quotation / contract is for building materials only. Installation is NOT included and Taylor Brothers is NOT a contractor.
- 10.) Due to fluctuations in raw material costs the pricing in this quotation / contract is only valid for 30 days.
- 11.) Euroline Steel orders cannot be canceled in whole or in part. If customer cancels this order prior to commencement of production of goods, customer acknowledges they will forfeit their deposit as liquidated damages. If customer cancels after commencement of production of goods, customer shall be responsible for the full contract price of the goods.
- 12.) We accept cash, check, or credit card for payment. Credit cards are capped at \$35,000 per project. Customer agrees to pay a 2.5% surcharge for any amount that exceeds the project cap of \$35,000.

\*\*\*I have reviewed this special order contract, including all detail pages, and have verified the order information to be correct.\*\*\*

Accepted By: Trent Kitsch

Title: \_\_\_\_\_ Date: 10/03/2024

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE****PROPOSAL #62, DETAIL REPORT version 1**

Phone: 949-620-0200

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

ver: 1

Quote#

62

**Customer:** Trent Kitsch

# 12

**Office Address:****Phone:** (250) 317-5140

trentkitsch@gmail.com

Call time: \_\_\_\_\_ contact:

**Shipping Address:**4104 The Strand,  
Manhattan Beach, CA 90266**Net Frame Dimension in inches: (width x height)**  
**Unless otherwise noted, all frames are viewed from exterior!**

Est. Lead Time: 8-10 Weeks

PO:

Contact: Ryan Chinnici

Job Name: 4104 The Strand

Quoted By: CristinaM

Quote Date: 9/27/2024

**Comments:****Notes:****ITEM: 1-0      SERIES 3800-T OOO-GTF**

Finish: CLASS I, BLACK ANODIZED (BR1)

Frame: Nail-On (Assembled)

Glazing: 1": Clear Cardinal 366 6mm-T,0.5argon,Clear 6mm-T  
(Not Glazed)

Spacer: CLR5BE4C366T

Room Ref: W205A - Entry Hall

Weight/lb: 847.99      Cube/ft: 60.63

Viewed from Exterior  
NFW=144 x NFH= 106.875**QTY      Each      Resale Price****1      \$8,421.43      \$8,421.43**

\*add'l chgs on total page

Option Name	Option
Customer	Mulled sections NOT incl. in Structural_Rating
Customer	Installer to remove nail-fin prior to installation
Energy_NFRC	U-Value:0.31_SHGC:0.24
Energy_Simulated	U-Value:0.30_SHGC:0.27
Glass	Wood Crate
Glazing	Outside
Jamb Mull	Yes-(3000,3000-T,3900-T,3800-T,4400-T)
SillPan	No
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Thermal_Frame	Yes
Warranty:	Product Requires Sillpan
Water_Rating	Performance varies

**Notes:**

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE**

Phone: 949-620-0200

**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

ver: 1

Quote#

62



ITEM: 1-96

I-Mullion (Thermal) (SW\_DEPT) - 3082

Length: 106.875in.

QTY

Finish: CLASS I, BLACK ANODIZED

1

TK

Part #: 3082

Type: Extrusion

\*add'l chgs on total page

Option Name	Option
Customer	1. Window/Door sizes to be adjusted
Customer	1. by Dealer to fit Rough Opening
Customer	2. Requires Full length R.O. Sill Pan
Customer	3. Installer to notch mullion over pan edge
Customer	4. Installer to remove nail fins if applicable
Customer	Review Installation Instructions
Customer	1. A sales drawing should be ordered to verify
Customer	2. wind load, dead load, etc. of field combinations

ITEM: 1-97

Q-Lon Foam Seal .250 x 0.270()-  
(DEPT)(330-T;3800-T;) - ID:19120

(Qty in FT)

QTY

37

Part #: ID:19120

Type: Hardware

\*add'l chgs on total page

ITEM: 1-99

- WOOD\_CRATE

QTY

1

\*add'l chgs on total page

Option Name	Option
Customer	WOOD_CRATED glass is not inspected by the factory

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE****Phone:** 949-620-0200**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

**ver: 1****Quote#****62****ITEM:2-0      SERIES 350-T C/O\***

Finish: CLASS I, BLACK ANODIZED (BR1)

Hardware: **BLACK**

Frame: Nail-On (Assembled)

Glazing: 1": Clear Cardinal 366 6mm-T,0.5argon,Clear 6mm-T  
(Glazed)

Spacer: CLR5BE4C366T

Viewed from Exterior  
NFW=30 x NFH= 106.875**QTY      Each      Resale Price****1      \$2,535.30      \$2,535.30****TK** init.

\*add'l chgs on total page

**Room Ref:** W203A - M. Bath**Weight/lb:** 187.14      **Cube/ft:** 10.10Structural Options:  
(Sill-Tdl-cl)\_42.000-HEIGHT

Option Name	Option
Csmt-Handle	1 Cam w/Multi-Point Latch
Csmt-Hinge_Loc	Left
Csmt-Hinge_type	4-Bar (SS)
Csmt-Limit_Device	No
Csmt-Screens	None
Customer	Cam handle at 20in. (nominal)
Customer	Multipoint at 7in. (nominal)
Customer	Vent to open approx. 80 deg
Customer	Lite < 16 sqft
Energy_NFRC	U-Value:0.48_SHGC:0.19
Energy_Simulated	U-Value:0.42_SHGC:0.20
SillPan	Yes
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Thermal_Frame	Yes
Water_Rating	Performance varies


**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE****Phone:** 949-620-0200**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

**ver: 1****Quote#****62****ITEM:3-0 SERIES 4400-T H (OUTSWING)****QTY Each Resale Price****Finish:** CLASS I, BLACK ANODIZED (BR1)Viewed from Exterior  
NFW=66 x NFH= 108.875**1** \$14,796.41 \$14,796.41**Frame:** Nail-On (Field Assembled)**Glazing:** 1": Clear Cardinal 366 6mm-T,0.5argon,Clear 6mm-T  
(Glazed)**Spacer:** CLR5BE4C366T**TK** init.

\*add'l chgs on total page

**Room Ref:** D2033 - M. Bath**Weight/lb:** 438.72 **Cube/ft:** 26.14

Option Name	Option
Actuator	Archetype Wide, Black
Actuator Height	54"(bottom of panel)
Added_Seal	Bottom Rail Sweep (mohair)
Arche-Duct	1/2in. side drain to exterior (OPT-E2)
Closer_Type	In-Rail, 90 Deg. Opening, Soft Hold Open
Customer	NFH measured from finished floor
Customer	Installer to verify anchoring at pivot point
Customer	Second latch/strike included
Cylinders	None
Drain_from_Edge	6in.
Drain_Spacing	As required (60in. Max)
Energy_NFRC	U-Value:0.43_SHGC:0.19
Energy_Simulated	U-Value:0.37_SHGC:0.22
Handle_Pull	No Pulls
Hardware_type	Archetype
Pivot_Distance	9
Pivot_Location	Left
Sill	Arche-Duct 2 in.
SillPan_height	1.1875in. (Low Profile Arche-Duct)
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Swing	Outside
Water_Rating	Performance varies

FLEETWOOD CERTIFIED PROPOSAL**TAYLOR BROS ARCH PRODUCTS-IRVINE****Phone:** 949-620-0200**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

**ver: 1****Quote#****62**

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE**

Phone: 949-620-0200

**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

ver: 1

Quote#

62

**ITEM: 4-0 SERIES 3050 PXXXVXXP**

QTY Each Resale Price

1 \$38,689.75 \$38,689.75

Finish: CLASS I, BLACK ANODIZED (BR1)  
Hardware: **Black Painted Stainless Steel**  
Frame: Block (Field Assembled)  
Glazing: 1": Clear Cardinal 366 6mm-T, 0.5argon, Clear 6mm-T (Glazed)

Viewed from Exterior  
Corner (Outside)-std (90degree)  
Leg1 D/O=153.25  
Leg2 D/O=122.625  
~NFW=208.25 Pkt:55.25v185.625 P:63.25  
NFH=109

Spacer: CLR5BE4C366T


Screens: None

Room Ref: D2011 / D2012 - M. Bed

Weight/lb: 1764.63 Cube/ft: 58.42


TK init.

\*add'l chgs on total page



Option Name	Option
Active side	Left (default)
Actuator	Archetype Narrow
Actuator Height	46.875"(nominal 46in. from finished floor)
Caution	Frame track to be spliced
Customer	Height includes Subsill-Blocks/Pan
Customer	Purchaser elects against Narrow HP-one Interlocks
Customer	Arche-Duct- spliced, field joined and sealed
Customer	Edge pulls in corner doors will be exposed
Customer	Second latch/strike included
Cylinders	None
Door Collectors	No
Drain_from_Edge	8in.
Drain_Spacing	60in.
Edge_Pull	Yes
Electronic_Magnets	None
Energy_NFRC	U-Value:0.49_SHGC:0.23
Energy_Simulated	U-Value:0.38_SHGC:0.25
Geometry	Corner (Outside)-std
Handle	Archetype Narrow
Interlockers	Narrow
Jobsite Sill Protector	No
MtgStiles	Standard
Pocket_Closer	Yes
Pocket_Interlocker	2 Piece (STD)
Pocket_Jambs	No
Pocket_SL_extender	2.5in (Archetype Narrow) Interlocker
Pocket_type	Standard (closed wall)
Screen Collectors	No
Sill	Arche-Duct, Non-Staggered
SillPan	1/2in. side drain to exterior (OPT-E2)
SillPan_height	1.375in. (Arche-Duct)
Stacks to	The Interior (of the left panel)
Structural_Rating	Pending
Top Rail	Standard (narrow)
Water_Rating	Pending

Plan View  
Track illustration shown at corner only



EXTERIOR

- Archetype actuator shown
- 1 inch glass shown
- Includes Custom Pocket Closer (not shown)
- Corner Tolerance: = + or - 2 degrees
- Leg1:Frame depth: 5.724 inches
- Leg1:Arche-Duct depth: 6.4375 inches to outside of pan
- Leg1:Arche-Duct width: 208.625 inches to outside of pan
- Leg1\_Pocket Depth: 6.474 inches (2piece interlocker)
- Leg2:Frame depth: 3.816 inches
- Leg2:Arche-Duct depth: 4.5625 inches to outside of pan
- Leg2:Arche-Duct width: 186 inches to outside of pan
- Leg2\_Pocket Depth: 4.566 inches (2piece interlocker)
- Tolerance: = + or - 2 degrees
- 2piece interlocker is setback 1 inch from Daylight Opening.
- Review drawings online for additional dimensions
- CUSTOMER TO CONFIRM STACKING AND CONFIGURATION

TRENT KITSCH Date: 10/03/2024

\*\*REQUIRED SIGNATURE:

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE****Phone:** 949-620-0200**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

**ver: 1****Quote#****62****ITEM: 5-0      SERIES 350-T O-GTF**

Finish: CLASS I, BLACK ANODIZED (BR1)

Frame: Nail-On (Assembled)

Glazing: 1": Clear Cardinal 366 6mm-T, 0.5 argon, Clear 6mm-T (Glazed)

Spacer: CLR5BE4C366T

Viewed from Exterior  
NFW=48 x NFH= 66**QTY      Each      Resale Price****1      \$1,345.49      \$1,345.49****TK** init.

\*add'l chgs on total page

**Room Ref:** W201B - M. Bed**Weight/lb:** 172.20      **Cube/ft:** 9.59

Option Name	Option
Customer	GTF Lite < 30 sqft
Energy_NFRC	U-Value:0.34_SHGC:0.24
Energy_Simulated	U-Value:0.34_SHGC:0.24
Glazing	Outside
SillPan	Yes
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Thermal_Frame	Yes
Water_Rating	Performance varies



**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE****Phone:** 949-620-0200**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

**ver: 1****Quote#****62****ITEM:6-0 SERIES 350-T C**

Finish: CLASS I, BLACK ANODIZED (BR1)

Hardware: **BLACK**

Frame: Nail-On (Assembled)

Glazing: 1": Clear Cardinal 366 6mm-T,0.5argon,Clear 6mm-T  
(Glazed)

Spacer: CLR5BE4C366T

**Room Ref:** W201A - M. Bed**Weight/lb:** 97.69**Cube/ft:** 5.48Viewed from Exterior  
NFW=24 x NFH= 66**QTY Each Resale Price****1 \$1,454.35 \$1,454.35****TK** init.

\*add'l chgs on total page

Option Name	Option
Csmt-Handle	1 Cam w/Multi-Point Latch
Csmt-Hinge_Loc	Right
Csmt-Hinge_type	4-Bar (SS)
Csmt-Limit_Device	No
Csmt-Screens	None
Customer	Cam handle at 20in. (nominal)
Customer	Multipoint at 7in. (nominal)
Customer	Lite < 16 sqft
Energy_NFRC	U-Value:0.48_SHGC:0.19
Energy_Simulated	U-Value:0.48_SHGC:0.18
SillPan	Yes
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Thermal_Frame	Yes
Water_Rating	Performance varies

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE****Phone:** 949-620-0200**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

**ver: 1****Quote#****62****ITEM:7-0      SERIES 350-T C**


Finish: CLASS I, BLACK ANODIZED (BR1)

Hardware: **BLACK**

Frame: Nail-On (Assembled)

Glazing: 1": Clear Cardinal 366 6mm-T,0.5argon,Clear 6mm-T  
(Glazed)

Spacer: CLR5BE4C366T

**Room Ref:** W204A - M. Closet**Weight/lb:** 104.33      **Cube/ft:** 5.70Viewed from Exterior  
NFW=36 x NFH= 48**QTY      Each      Resale Price****1      \$1,501.88      \$1,501.88****TK** init.

\*add'l chgs on total page

Option Name	Option
Csmt-Handle	1 Cam w/Multi-Point Latch
Csmt-Hinge_Loc	Right
Csmt-Hinge_type	4-Bar (SS)
Csmt-Limit_Device	No
Csmt-Screens	None
Customer	Cam handle at 20in. (nominal)
Customer	Multipoint at 7in. (nominal)
Customer	Vent to open approx. 80 deg
Customer	Lite < 16 sqft
Energy_NFRC	U-Value:0.48_SHGC:0.19
Energy_Simulated	U-Value:0.44_SHGC:0.19
SillPan	Yes
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Thermal_Frame	Yes
Water_Rating	Performance varies

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE****Phone:** 949-620-0200**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)


**ver: 1****Quote#****62****ITEM: 8-0      SERIES 3800-T OOO-GTF**

Finish: CLASS I, BLACK ANODIZED (BR1)

Frame: Nail-On (Assembled)

Glazing: 1": Clear Cardinal 366 6mm-T, 0.5argon, Clear 6mm-T  
(Not Glazed)

Spacer: CLR5BE4C366T

**Room Ref:** W200A - Stairs**Weight/lb:** 841.22      **Cube/ft:** 59.64Viewed from Exterior  
NFW=144 x NFH= 105**QTY      Each      Resale Price****1      \$8,040.94      \$8,040.94****TK** init.

\*add'l chgs on total page

Option Name	Option
Energy_NFRC	U-Value:0.31_SHGC:0.24
Energy_Simulated	U-Value:0.30_SHGC:0.27
Glass	Wood Crate
Glazing	Outside
SillPan	Yes
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Thermal_Frame	Yes
Water_Rating	Performance varies

**ITEM: 8-99      - WOOD CRATE****QTY****1**

\*add'l chgs on total page

Option Name	Option
Customer	WOOD_CRATED glass is not inspected by the factory

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE****Phone:** 949-620-0200**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

**ver: 1****Quote#****62****ITEM:9-0 SERIES 350-T A**


Finish: CLASS I, BLACK ANODIZED (BR1)

Hardware: **BLACK**

Frame: Nail-On (Assembled)

Glazing: 1": Clear Cardinal 366 6mm-T,0.5argon,Clear 6mm-T  
(Glazed)

Spacer: CLR5BE4C366T

**Room Ref:** W207B - Garage**Weight/lb:** 52.58**Cube/ft:** 3.06Viewed from Exterior  
NFW=36 x NFH= 22**QTY Each Resale Price****1 \$1,067.46 \$1,067.46****TK** init.

\*add'l chgs on total page

Option Name	Option
Awng-Handle	Cam (4-Bar)
Awng-Hinge_type	4-Bar (SS)
Awng-Limit_Device	No
Awng-Screens	None
Customer	Vent to open approx. 80 deg
Customer	Lite < 16 sqft
Energy_NFRC	U-Value:0.48_SHGC:0.19
Energy_Simulated	U-Value:0.52_SHGC:0.16
SillPan	Yes
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Thermal_Frame	Yes
Water_Rating	Performance varies

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE****Phone:** 949-620-0200**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

**ver: 1****Quote#****62****ITEM: 10-0      SERIES 350-T A**


Finish: CLASS I, BLACK ANODIZED (BR1)

Hardware: **BLACK**

Frame: Nail-On (Assembled)

Glazing: 1": Clear Cardinal 366 6mm-T, 0.5 argon, Clear 6mm-T  
(Glazed)

Spacer: CLR5BE4C366T

**Room Ref:** W207C - Garage**Weight/lb:** 52.58      **Cube/ft:** 3.06Viewed from Exterior  
NFW=36 x NFH= 22**QTY      Each      Resale Price****1      \$1,067.46      \$1,067.46****TK** init.

\*add'l chgs on total page

Option Name	Option
Awng-Handle	Cam (4-Bar)
Awng-Hinge_type	4-Bar (SS)
Awng-Limit_Device	No
Awng-Screens	None
Customer	Vent to open approx. 80 deg
Customer	Lite < 16 sqft
Energy_NFRC	U-Value:0.48_SHGC:0.19
Energy_Simulated	U-Value:0.52_SHGC:0.16
SillPan	Yes
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Thermal_Frame	Yes
Water_Rating	Performance varies

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE****PROPOSAL #62, DETAIL REPORT version 1**

Phone: 949-620-0200

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

ver: 1

Quote#

62

Notes: **Frames Only****Inside Glazed: see Installation Instructions (Additional Glazing Procedure)****ITEM: 11-0 SERIES 3200-T H (INSWING)**

Finish: CLASS I, BLACK ANODIZED (BR1)

Frame: Nail-On (Assembled)

Glazing: No Glass/No Vinyl (Not Glazed)

Spacer: Bronze Aluminum

KD\_5\_NO\_VINYL

Viewed from Exterior  
Clear Opening=31.3125  
FRAMES ONLY  
NFW=37.5 x NFH= 85


QTY	Each	Resale Price
1	\$1,372.55	\$1,372.55

TK init.  
\*add'l chgs on total page

Room Ref: D2072 - Garage (FRAME ONLY)

Weight/lb: 46.45

Cube/ft: 28.75



Option Name	Option
Caution	Minimal frame requires care when operating
COMPONENTS	All (per configuration)
Customer	Includes frame and panel hinges (sent loose)
Customer	Frame prepped for hinges
Customer	No Hardware/Strike only
Customer	Frame not designed to work with other panels (Fram
Handle	FSB 1076 Powder Coated BLACK
Handle_Height	36.125in. from bottom of panel
Hardware_type	3-Point
Hinge_Finish	Black
Hinge_loc	Left
Hinge_Set_Spacing	24in. b/w top and bottom hinge sets
SDL_Lockbox	No
Sill	Standard 1.5 in.
SillPan	Yes
Swing	Inside
Water_Rating	Not designed for Water Performance

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE**

Phone: 949-620-0200

**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

ver: 1

Quote#

62

**ITEM: 12-0 SERIES 3800-T O-GTF**

Finish: CLASS I, BLACK ANODIZED (BR1)

Viewed from Exterior  
NFW=24 x NFH= 85

QTY	Each	Resale Price
1	\$2,738.83	\$2,738.83

Frame: Nail-On (Assembled)

Glazing: 1": Cardinal 366 6mm-T,0.5argon,Acid Etch 6mm-T  
(Glazed)Spacer: CLR5A366ACDT  
GTK init.  
\*add'l chgs on total page

Room Ref: D2072 - Garage Sidelite

Weight/lb: 121.84 Cube/ft: 10.33

Option Name	Option
Customer	Mulled sections NOT incl. in Structural_Rating
Customer	Head flashing recommended
Customer	Installer to remove nail-fin prior to installation
Customer	Block sillpan included
Energy_NFRC	U-Value:0.31_SHGC:0.24
Energy_Simulated	U-Value:0.42_SHGC:0.24
Glazing	Outside
Jamb Mull	Yes-(3000,3000-T,3900-T,3800-T,4400-T)
SillPan	No
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Thermal_Frame	yes
Warranty:	Product Requires Sillpan
Water_Rating	Performance varies

**ITEM: 12-96 I-Mullion (Thermal) (SW DEPT) - 3082**

Length: 82in.

QTY

1

TK

Finish: CLASS I, BLACK ANODIZED

Part #: 3082

Type: Extrusion

\*add'l chgs on total page

Option Name	Option
Customer	1. Window/Door sizes to be adjusted
Customer	1. by Dealer to fit Rough Opening
Customer	2. Requires Full length R.O. Sill Pan
Customer	3. Installer to notch mullion over pan edge
Customer	4. Installer to remove nail fins if applicable
Customer	Review Installation Instructions
Customer	1. A sales drawing should be ordered to verify
Customer	2. wind load,dead load,etc. of field combinations

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE**

Phone: 949-620-0200

**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

ver: 1

Quote#

62

ITEM: 12-97 Continuous-3800-Block SILL PAN  
(requires drawing) - SP3800B

Length: 62.875in.

QTY

Finish: CLASS I, BLACK ANODIZED

1

Part #: SP3800B

Type: MISC\_LENGTHS

\*add'l chgs on total page

ITEM: 12-98 Q-Lon Foam Seal .250 x 0.270(-)  
(DEPT)(330-T;3800-T;) - ID:19120

(Qty in FT)

QTY

28

Part #: ID:19120

Type: Hardware

\*add'l chgs on total page

## ITEM:13-0 SERIES 350-T O-GTF

Finish: CLASS I, BLACK ANODIZED (BR1)

Viewed from Exterior  
NFW=36 x NFH= 80

QTY

Each

Resale Price

1

\$1,594.65

\$1,594.65

Frame: Nail-On (Assembled)

Glazing: 1": Cardinal 366 6mm-T,0.5argon,Acid Etch 6mm-T  
(Glazed)Spacer: CLR5A366ACDT  
G

TK init.

\*add'l chgs on total page

Room Ref: W207A - Garage

Weight/lb: 157.23 Cube/ft: 8.96

Option Name	Option
Customer	GTF Lite < 30 sqft
Energy_NFRC	U-Value:0.34_SHGC:0.24
Energy_Simulated	U-Value:0.35_SHGC:0.23
Glazing	Outside
SillPan	Yes
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Thermal_Frame	Yes
Water_Rating	Performance varies



**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE**

Phone: 949-620-0200

**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

ver: 1

Quote#

62

**ITEM:14-0 SERIES 350-T O-GTF**

Finish: CLASS I, BLACK ANODIZED (BR1)

Frame: Nail-On (Assembled)

Glazing: 1": Cardinal 366 6mm-T,0.5argon,Acid Etch 6mm-T  
(Glazed)Spacer: CLR5A366ACDT  
GViewed from Exterior  
NFW=40 x NFH= 80**QTY Each Resale Price****1 \$1,720.22 \$1,720.22**

TK init.

\*add'l chgs on total page

Room Ref: W206A - Laundry

Weight/lb: 173.88 Cube/ft: 9.78

Option Name	Option
Customer	GTF Lite < 30 sqft
Energy_NFRC	U-Value:0.34_SHGC:0.24
Energy_Simulated	U-Value:0.34_SHGC:0.24
Glazing	Outside
SillPan	Yes
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Thermal_Frame	Yes
Water_Rating	Performance varies


**ITEM:15-0 SERIES 3800-T OOO-GTF**

Finish: CLASS I, BLACK ANODIZED (BR1)

Frame: Nail-On (Assembled)

Glazing: 1": Clear Cardinal 366 6mm-T,0.5argon,Clear 6mm-T  
(Not Glazed)

Spacer: CLR5BE4C366T

Viewed from Exterior  
NFW=144 x NFH= 102**QTY Each Resale Price****1 \$7,870.73 \$7,870.73**

TK init.

\*add'l chgs on total page

Room Ref: W300A - Stairs

Weight/lb: 818.15 Cube/ft: 58.06

Option Name	Option
Energy_NFRC	U-Value:0.31_SHGC:0.24
Energy_Simulated	U-Value:0.30_SHGC:0.26
Glass	Wood Crate
Glazing	Outside
SillPan	Yes
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Thermal_Frame	Yes
Water_Rating	Performance varies

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE****Phone:** 949-620-0200**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

**ver: 1****Quote#****62****ITEM: 15-99 - WOOD\_CRATE****QTY****1**

\*add'l chgs on total page

Option Name	Option
Customer	WOOD_CRATED glass is not inspected by the factory

**ITEM: 16-0 SERIES 350-T A**


Finish: CLASS I, BLACK ANODIZED (BR1)

Hardware: **BLACK**

Frame: Nail-On (Assembled)

Glazing: 1": Clear Cardinal 366 6mm-T,0.5argon,Clear 6mm-T (Glazed)

Spacer: CLR5BE4C366T

Viewed from Exterior  
NFW=36 x NFH= 52**QTY****Each****Resale Price****1****\$1,516.28****\$1,516.28****TK** init.

\*add'l chgs on total page

**Room Ref:** W311A - Powder**Weight/lb:** 111.05 **Cube/ft:** 6.11

Option Name	Option
Awng-Handle	Cam (4-Bar)
Awng-Hinge_type	4-Bar (SS)
Awng-Limit_Device	Yes (4in. limit)
Awng-Screens	None
Customer	Limit device impedes operation
Customer	Window opening limited to 4in
Customer	Lite < 16 sqft
Energy_NFRC	U-Value:0.48_SHGC:0.19
Energy_Simulated	U-Value:0.43_SHGC:0.20
SillPan	Yes
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Thermal_Frame	Yes
Water_Rating	Performance varies

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE****Phone:** 949-620-0200**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

**ver: 1****Quote#****62****ITEM: 17-0 SERIES 350-T O-GTF****Finish:** CLASS I, BLACK ANODIZED (BR1)**Frame:** Nail-On (Assembled)**Glazing:** 1": Clear Cardinal 366 6mm-T, 0.5argon, Clear 6mm-T (Glazed)**Spacer:** CLR5BE4C366T**Room Ref:** W311B - Powder**Weight/lb:** 46.45 **Cube/ft:** 3.00Viewed from Exterior  
NFW=36 x NFH= 21.5**QTY Each Resale Price****1 \$658.29 \$658.29****TK** init.

\*add'l chgs on total page

Option Name	Option
Customer	GTF Lite < 30 sqft
Energy_NFRC	U-Value:0.34_SHGC:0.24
Energy_Simulated	U-Value:0.44_SHGC:0.20
Glazing	Outside
SillPan	Yes
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Thermal_Frame	Yes
Water_Rating	Performance varies

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE****Phone:** 949-620-0200**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

**ver: 1****Quote#****62****ITEM: 18-0      SERIES 350-T C**


Finish: CLASS I, BLACK ANODIZED (BR1)

Hardware: **BLACK**

Frame: Nail-On (Assembled)

Glazing: 1": Clear Cardinal 366 6mm-T, 0.5 argon, Clear 6mm-T  
(Glazed)

Spacer: CLR5BE4C366T

**Room Ref:** W310A - Living**Weight/lb:** 118.19      **Cube/ft:** 6.11Viewed from Exterior  
NFW=36 x NFH= 52**QTY      Each      Resale Price****1      \$1,917.45      \$1,917.45****TK** init.

\*add'l chgs on total page

Option Name	Option
Caution	Four Butt Hinges
Csmt-Handle	Folding (Roto) w/Stainless Arm
Csmt-Hinge_Loc	Left
Csmt-Hinge_type	Butt Hinges (4), Black
Csmt-Limit_Device	WOCD
Csmt-Screens	Flat w/Screen Clips, UltraVue Mesh
Csmt-Scrn_Hdwr	Screen_Clips_S.S._Black
Customer	Lite < 16 sqft
Energy_NFRC	U-Value:0.48_SHGC:0.19
Energy_Simulated	U-Value:0.43_SHGC:0.20
SillPan	Yes
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Thermal_Frame	Yes
Water_Rating	Performance varies

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE****Phone:** 949-620-0200**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

**ver: 1****Quote#****62****ITEM: 19-0 SERIES 350-T O-GTF****Finish:** CLASS I, BLACK ANODIZED (BR1)**Frame:** Nail-On (Assembled)**Glazing:** 1": Clear Cardinal 366 6mm-T, 0.5argon, Clear 6mm-T (Glazed)**Spacer:** CLR5BE4C366TViewed from Exterior  
NFW=36 x NFH= 21.5**QTY Each Resale Price****1 \$658.29 \$658.29****TK** init.

\*add'l chgs on total page

**Room Ref:** W310B - Living**Weight/lb:** 46.45 **Cube/ft:** 3.00

Option Name	Option
Customer	GTF Lite < 30 sqft
Energy_NFRC	U-Value:0.34_SHGC:0.24
Energy_Simulated	U-Value:0.44_SHGC:0.20
Glazing	Outside
SillPan	Yes
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Thermal_Frame	Yes
Water_Rating	Performance varies

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE****Phone:** 949-620-0200**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

**ver: 1****Quote#****62****ITEM:20-0 SERIES 350-T C**


Finish: CLASS I, BLACK ANODIZED (BR1)

Hardware: **BLACK**

Frame: Nail-On (Assembled)

Glazing: 1": Clear Cardinal 366 6mm-T,0.5argon,Clear 6mm-T  
(Glazed)

Spacer: CLR5BE4C366T

**Room Ref:** W309A - Living**Weight/lb:** 118.19 **Cube/ft:** 6.11Viewed from Exterior  
NFW=36 x NFH= 52**QTY Each Resale Price****1 \$1,917.45 \$1,917.45****TK** init.

\*add'l chgs on total page

Option Name	Option
Caution	Four Butt Hinges
Csmt-Handle	Folding (Roto) w/Stainless Arm
Csmt-Hinge_Loc	Left
Csmt-Hinge_type	Butt Hinges (4), Black
Csmt-Limit_Device	WOCD
Csmt-Screens	Flat w/Screen Clips, UltraVue Mesh
Csmt-Scrn_Hdwr	Screen_Clips_S.S._Black
Customer	Lite < 16 sqft
Energy_NFRC	U-Value:0.48_SHGC:0.19
Energy_Simulated	U-Value:0.43_SHGC:0.20
SillPan	Yes
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Thermal_Frame	Yes
Water_Rating	Performance varies

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE****Phone:** 949-620-0200**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

**ver: 1****Quote#****62****ITEM:21-0 SERIES 350-T O-GTF****Finish:** CLASS I, BLACK ANODIZED (BR1)**Frame:** Nail-On (Assembled)**Glazing:** 1": Clear Cardinal 366 6mm-T,0.5argon,Clear 6mm-T (Glazed)**Spacer:** CLR5BE4C366TViewed from Exterior  
NFW=36 x NFH= 21.5**QTY Each Resale Price****1 \$658.29 \$658.29****TK** init.

\*add'l chgs on total page

**Room Ref:** W309B - Living**Weight/lb:** 46.45 **Cube/ft:** 3.00

Option Name	Option
Customer	GTF Lite < 30 sqft
Energy_NFRC	U-Value:0.34_SHGC:0.24
Energy_Simulated	U-Value:0.44_SHGC:0.20
Glazing	Outside
SillPan	Yes
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Thermal_Frame	Yes
Water_Rating	Performance varies

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE****Phone:** 949-620-0200**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

**ver: 1****Quote#****62****ITEM:22-0 SERIES 350-T A/O\*****QTY Each Resale Price**

Finish: CLASS I, BLACK ANODIZED (BR1)

Viewed from Exterior  
NFW=42 x NFH= 83.75**1 \$3,562.59 \$3,562.59**Hardware: **BLACK**

Frame: Nail-On (Assembled)

Glazing: 1": Cardinal 366 6mm-T,0.5argon,Acid Etch 6mm-T  
(Glazed)Spacer: CLR5A366ACDT  
G**TK** init.

\*add'l chgs on total page

**Room Ref:** W308A - Bed 4 Bath**Weight/lb:** 203.61 **Cube/ft:** 10.62Structural Options:  
(Sill-Tdl-cl)\_32.000-HEIGHT

Option Name	Option
Awng-Handle	Cam w/Multi-Point Latches on Jambs
Awng-Hinge_type	4-Bar (SS)
Awng-Limit_Device	No
Awng-Screens	None
Customer	Vent to open approx. 45 deg
Energy_NFRC	U-Value:0.48_SHGC:0.19
Energy_Simulated	U-Value:0.38_SHGC:0.22
SillPan	Yes
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Thermal_Frame	Yes
Water_Rating	Performance varies



**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE****Phone:** 949-620-0200**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

**ver: 1****Quote#****62****ITEM:23-0 SERIES 350-T O-GTF**

Finish: CLASS I, BLACK ANODIZED (BR1)

Frame: Nail-On (Assembled)

Glazing: 1": Cardinal 366 6mm-T,0.5argon,Acid Etch 6mm-T  
(Glazed)Spacer: CLR5A366ACDT  
GViewed from Exterior  
NFW=42 x NFH= 21.5**QTY Each Resale Price****1 \$804.40 \$804.40****TK** init.

\*add'l chgs on total page

**Room Ref:** W308B - Bed 4 Bathroom**Weight/lb:** 53.75 **Cube/ft:** 3.41

Option Name	Option
Customer	GTF Lite < 30 sqft
Energy_NFRC	U-Value:0.34_SHGC:0.24
Energy_Simulated	U-Value:0.43_SHGC:0.20
Glazing	Outside
SillPan	Yes
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Thermal_Frame	Yes
Water_Rating	Performance varies

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE****Phone:** 949-620-0200**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

**ver: 1****Quote#****62****ITEM:24-0 SERIES 350-T O/O-GTF\*****QTY Each Resale Price**

Finish: CLASS I, BLACK ANODIZED (BR1)

Viewed from Exterior  
NFW=60 x NFH= 83.75**1** \$2,117.35 \$2,117.35

Frame: Nail-On (Assembled)

Glazing: 1": Clear Cardinal 366 6mm-T,0.5argon,Clear 6mm-T  
(Glazed)

Spacer: CLR5BE4C366T

**TK** init.

\*add'l chgs on total page

**Room Ref:** W307C - Bed 4**Weight/lb:** 272.78 **Cube/ft:** 14.44Structural Options:  
(Sill-Tdl-cl)\_32.000-HEIGHT

Option Name	Option
Customer	GTF Lite < 30 sqft
Energy_NFRC	U-Value:0.34_SHGC:0.24
Energy_Simulated	U-Value:0.32_SHGC:0.24
Glazing	Outside
SillPan	Yes
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Thermal_Frame	Yes
Water_Rating	Performance varies

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE****Phone:** 949-620-0200**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

**ver: 1****Quote#****62****ITEM:25-0 SERIES 350-T O-GTF****Finish:** CLASS I, BLACK ANODIZED (BR1)**Frame:** Nail-On (Assembled)**Glazing:** 1": Clear Cardinal 366 6mm-T,0.5argon,Clear 6mm-T  
(Glazed)**Spacer:** CLR5BE4C366TViewed from Exterior  
NFW=60 x NFH= 21.5**QTY Each Resale Price****1 \$874.91 \$874.91****TK** init.

\*add'l chgs on total page

**Room Ref:** W307D - Bed 4**Weight/lb:** 75.65 **Cube/ft:** 4.64

Option Name	Option
Customer	GTF Lite < 30 sqft
Energy_NFRC	U-Value:0.34_SHGC:0.24
Energy_Simulated	U-Value:0.41_SHGC:0.21
Glazing	Outside
SillPan	Yes
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Thermal_Frame	Yes
Water_Rating	Performance varies

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE****Phone:** 949-620-0200**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

**ver: 1****Quote#****62****ITEM:26-0 SERIES 350-T C/O\***


Finish: CLASS I, BLACK ANODIZED (BR1)

Hardware: **BLACK**

Frame: Nail-On (Assembled)

Glazing: 1": Clear Cardinal 366 6mm-T,0.5argon,Clear 6mm-T  
(Glazed)

Spacer: CLR5BE4C366T

Viewed from Exterior  
NFW=42 x NFH= 83.75**QTY Each Resale Price****1 \$2,915.24 \$2,915.24****TK** init.

\*add'l chgs on total page

**Room Ref:** W307A - Bed 4**Weight/lb:** 207.95 **Cube/ft:** 10.62Structural Options:  
(Sill-Tdl-cl)\_32.000-HEIGHT

Option Name	Option
Caution	Four Butt Hinges
Csmt-Handle	Folding (Roto) w/Stainless Arm
Csmt-Hinge_Loc	Left
Csmt-Hinge_type	Butt Hinges (4), Black
Csmt-Limit_Device	WOCD
Csmt-Screens	Flat w/Screen Clips, UltraVue Mesh
Csmt-Scrn_Hdwr	Screen_Clips_S.S._Black
Customer	Lite < 16 sqft
Energy_NFRC	U-Value:0.48_SHGC:0.19
Energy_Simulated	U-Value:0.39_SHGC:0.21
SillPan	Yes
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Thermal_Frame	Yes
Water_Rating	Performance varies

FLEETWOOD CERTIFIED PROPOSAL**TAYLOR BROS ARCH PRODUCTS-IRVINE****Phone:** 949-620-0200**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

**ver: 1****Quote#****62****ITEM:27-0      SERIES 350-T O-GTF****Finish:** CLASS I, BLACK ANODIZED (BR1)**Frame:** Nail-On (Assembled)**Glazing:** 1": Clear Cardinal 366 6mm-T,0.5argon,Clear 6mm-T  
(Glazed)**Spacer:** CLR5BE4C366TViewed from Exterior  
NFW=42 x NFH= 21.5**QTY      Each      Resale Price****1      \$712.14      \$712.14****TK** init.

\*add'l chgs on total page

**Room Ref:** W307B - Bed 4**Weight/lb:** 53.75      **Cube/ft:** 3.41

Option Name	Option
Customer	GTF Lite < 30 sqft
Energy_NFRC	U-Value:0.34_SHGC:0.24
Energy_Simulated	U-Value:0.43_SHGC:0.20
Glazing	Outside
SillPan	Yes
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Thermal_Frame	Yes
Water_Rating	Performance varies

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE****Phone:** 949-620-0200**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

**ver: 1****Quote#****62****ITEM:28-0 SERIES 350-T C/O\***


Finish: CLASS I, BLACK ANODIZED (BR1)

Hardware: **BLACK**

Frame: Nail-On (Assembled)

Glazing: 1": Clear Cardinal 366 6mm-T,0.5argon,Clear 6mm-T  
(Glazed)

Spacer: CLR5BE4C366T

Viewed from Exterior  
NFW=42 x NFH= 83.75**QTY Each Resale Price****1 \$2,915.24 \$2,915.24****TK** init.

\*add'l chgs on total page

**Room Ref:** W306A - Dining**Weight/lb:** 207.95 **Cube/ft:** 10.62Structural Options:  
(Sill-Tdl-cl)\_32.000-HEIGHT

Option Name	Option
Caution	Four Butt Hinges
Csmt-Handle	Folding (Roto) w/Stainless Arm
Csmt-Hinge_Loc	Left
Csmt-Hinge_type	Butt Hinges (4), Black
Csmt-Limit_Device	WOCD
Csmt-Screens	Flat w/Screen Clips, UltraVue Mesh
Csmt-Scrn_Hdwr	Screen_Clips_S.S._Black
Customer	Lite < 16 sqft
Energy_NFRC	U-Value:0.48_SHGC:0.19
Energy_Simulated	U-Value:0.39_SHGC:0.21
SillPan	Yes
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Thermal_Frame	Yes
Water_Rating	Performance varies

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE****Phone:** 949-620-0200**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

**ver: 1****Quote#****62****ITEM:29-0 SERIES 350-T O-GTF****Finish:** CLASS I, BLACK ANODIZED (BR1)**Frame:** Nail-On (Assembled)**Glazing:** 1": Clear Cardinal 366 6mm-T,0.5argon,Clear 6mm-T  
(Glazed)**Spacer:** CLR5BE4C366T**Room Ref:** W306B - Dining**Weight/lb:** 53.75 **Cube/ft:** 3.41Viewed from Exterior  
NFW=42 x NFH= 21.5**QTY Each Resale Price****1 \$712.14 \$712.14****TK** init.

\*add'l chgs on total page

Option Name	Option
Customer	GTF Lite < 30 sqft
Energy_NFRC	U-Value:0.34_SHGC:0.24
Energy_Simulated	U-Value:0.43_SHGC:0.20
Glazing	Outside
SillPan	Yes
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Thermal_Frame	Yes
Water_Rating	Performance varies

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE**

Phone: 949-620-0200

**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

ver: 1

Quote#

62

**ITEM:30-0 SERIES 3050 XO**

Finish: CLASS I, BLACK ANODIZED (BR1)  
Hardware: **Black Painted Stainless Steel**  
Frame: Block (Field Assembled)  
Glazing: 1": Clear Cardinal 366 6mm-T,0.5argon,Clear 6mm-T  
(Glazed)

Spacer: CLR5BE4C366T

Screens: None


Room Ref: D3061 - Dining

Weight/lb: 493.25 Cube/ft: 30.30

Viewed from Exterior  
NFW=100 x NFH=85.875

QTY Each Resale Price


1 \$10,925.14 \$10,925.14



TK init.

\*add'l chgs on total page

Option Name	Option
Actuator	Archetype Narrow
Actuator Height	46.875"(nominal 46in. from finished floor)
Customer	Height includes Subsill-Blocks/Pan
Cylinders	None
Door Collectors	No
Drain_from_Edge	8in.
Drain_Spacing	Center Drain (3 drains total)
Edge_Pull	Yes
Electronic_Magnets	None
Energy_NFRC	U-Value:0.51_SHGC:0.23
Energy_Simulated	U-Value:0.49_SHGC:0.23
Fixed Stile	Archetype Narrow 3005(flush stack)
Handle	Archetype Narrow
Interlockers	Standard
Jobsite Sill Protector	No
LockStile	Standard
Screen Collectors	No
Sill	Arche-Duct, Non-Staggered
SillPan	1/2in. side drain to exterior (OPT-E2)
SillPan_height	1.375in. / 2.125in.(High Interior Leg Arche-Duct)
Stacks to	The Exterior (of the left panel)
Structural_Rating	Pending
Top Rail	Standard (narrow)
Water_Rating	Pending



EXTERIOR

- 1 inch glass shown
- Frame depth: 3.816 inches
- Arche-Duct depth: 4.5625 inches to outside of pan
- Arche-Duct width: 100.4375 inches to outside of pan
- Review drawings online for additional dimensions
- CUSTOMER TO CONFIRM STACKING AND CONFIGURATION

TK

\*\*REQUIRED SIGNATURE:

Date: 10/03/2024



**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE**

Phone: 949-620-0200

**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

ver: 1

Quote#

62

**ITEM:31-0 SERIES 3800-T OO-GTF**

Finish: CLASS I, BLACK ANODIZED (BR1)

Frame: Nail-On (Assembled)

Glazing: 1": Clear Cardinal 366 6mm-T,0.5argon,Clear 6mm-T  
(Glazed)

Spacer: CLR5BE4C366T

Room Ref: W306C - Dining

Weight/lb: 137.67 Cube/ft: 11.06

Viewed from Exterior  
NFW=100 x NFH= 21.5

QTY Each Resale Price

1 \$2,500.06 \$2,500.06

TK init.

\*add'l chgs on total page

Option Name	Option
Energy_NFRC	U-Value:0.31_SHGC:0.24
Energy_Simulated	U-Value:0.43_SHGC:0.23
Glazing	Outside
SillPan	Yes
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Thermal_Frame	yes
Water_Rating	Performance varies

**Notes:****ITEM:32-0 SERIES 3800-T OOO-GTF**

Finish: CLASS I, BLACK ANODIZED (BR1)


Frame: Nail-On (Assembled)

Glazing: 1": Clear Cardinal 366 6mm-T,0.5argon,Clear 6mm-T  
(Not Glazed)

Spacer: CLR5BE4C366T

Room Ref: W305A - Dining

Weight/lb: 677.77 Cube/ft: 48.42

Viewed from Exterior  
NFW=144 x NFH= 83.75

QTY Each Resale Price

1 \$6,835.32 \$6,835.32

TK init.

\*add'l chgs on total page

Option Name	Option
Energy_NFRC	U-Value:0.31_SHGC:0.24
Energy_Simulated	U-Value:0.31_SHGC:0.26
Glass	Wood Crate
Glazing	Outside
SillPan	Yes
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Thermal_Frame	Yes
Water_Rating	Performance varies

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE****Phone:** 949-620-0200**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

**ver: 1****Quote#****62**

**Notes:** Glass to be Wood Crated and requires field glazing. (Crate loading and quantities determined by Fleetwood.) Fleetwood does not provide equipment to offload wood crates. Wood Crates may weigh up to 4000lbs.

**ITEM: 32-99 - WOOD CRATE****QTY****1**

\*add'l chgs on total page

Option Name	Option
Customer	WOOD_CRATED glass is not inspected by the factory

**ITEM: 33-0 SERIES 3800-T OOO-GTF****Finish:** CLASS I, BLACK ANODIZED (BR1)**Frame:** Nail-On (Assembled)**Glazing:** 1": Clear Cardinal 366 6mm-T, 0.5argon, Clear 6mm-T (Glazed)**Spacer:** CLR5BE4C366T**Room Ref:** W305B - Dining**Weight/lb:** 197.99 **Cube/ft:** 15.57Viewed from Exterior  
NFW=144 x NFH= 21.5**QTY Each Resale Price****1** \$3,523.60 \$3,523.60**TK** init.


\*add'l chgs on total page

Option Name	Option
Energy_NFRC	U-Value:0.31_SHGC:0.24
Energy_Simulated	U-Value:0.42_SHGC:0.24
Glazing	Outside
SillPan	Yes
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Thermal_Frame	Yes
Water_Rating	Performance varies

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE****Phone:** 949-620-0200**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

**ver: 1****Quote#****62****ITEM: 34-0 SERIES 3800-T OOOO-GTF****QTY Each Resale Price****Finish:** CLASS I, BLACK ANODIZED (BR1)Viewed from Exterior  
NFW=192 x NFH= 101.75**1** \$10,337.31 \$10,337.31**Frame:** Nail-On (Assembled)**Glazing:** 1": Clear Cardinal 366 6mm-T, 0.5argon, Clear 6mm-T  
(Not Glazed)**Spacer:** CLR5BE4C366T**TK** init.

\*add'l chgs on total page

**Room Ref:** W304A - Hall**Weight/lb:** 1086.90 **Cube/ft:** 76.22

Option Name	Option
Customer	Sillpan- spliced, field joined and sealed
Energy_NFRC	U-Value:0.31_SHGC:0.24
Energy_Simulated	U-Value:0.29_SHGC:0.27
Glass	Wood Crate
Glazing	Outside
SillPan	Yes
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Thermal_Frame	Yes
Water_Rating	Performance varies

**ITEM: 34-99 - WOOD\_CRATE****QTY****1**

\*add'l chgs on total page

Option Name	Option
Customer	WOOD_CRATED glass is not inspected by the factory

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE****Phone:** 949-620-0200**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)


**ver: 1****Quote#****62****ITEM:35-0      SERIES 3800-T OOOO-GTF**

Finish: CLASS I, BLACK ANODIZED (BR1)

Frame: Nail-On (Assembled)

Glazing: 1": Clear Cardinal 366 6mm-T,0.5argon,Clear 6mm-T  
(Glazed)

Spacer: CLR5BE4C366T

**Room Ref:** W304B - Hall**Weight/lb:** 263.55      **Cube/ft:** 20.49Viewed from Exterior  
NFW=192 x NFH= 21.5**QTY      Each      Resale Price****1      \$4,603.37      \$4,603.37****TK** init.

\*add'l chgs on total page

Option Name	Option
Customer	Sillpan- spliced, field joined and sealed
Energy_NFRC	U-Value:0.31_SHGC:0.24
Energy_Simulated	U-Value:0.42_SHGC:0.24
Glazing	Outside
SillPan	Yes
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Thermal_Frame	Yes
Water_Rating	Performance varies

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE****Phone:** 949-620-0200**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

**ver: 1****Quote#****62****ITEM:36-0 SERIES 350-T C/O\*****QTY Each Resale Price**


Finish: CLASS I, BLACK ANODIZED (BR1)

Viewed from Exterior  
NFW=30 x NFH= 101.75**1 \$2,476.45 \$2,476.45**Hardware: **BLACK**

Frame: Nail-On (Assembled)

Glazing: 1": Clear Cardinal 366 6mm-T,0.5argon,Clear 6mm-T  
(Glazed)

Spacer: CLR5BE4C366T

**TK** init.

\*add'l chgs on total page

**Room Ref:** W304C - Family**Weight/lb:** 178.74 **Cube/ft:** 9.65Structural Options:  
(Sill-Tdl-cl)\_42.000-HEIGHT

Option Name	Option
Csmt-Handle	1 Cam w/Multi-Point Latch
Csmt-Hinge_Loc	Left
Csmt-Hinge_type	4-Bar (SS)
Csmt-Limit_Device	No
Csmt-Screens	None
Customer	Cam handle at 20in. (nominal)
Customer	Multipoint at 7in. (nominal)
Customer	Vent to open approx. 80 deg
Customer	Lite < 16 sqft
Energy_NFRC	U-Value:0.48_SHGC:0.19
Energy_Simulated	U-Value:0.43_SHGC:0.20
SillPan	Yes
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Thermal_Frame	Yes
Water_Rating	Performance varies

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE****Phone:** 949-620-0200**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

**ver: 1****Quote#****62****ITEM:37-0      SERIES 350-T O-GTF****Finish:** CLASS I, BLACK ANODIZED (BR1)**Frame:** Nail-On (Assembled)**Glazing:** 1": Clear Cardinal 366 6mm-T,0.5argon,Clear 6mm-T  
(Glazed)**Spacer:** CLR5BE4C366TViewed from Exterior  
NFW=30 x NFH= 21.5**QTY      Each      Resale Price****1      \$604.44      \$604.44****TK** init.

\*add'l chgs on total page

**Room Ref:** W304D - Family**Weight/lb:** 39.15      **Cube/ft:** 2.59

Option Name	Option
Customer	GTF Lite < 30 sqft
Energy_NFRC	U-Value:0.34_SHGC:0.24
Energy_Simulated	U-Value:0.45_SHGC:0.20
Glazing	Outside
SillPan	Yes
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Thermal_Frame	Yes
Water_Rating	Performance varies

FLEETWOOD CERTIFIED PROPOSAL**TAYLOR BROS ARCH PRODUCTS-IRVINE****Phone:** 949-620-0200**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

**ver: 1****Quote#****62**

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE**

Phone: 949-620-0200

**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

ver: 1

Quote#

62

**ITEM: 38-0 SERIES 3050 PXXXIXXXP**

QTY Each Resale Price

Finish: CLASS I, BLACK ANODIZED (BR1)  
Hardware: **Black Painted Stainless Steel**  
Frame: Block (Field Assembled)  
Glazing: 1": Clear Cardinal 366 6mm-T, 0.5argon, Clear 6mm-T (Glazed)

Viewed from Exterior  
D/O= 224 (NFW=309 Pkt:42.75 Pkt2:42.75)  
NFH=104

1 \$32,515.11 \$32,515.11

Spacer: CLR5BE4C366T


Screens: None

Room Ref: D3041 - Family

Weight/lb: 1473.48 Cube/ft: 57.79

TK init.

\*add'l chgs on total page



Option Name	Option
Active side	Left (default)
Actuator	Archetype Narrow
Actuator Height	46.875"(nominal 46in. from finished floor)
Caution	Frame track to be spliced
Customer	Height includes Subsill-Blocks/Pan
Customer	Arche-Duct- spliced, field joined and sealed
Customer	Second latch/strike included
Cylinders	None
Door Collectors	No
Drain_from_Edge	8in.
Drain_Spacing	60in.
Edge_Pull	Yes
Electronic_Magnets	None
Energy_NFRC	U-Value:0.49_SHGC:0.23
Energy_Simulated	U-Value:0.40_SHGC:0.25
Handle	Archetype Narrow
Interlockers	Narrow
Jobsite Sill Protector	No
MtgStiles	Standard
Pocket_Closer	Yes
Pocket_Interlocker	2 Piece (STD)
Pocket_Jambs	No
Pocket_SL_extender	2.5in (Archetype Narrow) Interlocker
Pocket_type	Standard (closed wall)
Screen Collectors	No
Sill	Arche-Duct, Non-Staggered
SillPan	1/2in. side drain to exterior (OPT-E2)
SillPan_height	1.375in. (Arche-Duct)
Stacks to	The Interior (of the left panel)
Structural_Rating	Does not meet 116 mph
Top Rail	Standard (narrow)
Water_Rating	3 psf

Plan View



EXTERIOR

- 1 inch glass shown
- Includes Flat Pocket Closer (not shown)
- Frame depth: 5.724 inches
- Arche-Duct depth: 6.4375 inches to outside of pan
- Arche-Duct width: 309.4375 inches to outside of pan
- Pocket Depth: 6.474 inches (2piece interlocker)
- 2piece interlocker is setback 1 inch from Daylight Opening.
- Review drawings online for additional dimensions
- CUSTOMER TO CONFIRM STACKING AND CONFIGURATION

TK

Date: 10/03/2024

\*\*REQUIRED SIGNATURE:

lite(2)-37.7615"- -c/l  
lite(3)-35.7283"- -c/l  
lite(4)-38.5125"- -c/l  
lite(5)-38.5125"- -c/l  
lite(6)-35.7283"- -c/l  
lite(7)-37.7615"- -c/l



**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE****Phone:** 949-620-0200**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

**ver: 1****Quote#****62****ITEM:39-0      SERIES 3800-T OOO-GTF**

Finish: CLASS I, BLACK ANODIZED (BR1)

Frame: Nail-On (Assembled)

Glazing: 1": Clear Cardinal 366 6mm-T,0.5argon,Clear 6mm-T  
(Glazed)

Spacer: CLR5BE4C366T

Viewed from Exterior  
NFW=224 x NFH= 21.5**QTY      Each      Resale Price****1      \$4,653.30      \$4,653.30****TK** init.

\*add'l chgs on total page

**Room Ref:** W304E - Family**Weight/lb:** 302.61      **Cube/ft:** 23.76

Option Name	Option
Customer	Sillpan- spliced, field joined and sealed
Energy_NFRC	U-Value:0.31_SHGC:0.24
Energy_Simulated	U-Value:0.41_SHGC:0.24
Glazing	Outside
SillPan	Yes
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Thermal_Frame	yes
Water_Rating	Performance varies

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE****Phone:** 949-620-0200**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

**ver: 1****Quote#****62****ITEM: 40-0      SERIES 3800-T OOO-GTF**

Finish: CLASS I, BLACK ANODIZED (BR1)

Frame: Nail-On (Assembled)


Glazing: 1": Clear Cardinal 366 6mm-T, 0.5argon, Clear 6mm-T  
(Not Glazed)

Spacer: CLR5BE4C366T

**Room Ref:** W100A - Stairs**Weight/lb:** 633.54      **Cube/ft:** 45.39

Viewed from Exterior

NFW=144 x NFH= 78

**QTY      Each      Resale Price****1      \$6,509.09      \$6,509.09****TK** init.

\*add'l chgs on total page

Option Name	Option
Energy_NFRC	U-Value:0.31_SHGC:0.24
Energy_Simulated	U-Value:0.31_SHGC:0.26
Glass	Wood Crate
Glazing	Outside
SillPan	Yes
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Thermal_Frame	Yes
Water_Rating	Performance varies

**ITEM: 40-99      - WOOD CRATE****QTY****1**

\*add'l chgs on total page

Option Name	Option
Customer	WOOD_CRATED glass is not inspected by the factory

FLEETWOOD CERTIFIED PROPOSAL**TAYLOR BROS ARCH PRODUCTS-IRVINE****Phone:** 949-620-0200**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

**ver: 1****Quote#****62****ITEM:41-0      SERIES 350-T C**


Finish: CLASS I, BLACK ANODIZED (BR1)

Hardware: **BLACK**

Frame: Nail-On (Assembled)

Glazing: 1": Clear Cardinal 366 6mm-T,0.5argon,Clear 6mm-T  
(Glazed)

Spacer: CLR5BE4C366T

**Room Ref:** W110B - Bed 2**Weight/lb:** 141.60      **Cube/ft:** 7.64Viewed from Exterior  
NFW=36 x NFH= 67**QTY      Each      Resale Price****1      \$1,777.16      \$1,777.16****TK** init.

\*add'l chgs on total page

Option Name	Option
Csmt-Handle	1 Cam w/Multi-Point Latch
Csmt-Hinge_Loc	Left
Csmt-Hinge_type	4-Bar (SS)
Csmt-Limit_Device	No
Csmt-Screens	None
Customer	Cam handle at 20in. (nominal)
Customer	Multipoint at 7in. (nominal)
Customer	Vent to open approx. 80 deg
Customer	Lite < 16 sqft
Energy_NFRC	U-Value:0.48_SHGC:0.19
Energy_Simulated	U-Value:0.42_SHGC:0.20
SillPan	Yes
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Thermal_Frame	Yes
Water_Rating	Performance varies

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE****Phone:** 949-620-0200**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

**ver: 1****Quote#****62****ITEM:42-0 SERIES 350-T O-GTF****Finish:** CLASS I, BLACK ANODIZED (BR1)**Frame:** Nail-On (Assembled)**Glazing:** 1": Clear Cardinal 366 6mm-T,0.5argon,Clear 6mm-T  
(Glazed)**Spacer:** CLR5BE4C366T**Room Ref:** W110A - Bed 2**Weight/lb:** 71.00 **Cube/ft:** 4.41Viewed from Exterior  
NFW=60 x NFH= 20**QTY Each Resale Price****1** \$836.60 \$836.60**TK** init.

\*add'l chgs on total page

Option Name	Option
Customer	GTF Lite < 30 sqft
Energy_NFRC	U-Value:0.34_SHGC:0.24
Energy_Simulated	U-Value:0.42_SHGC:0.21
Glazing	Outside
SillPan	Yes
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Thermal_Frame	Yes
Water_Rating	Performance varies

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE****Phone:** 949-620-0200**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

**ver: 1****Quote#****62****ITEM:43-0      SERIES 350-T A**


Finish: CLASS I, BLACK ANODIZED (BR1)

Hardware: **BLACK**

Frame: Nail-On (Assembled)

Glazing: 1": Clear Cardinal 366 6mm-T,0.5argon,Clear 6mm-T  
(Glazed)

Spacer: CLR5BE4C366T

**Room Ref:** W112A - Bed 2 Bath**Weight/lb:** 48.70      **Cube/ft:** 2.85Viewed from Exterior  
NFW=36 x NFH= 20**QTY      Each      Resale Price****1      \$1,041.90      \$1,041.90****TK** init.

\*add'l chgs on total page

Option Name	Option
Awng-Handle	Cam (4-Bar)
Awng-Hinge_type	4-Bar (SS)
Awng-Limit_Device	No
Awng-Screens	None
Customer	Vent to open approx. 80 deg
Customer	Lite < 16 sqft
Energy_NFRC	U-Value:0.48_SHGC:0.19
Energy_Simulated	U-Value:0.53_SHGC:0.16
SillPan	Yes
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Thermal_Frame	Yes
Water_Rating	Performance varies

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE****Phone:** 949-620-0200**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

**ver: 1****Quote#****62****ITEM:44-0 SERIES 330-T OX**


Finish: CLASS I, BLACK ANODIZED (BR1)

Hardware: **Black Painted Stainless Steel**

Frame: Nail-on (Assembled)

Glazing: 1": Clear Cardinal 366 6mm-T,0.5argon,Clear 6mm-T  
(Glazed)**Spacer:** CLR5BE4C366T

Screens: Yes-Standard (Ultra Vue)

**Room Ref:** W106A - Bed 1**Weight/lb:** 261.81**Cube/ft:** 13.89Viewed from Exterior  
NFW=72 x NFH=67**QTY Each Resale Price****1 \$3,782.60 \$3,782.60****TK** init.

\*add'l chgs on total page

Option Name	Option
Energy_NFRC	U-Value:0.4_SHGC:0.22
Energy_Simulated	U-Value:0.39_SHGC:0.23
Handle_Height	17in. from bottom of panel
Rollers	Stainless Steel (Nylon rollers)
Sill	Standard
SillPan	Yes
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Water_Rating	Performance varies

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE**

Phone: 949-620-0200

**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

ver: 1

Quote#

62

**ITEM:45-0 SERIES 3050 XXX**

Finish: CLASS I, BLACK ANODIZED (BR1)  
Hardware: **Black Painted Stainless Steel**  
Frame: Block (Field Assembled)  
Glazing: 1": Clear Cardinal 366 6mm-T,0.5argon,Clear 6mm-T  
(Glazed)


Spacer: CLR5BE4C366T

Screens: None

Room Ref: D1051 - Office

Weight/lb: 790.83 Cube/ft: 44.50

Viewed from Exterior  
NFW=121.375 x NFH=108



QTY Each Resale Price


1 \$18,062.98 \$18,062.98

TK init.

\*add'l chgs on total page

Option Name	Option
Actuator	Archetype Narrow
Actuator Height	46.875"(nominal 46in. from finished floor)
Customer	Height includes Subsill-Blocks/Pan
Customer	Second latch/strike included
Cylinders	None
Door Collectors	No
Drain_from_Edge	8in.
Drain_Spacing	36
Edge_Pull	Yes
Electronic_Magnets	None
Energy_NFRC	U-Value:0.49_SHGC:0.23
Energy_Simulated	U-Value:0.44_SHGC:0.24
Flush_Stack	No
Handle	Archetype Narrow
Interlockers	Narrow
Jobsite Sill Protector	No
LockStile	Standard
Screen Collectors	No
Sill	Arche-Duct, Non-Staggered
SillPan	1/2in. side drain to exterior (OPT-E2)
SillPan_height	1.375in. (Arche-Duct)
Stacks to	The Interior (of the left panel)
Structural_Rating	Does not meet 116 mph
Top Rail	Standard (narrow)
Water_Rating	3 psf

Plan View



EXTERIOR

- 1 inch glass shown
- Frame depth: 5.724 inches
- Arche-Duct depth: 6.4375 inches to outside of pan
- Arche-Duct width: 121.8125 inches to outside of pan
- Review drawings online for additional dimensions
- CUSTOMER TO CONFIRM STACKING AND CONFIGURATION

TK

Date: 10/03/2024

\*\*REQUIRED SIGNATURE:

lite(1)-41.5961"jamb- -c/l  
lite(2)-38.1828"- -c/l  
lite(3)-41.5961"- -c/l

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE**

Phone: 949-620-0200

**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

ver: 1

Quote#

62

**ITEM: 46-0 SERIES 3050 XO**

QTY Each Resale Price

Finish: CLASS I, BLACK ANODIZED (BR1)

Viewed from Exterior  
NFW=97.5 x NFH=108

1 \$12,299.36 \$12,299.36


Hardware: **Black Painted Stainless Steel**Frame: **Block (Field Assembled)**Glazing: 1": Clear Cardinal 366 6mm-T, 0.5argon, Clear 6mm-T  
(Glazed)

Spacer: CLR5BE4C366T

Screens: None

Room Ref: **D1013 - Rec Hall**

Weight/lb: 595.95 Cube/ft: 35.84




TK init.

\*add'l chgs on total page

Option Name	Option
Actuator	Archetype Narrow
Actuator Height	46.875"(nominal 46in. from finished floor)
Customer	Height includes Subsill-Blocks/Pan
Customer	Second latch/strike included
Cylinders	None
Door Collectors	No
Drain_from_Edge	8in.
Drain_Spacing	36
Edge_Pull	Yes
Electronic_Magnets	None
Energy_NFRC	U-Value:0.49_SHGC:0.23
Energy_Simulated	U-Value:0.47_SHGC:0.23
Fixed Stile	Archetype Narrow 3005(flush stack)
Handle	Archetype Narrow
Interlockers	Narrow
Jobsite Sill Protector	No
LockStile	Standard
Screen Collectors	No
Sill	Arche-Duct, Non-Staggered
SillPan	1/2in. side drain to exterior (OPT-E2)
SillPan_height	1.375in. (Arche-Duct)
Stacks to	The Exterior (of the left panel)
Structural_Rating	Pending
Top Rail	Standard (narrow)
Water_Rating	Pending

Plan View



EXTERIOR

- 1 inch glass shown
- Frame depth: 3.816 inches
- Arche-Duct depth: 4.5625 inches to outside of pan
- Arche-Duct width: 97.9375 inches to outside of pan
- Review drawings online for additional dimensions
- CUSTOMER TO CONFIRM STACKING AND CONFIGURATION

**TRENT KITSCH** Date: 10/03/2024

\*\*REQUIRED SIGNATURE:



**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE****Phone:** 949-620-0200**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

**ver: 1****Quote#****62****ITEM:47-0      SERIES 350-T O-GTF****Finish:** CLASS I, BLACK ANODIZED (BR1)**Frame:** Nail-On (Assembled)**Glazing:** 1": Clear Cardinal 366 6mm-T,0.5argon,Clear 6mm-T  
(Glazed)**Spacer:** CLR5BE4C366T**Room Ref:** W101B - Rec Room**Weight/lb:** 263.61      **Cube/ft:** 14.37Viewed from Exterior  
NFW=46.5 x NFH= 105.875**QTY      Each      Resale Price****1      \$2,158.29      \$2,158.29****TK** init.

\*add'l chgs on total page

Option Name	Option
Energy_NFRC	U-Value:0.34_SHGC:0.24
Energy_Simulated	U-Value:0.33_SHGC:0.24
Glazing	Outside
SillPan	Yes
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Thermal_Frame	Yes
Water_Rating	Performance varies

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE****Phone:** 949-620-0200**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

**ver: 1****Quote#****62**

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE**

Phone: 949-620-0200

**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

ver: 1

Quote#

62

**ITEM: 48-0 SERIES 3050 PXXXVXXO**

QTY Each Resale Price

1 \$49,627.05 \$49,627.05

Finish: CLASS I, BLACK ANODIZED (BR1)  
Hardware: **Black Painted Stainless Steel**  
Frame: Block (Field Assembled)  
Glazing: 1": Clear Cardinal 366 6mm-T, 0.5argon, Clear 6mm-T (Glazed)

Viewed from Exterior  
Corner (Outside)-std (90degree)  
Leg1 D/O=153.25  
~NFW=207.75 Pkt:54.75v233.125 P:0  
Leg2 NFW=233.125  
NFW=108

Spacer: CLR5BE4C366T


Screens: None

Room Ref: D1011 and 1012 - Rec Room

Weight/lb: 2410.87 Cube/ft: 107.07


TK init.

\*add'l chgs on total page



Option Name	Option
Active side	Left (default)
Actuator	Archetype Narrow
Actuator Height	46.875"(nominal 46in. from finished floor)
Caution	Frame track to be spliced
Customer	Height includes Subsill-Blocks/Pan
Customer	Arche-Duct- spliced, field joined and sealed
Customer	Edge pulls in corner doors will be exposed
Customer	Glass center will flex
Customer	Second latch/strike included
Cylinders	None
Door Collectors	No
Drain_from_Edge	8in.
Drain_Spacing	60in.
Edge_Pull	Yes
Electronic_Magnets	None
Energy_NFRC	U-Value:0.49_SHGC:0.23
Energy_Simulated	U-Value:0.37_SHGC:0.25
Fixed Stile	Archetype Narrow 3005(flush stack)
Geometry	Corner (Outside)-std
Handle	Archetype Narrow
Interlockers	Narrow
Jobsite Sill Protector	No
MtgStiles	Standard
Pocket_Closer	Yes
Pocket_Interlocker	2 Piece (STD)
Pocket_Jambs	No
Pocket_SL_extender	2.5in (Archetype Narrow) Interlocker
Pocket_type	Standard (closed wall)
Screen Collectors	No
Sill	Arche-Duct, Non-Staggered
SillPan	1/2in. side drain to exterior (OPT-E2)
SillPan_height	1.375in. (Arche-Duct)
Stacks to	The Interior (of the left panel)
Structural_Rating	Pending
Top Rail	Standard (narrow)
Water_Rating	Pending

Plan View  
Track illustration shown at corner only



EXTERIOR

- Archetype actuator shown
- 1 inch glass shown
- Includes Custom Pocket Closer (not shown)
- Corner Tolerance: = + or - 2 degrees
- Leg1:Frame depth: 5.724 inches
- Leg1:Arche-Duct depth: 6.4375 inches to outside of pan
- Leg1:Arche-Duct width: 208.125 inches to outside of pan
- Leg1\_Pocket Depth: 6.474 inches (2piece interlocker)
- Leg2:Frame depth: 5.724 inches
- Leg2:Arche-Duct depth: 6.4375 inches to outside of pan
- Leg2:Arche-Duct width: 233.5 inches to outside of pan
- Tolerance: = + or - 2 degrees
- 2piece interlocker is setback 1 inch from Daylight Opening.
- Review drawings online for additional dimensions
- CUSTOMER TO CONFIRM STACKING AND CONFIGURATION

TRENT KITSCH Date: 10/03/2024

\*\*REQUIRED SIGNATURE:

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE****Phone:** 949-620-0200**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

**ver: 1****Quote#****62****ITEM:49-0      SERIES 350-T A**

Finish: CLASS I, BLACK ANODIZED (BR1)

Hardware: **BLACK**

Frame: Nail-On (Assembled)

Glazing: 1": Clear Cardinal 366 6mm-T,0.5argon,Clear 6mm-T  
(Glazed)

Spacer: CLR5BE4C366T

Viewed from Exterior  
NFW=48 x NFH= 72

<i>QTY</i>	<i>Each</i>	<i>Resale Price</i>
<b>1</b>	<b>\$3,159.77</b>	<b>\$3,159.77</b>

**TK** init.

\*add'l chgs on total page

**Room Ref:** W101A - Rec Room**Weight/lb:** 198.72      **Cube/ft:** 10.37

Option Name	Option
Awng-Handle	Cam w/Multi-Point Latches on Jambs
Awng-Hinge_type	4-Bar (SS)
Awng-Limit_Device	No
Awng-Screens	None
Customer	Vent to open approx. 45 deg
Energy_NFRC	U-Value:0.48_SHGC:0.19
Energy_Simulated	U-Value:0.38_SHGC:0.22
SillPan	Yes
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Thermal_Frame	Yes
Water_Rating	Performance varies

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE**

Phone: 949-620-0200

**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

ver: 1

Quote#

62

**ITEM: 50-0 SERIES 3050 XO**

Finish: CLASS I, BLACK ANODIZED (BR1)  
Hardware: **Black Painted Stainless Steel**  
Frame: Block (Field Assembled)  
Glazing: 1": Clear Cardinal 366 6mm-T, 0.5argon, Clear 6mm-T (Glazed)

Spacer: CLR5BE4C366T

Screens: None


Room Ref: **D1014 - Rec Room**

Weight/lb: 572.12 Cube/ft: 35.64

Viewed from Exterior  
NFW=84 x NFH=120

QTY Each Resale Price

1 \$11,905.05 \$11,905.05




TK init.

\*add'l chgs on total page

Option Name	Option
Actuator	Archetype Narrow
Actuator Height	46.875"(nominal 46in. from finished floor)
Customer	Height includes Subsill-Blocks/Pan
Customer	Purchaser elects against Narrow HP-one Interlocks
Customer	Second latch/strike included
Cylinders	None
Door Collectors	No
Drain_from_Edge	8in.
Drain_Spacing	Center Drain (3 drains total)
Edge_Pull	Yes
Electronic_Magnets	None
Energy_NFRC	U-Value:0.49_SHGC:0.23
Energy_Simulated	U-Value:0.48_SHGC:0.23
Fixed Stile	Archetype Narrow 3005(flush stack)
Handle	Archetype Narrow
Interlockers	Narrow
Jobsite Sill Protector	No
LockStile	Standard
Screen Collectors	No
Sill	Arche-Duct, Non-Staggered
SillPan	1/2in. side drain to exterior (OPT-E2)
SillPan_height	1.375in. (Arche-Duct)
Stacks to	The Exterior (of the left panel)
Structural_Rating	Pending
Top Rail	Standard (narrow)
Water_Rating	Pending

Plan View



EXTERIOR

- 1 inch glass shown
- Frame depth: 3.816 inches
- Arche-Duct depth: 4.5625 inches to outside of pan
- Arche-Duct width: 84.4375 inches to outside of pan
- Review drawings online for additional dimensions
- CUSTOMER TO CONFIRM STACKING AND CONFIGURATION

**TRENT KITSCH** Date: 10/03/2024

\*\*REQUIRED SIGNATURE:

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE****Phone:** 949-620-0200**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

**ver: 1****Quote#****62****ITEM: 51-0 SERIES 3200-T H (OUTSWING)****QTY Each Resale Price****Finish:** CLASS I, BLACK ANODIZED (BR1)

Viewed from Exterior

**1** \$5,663.58

\$5,663.58

**Frame:** Nail-On (Assembled)


Clear Opening=25.8125

NFW=32 x NFH= 93.75

**Glazing:** 1": Clear Cardinal 366 5mm-T,0.4375argon,7/16"  
White LAMI (Clear 6mm/.030 White PVB/Clear 6mm)-  
R (Glazed)**TK** init.**Spacer:** Black Endur (Bent Corners)

CLR5WHT366GL

\*add'l chgs on total page

**Room Ref:** D1042 - Outdoor Shower**Weight/lb:** 234.36**Cube/ft:** 27.62

Option Name	Option
Caution	FSB handles installed on door
Caution	Minimal frame requires care when operating
Customer	Bugs on Glass
Customer	Glass will have distortion
Cylinders	Exterior-(Entire Order)-Keyed Alike
Energy_NFRC	U-Value:0.43_SHGC:0.2
Energy_Simulated	U-Value:0.46_SHGC:0.16
Handle	FSB 1076 Powder Coated BLACK
Handle_Height	36.125in. from bottom of panel
Handle_plate	Square
Hardware_type	3-Point
Hinge_Finish	Black
Hinge_loc	Left
Hinge_Set_Spacing	24in. b/w top and bottom hinge sets
SDL_Lockbox	No
Sill	Standard 1.5 in.
SillPan	Yes
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Swing	Outside
Water_Rating	Performance varies

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE**

Phone: 949-620-0200

**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

ver: 1

Quote#

62

**ITEM: 52-0 SERIES 3000 OX**

Finish: CLASS I, BLACK ANODIZED (BR1)  
Hardware: **Black Painted Stainless Steel**  
Frame: Nail-On (Field Assembled)  
Glazing: 1": Clear Cardinal 366 6mm-T, 0.5 argon, Clear 6mm-T (Glazed)

Spacer: CLR5BE4C366T


Screens: None

Room Ref: D0092 - Gym Light Well

Weight/lb: 330.30 Cube/ft: 23.25

Viewed from Exterior  
NFW=60 x NFH=96

QTY	Each	Resale Price
1	\$5,075.67	\$5,075.67




TK init.

\*add'l chgs on total page

Option Name	Option
Actuator	Archetype Narrow
Actuator Height	46"(Not Pool Code)-nominal from bottom of sill
Cylinders	None
Edge_Pull	No
Electronic_Magnets	None
Energy_NFRC	U-Value:0.49_SHGC:0.24
Energy_Simulated	U-Value:0.53_SHGC:0.23
Fixed Stile	Narrow 3008(flush stack)
Handle	Archetype Narrow
Interlockers	Narrow
Jobsite Sill Protector	No
LockStile	Standard
Sill	Low Profile Sill 1.25in
SillPan	No
Structural_Rating	To meet a minimum 116 MPH(Vult) wind speed
Top Rail	Standard (narrow)
Water_Rating	Performance varies

Plan View

**TRENT KITSCH****EXTERIOR**

- Archetype actuator shown
- 1 inch glass shown
- Frame depth: 4.5 inches
- Review drawings online for additional dimensions

lite(1)-30.2596"jamb- -c/l  
lite(2)-29.7404" - -c/l

**FLEETWOOD CERTIFIED PROPOSAL****TAYLOR BROS ARCH PRODUCTS-IRVINE**

Phone: 949-620-0200

**PROPOSAL #62, DETAIL REPORT version 1**

WWW.TAYBROS.COM

(Prices honored if received by Fleetwood by 10/31/2024)

ver: 1

Quote#

62

ITEM: 53-0 Wood Crate Charge - WOOD CRATE CHARGE

QTY

Each

Resale - Price

1

\$1,350.00

\$1,350.00

\*add'l chgs on total page init.  
**TK****Review Online Documents Before Final Product Selections**

## Homeowners

- Care & Maintenance
- The Right Choices
- Your Order

## Professionals/Energy Compliance

- True Energy Efficiency (video)
- Energy Compliance vs. TRUE Efficiency

## Professionals/Extreme Conditions

- Smart Building Practices

Item Sub-Total:	\$318,380.71
Factory Shipping & Handling:	\$2,184.94
Installation Labor:	Not Included
Drawings/Engineering:	Not Included
Freight/Delivery:	Not Included
Other Products Provided:	Not Included
Sales Tax (9.5%):	\$30,246.17
Resale Grand Total	<b>\$350,811.82</b>

\*(may not include S&amp;H or Tax)

Total Weight/lb: 18904.07

\*: Item contains extra customizing (i.e. special sizes, light-by-light glazing)

**Price valid for 90 days from quote date. Orders may be delayed if credit terms are not established for this order before the final confirmation is signed.**

- Review all product options. SPECIAL notes are subject to factory review.
- Orders are subject to standard terms & conditions.
- This proposal was generated without reference to any specifications other than what is noted.
- Drawings should be ordered to verify interior and exterior finish details.
- Additional fees will be applied if changes are requested after ordering.

Sign and return on acceptance: TRENT KITSCH Date: 10/03/2024



10/2/2024

**Job Name: 4104 The Strand**

Customer: Trent Kitsch

Quote: #62

*TRENT KITSCH***MANUFACTURER****ENERGY REPORT****Code Compliance Challenges**

It is imperative to involve an energy consultant with experience in metal window compliance. We provide a list of consultants online (Professionals/Energy Compliance).

**Job Specific Summary**

The U-Factor and SHGC values provided in this report comply with NFRC 100 and NFRC 200. A summary of these values has been presented as a Weighted Average to assist dealers in assessing the general impact if changes are made to the Window or Door order, e.g. glass type change.

Additionally, Fleetwood has provided a column of Simulated Performance Alternative energy values that may be a useful tool in illustrating how the size of a Door or Window will impact the true living conditions inside the home. By request, Fleetwood will provide Manufacturer Labels for such values. For more information about Simulated Performance Alternative, visit Fleetwood's website; under the Professionals menu, select Energy Compliance, then Energy Code Compliance.

Product Type / Category Information:

(Metric/SI version available upon request.)

<u>Category:</u>	<u>Series:</u>	<u>Item:</u>	<u>Glazing*:</u>	<u>VT:</u>	<u>NFRC</u>		<u>Simulated Performance Alternative</u>		<u>Glazing Area</u>
					U-Factor / SHGC		U-Factor / SHGC		(ft2)*Qty:
DOOR	Series 3000	52-0	B	0.52	0.49	0.24	0.53	0.23	40.00 [60x96]*1
DOOR	Series 3050	4-0	B	0.51	0.49	0.23	0.38	0.25	208.82 [275.875x109]*1
DOOR	Series 3050	30-0	B	0.48	0.51	0.23	0.49	0.23	59.64 [100x85.875]*1
DOOR	Series 3050	38-0	B	0.51	0.49	0.23	0.40	0.25	161.78 [224x104]*1
DOOR	Series 3050	45-0	B	0.51	0.49	0.23	0.44	0.24	91.03 [121.375x108]*1
DOOR	Series 3050	46-0	B	0.51	0.49	0.23	0.47	0.23	73.13 [97.5x108]*1
DOOR	Series 3050	48-0	B	0.51	0.49	0.23	0.37	0.25	289.78 [386.375x108]*1
DOOR	Series 3050	50-0	B	0.51	0.49	0.23	0.48	0.23	70.00 [84x120]*1
DOOR	Series 3200-T	51-0	C	0.41	0.43	0.2	0.46	0.16	20.83 [32x93.75]*1
DOOR	Series 4400-T	3-0	B	0.4	0.43	0.19	0.37	0.22	49.90 [66x108.875]*1

<b>DOOR Weighted Average</b>				(ft2): 1064.91
NFRC: U-Factor: 0.487 SHGC: 0.228				
Simulated Performance Alternative		0.41	0.241	

<u>Category:</u>	<u>Series:</u>	<u>Item:</u>	<u>Glazing*:</u>	<u>VT:</u>	<u>NFRC</u>		<u>Simulated Performance Alternative</u>		<u>Glazing Area</u>
					U-Factor / SHGC		U-Factor / SHGC		(ft2)*Qty:
WINDOW	Series 350-T	13-0	A	0.54	0.34	0.24	0.35	0.23	20.00 [36x80]*1
WINDOW	Series 350-T	14-0	A	0.54	0.34	0.24	0.34	0.24	22.22 [40x80]*1
WINDOW	Series 350-T	23-0	A	0.54	0.34	0.24	0.43	0.20	6.27 [42x21.5]*1
WINDOW	Series 350-T	5-0	B	0.54	0.34	0.24	0.34	0.24	22.00 [48x66]*1
WINDOW	Series 350-T	17-0	B	0.54	0.34	0.24	0.44	0.20	5.38 [36x21.5]*1
WINDOW	Series 350-T	19-0	B	0.54	0.34	0.24	0.44	0.20	5.38 [36x21.5]*1
WINDOW	Series 350-T	21-0	B	0.54	0.34	0.24	0.44	0.20	5.38 [36x21.5]*1
WINDOW	Series 350-T	24-0	B	0.54	0.34	0.24	0.32	0.24	34.90 [60x83.75]*1
WINDOW	Series 350-T	25-0	B	0.54	0.34	0.24	0.41	0.21	8.96 [60x21.5]*1



WINDOW	Series 350-T	27-0	B	0.54	0.34	0.24	0.43	0.20	6.27	[42x21.5]*1
WINDOW	Series 350-T	29-0	B	0.54	0.34	0.24	0.43	0.20	4.48	[30x21.5]*1
WINDOW	Series 350-T	37-0	B	0.54	0.34	0.24	0.45	0.20	8.33	[60x20]*1
WINDOW	Series 350-T	42-0	B	0.54	0.34	0.24	0.42	0.21	34.19	[46.5x105.875]*1
WINDOW	Series 350-T	47-0	B	0.54	0.34	0.24	0.33	0.24	14.17	[24x85]*1
WINDOW	Series 3800-T	12-0	A	0.56	0.31	0.24	0.42	0.24	106.88	[144x106.875]*1
WINDOW	Series 3800-T	1-0	B	0.56	0.31	0.24	0.30	0.27	105.00	[144x105]*1
WINDOW	Series 3800-T	8-0	B	0.56	0.31	0.24	0.30	0.26	102.00	[144x102]*1
WINDOW	Series 3800-T	15-0	B	0.56	0.31	0.24	0.30	0.26	14.93	[100x21.5]*1
WINDOW	Series 3800-T	31-0	B	0.56	0.31	0.24	0.43	0.23	83.75	[144x83.75]*1
WINDOW	Series 3800-T	32-0	B	0.56	0.31	0.24	0.31	0.26	21.50	[144x21.5]*1
WINDOW	Series 3800-T	33-0	B	0.56	0.31	0.24	0.42	0.24	135.67	[192x101.75]*1
WINDOW	Series 3800-T	34-0	B	0.56	0.31	0.24	0.29	0.27	28.67	[192x21.5]*1
WINDOW	Series 3800-T	35-0	B	0.56	0.31	0.24	0.42	0.24	33.44	[224x21.5]*1
WINDOW	Series 3800-T	39-0	B	0.56	0.31	0.24	0.41	0.24	78.00	[144x78]*1
WINDOW	Series 3800-T	40-0	B	0.56	0.31	0.24	0.31	0.26	33.50	[72x67]*1
WINDOW	Series 330-T	44-0	B	0.48	0.4	0.22	0.39	0.23	24.43	[42x83.75]*1
WINDOW	Series 350-T	22-0	A	0.41	0.48	0.19	0.38	0.22	22.27	[30x106.875]*1
WINDOW	Series 350-T	2-0	B	0.40	0.48	0.19	0.42	0.20	11.00	[24x66]*1
WINDOW	Series 350-T	6-0	B	0.40	0.48	0.19	0.48	0.18	12.00	[36x48]*1
WINDOW	Series 350-T	7-0	B	0.40	0.48	0.19	0.44	0.19	5.50	[36x22]*1
WINDOW	Series 350-T	9-0	B	0.41	0.48	0.19	0.52	0.16	5.50	[36x22]*1
WINDOW	Series 350-T	10-0	B	0.41	0.48	0.19	0.52	0.16	13.00	[36x52]*1
WINDOW	Series 350-T	16-0	B	0.41	0.48	0.19	0.43	0.20	13.00	[36x52]*1
WINDOW	Series 350-T	18-0	B	0.40	0.48	0.19	0.43	0.20	13.00	[36x52]*1
WINDOW	Series 350-T	20-0	B	0.40	0.48	0.19	0.43	0.20	24.43	[42x83.75]*1
WINDOW	Series 350-T	26-0	B	0.40	0.48	0.19	0.39	0.21	24.43	[42x83.75]*1
WINDOW	Series 350-T	28-0	B	0.40	0.48	0.19	0.39	0.21	21.20	[30x101.75]*1
WINDOW	Series 350-T	36-0	B	0.40	0.48	0.19	0.43	0.20	16.75	[36x67]*1
WINDOW	Series 350-T	41-0	B	0.40	0.48	0.19	0.42	0.20	5.00	[36x20]*1
WINDOW	Series 350-T	43-0	B	0.41	0.48	0.19	0.53	0.16	24.00	[48x72]*1
WINDOW	Series 350-T	49-0	B	0.41	0.48	0.19	0.38	0.22		

WINDOW Weighted Average			(ft2): 1183.05
NFRC:	U-Factor:	0.351 SHGC: 0.229	
Simulated Performance Alternative	0.35	0.243	

The "Performance method" for certification is recommended; wherein envelope components can be "traded off" to allow the desired windows and doors. (See Energy Code Compliance for a list of common trade-offs.)

Total Weighted Average			Total Glazing Area:
NFRC:	U-Factor:	0.42 SHGC: 0.23	(ft2): 2247.96
Simulated Performance Alternative	0.38	0.24	

The overall product U-Factor combines the center-of-glass, product frame and edge-of-glass U-Factors in a frame model.

Note: All U-factors and SHGC values are shown with non-tinted glass. Tint on glass will further reduce the SHGC values.

*TRENT KITSCH*

A	CLR5A366ACDTG	1": Cardinal 366 6mm-T_0.5argon_Acid Etch 6mm-T	0.23	0.27
B	CLR5BE4C366T	1": Clear Cardinal 366 6mm-T_0.5argon_Clear 6mm-T	0.24	0.27
C	CLR5WHT366GL	1": Clear Cardinal 366 5mm-T_0.4375argon_7/16" White LAMI (Clear 6mm/.030 White PV	0.23	0.26

NFRC Prescriptive Sizes:		
Series	Configuration	Width x Height (in)
Series 3000	OX or XX	78 x 78
Series 3050	OX or XX	78 x 78
Series 3200-T	OX or XX	37 x 82
Series 330-T	OX or XX	59 x 47
Series 350-T	Awning	59 x 23
Series 350-T	Casement	23 x 59
Series 350-T	Fixed	47 x 59
Series 3800-T	Fixed	47 x 59
Series 4400-T	Single Door	47 x 59

International Energy Conservation Code.

- References:
- U-Factor.* The rated Winter U-Factor of the fenestration product, in Btu/hr-ft2-°F.
  - SHGC.* Solar Heat Gain Coefficient.
  - VT.* Visible Transmittance.
  - Area (ft2).* The area of the surface in square feet.
  - NFRC.* National Fenestration Rating Council.
  - IECC.*

Solar Expansion

Thermally broken aluminum may react to sun exposure by swelling slightly. In most cases, the changes go unnoticed but it can make it more challenging to operate or lock certain types of doors or windows. The factory offers mitigation techniques, which should be discussed before placing the order.

TRENT KITSCH



# Fleetwood - General Information & Expectations

Updated: 2-7-2020

Thank you for your interest in Fleetwood Windows & Doors. We have created this write up to communicate some of the more critical points you should be aware of when purchasing Fleetwood products. Please review the information below and feel free to ask your salesperson if you need anything explained in greater detail.

- 1.) Lead-times:** Upon receipt of your approved order we will submit the order to Fleetwood and will receive a tentative target ship range typically within 72 hours. Please understand that Fleetwood makes custom products and that this target ship week range is NOT guaranteed. The target ship week range is only intended to give you a tentative time period to expect your order to be completed. Once the order is within 5-7 days of the target ship week range you can request for your salesperson to call Fleetwood's shipping department to determine when the order will actually be delivered. It is important that you do NOT schedule your installers, crane rental, or other off-loading resources until you have confirmed the actual ship date with your sales representative.
- 2.) Change Orders:** If you need to make changes to an order that has been placed Fleetwood does offer a potential path for this. First you have to agree to stop production of the entire order while the factory pulls all the paperwork from the production floor & assesses where they are in the production process. The charge to stop the order and assess if changes can be made requires a \$500 change order fee from Fleetwood. Typically within 24-48 hours Fleetwood will tell us if the item(s) in question can be changed and if so how much it will cost to do so. There are no guarantees that changes can be made and this process is most effective if used within the first week of production. Scrap charges will almost always apply.
- 3.) Delivery:** Most orders will be delivered DIRECT from Fleetwood to your jobsite. This is the best method to avoid product damage and also ensures the fastest delivery of the products. Once your order is ready you will be contacted by your salesperson to provide you with the delivery date, time, and number of people required to help off-load. You will need to be prepared to take delivery within 24 hours once you have been alerted. Due to the size and handling required we are NOT able to store Fleetwood orders at our warehouse. We are also NOT able to warehouse your order if your project is delayed. On the day of delivery you will be required to provide enough man-power & any needed equipment to safely off-load the products. Fleetwood & Taylor Brothers always provide curbside delivery.

- 4.) Wood Pallets & Crates:** Fleetwood provides wood pallets and crates to protect the materials and get them off-loaded efficiently. These wood crates and pallets are meant to be broken down & discarded by the customer once all materials have been carefully removed from the containers.
- 5.) Order Packaging:** Fleetwood is known for making very large window and door products. Large products require creative shipping methods in order to get the products safely delivered. Your order may contain crates of loose glass, frames that need to be assembled on-site, and/or loose finish hardware that will need to be prepped and installed. All Fleetwood sliding door systems will require your installer to set-up the frame and assemble the system on the jobsite. All of the labor required to assemble, glaze, mull (join), and prep the products is to be provided by your installer. Please understand that this is “normal” and to be expected with this product type.
- 6.) Product Damage Reporting:** Fleetwood provides a 48 hour window of time for you to report any shipping or product damage. After the 48 hour period they will NOT cover any damage, even if it is concealed within the packaging. For that reason it is very important for you to receive your order, un-wrap it, and inspect the materials to ensure no damage is present. If you discover damage during the un-wrapping process please take pictures of the product still partially wrapped and contact your salesperson immediately to report the damage. If it is not possible for you to inspect the products within the 48 hours then you need to communicate your situation to your salesperson so we can inform Fleetwood & request additional time to report any product damage.
- 7.) Service Requests:** Fleetwood provides a warranty for their products and offers a service department to address warranty claims for defective materials and workmanship. The warranty coverage can be reviewed online on Fleetwood’s website. Please be aware that warranty service does not include roller or hardware adjustments. Those adjustments would be the responsibility of your installer.
- 8.) Care & Maintenance:** All product warranties are void unless the products are maintained according to Fleetwood’s “Care & Maintenance” instructions. These instructions can be found on the Fleetwood website. Click on the link that says “homeowners”, and then click on “care and maintenance”.
- 9.) Anodized Finishes:** It is CRITICALLY important that you protect the finish of your products. Anodized finishes are especially susceptible to staining and etching from contact with uncured masonry materials like stucco. Immediately clean the affected areas or caustic agents will irreparably damage your window and door finish.
- 10.) Glass Cleaning & Removal of Sticker Labels:** It is important that you read Fleetwood’s care and maintenance instructions before attempting to clean your glass. You will find this information on Fleetwood’s website at [www.fleetwoodusa.com](http://www.fleetwoodusa.com). Click on the link that says “homeowners”, and then click on “care and maintenance”.


**11.) Installation Instructions:** It is CRITICALLY important that you follow Fleetwood's recommended installation instructions when installing your products. Failure to follow the instructions as written will void your product warranty. Be aware that Fleetwood does not provide installation instructions with your product order. You can print or view installation instructions from Fleetwood's website at [www.fleetwoodusa.com](http://www.fleetwoodusa.com). Click on "Professionals" at the top of the page, and then select "Installation" to find the various instructions for each product series. Please contact your salesperson if you have any questions or have any difficulty locating this information.

**12.) Product Installation:** Fleetwood products MUST be installed by licensed installers or those who have a special training certificate or a minimum of 5 years experience installing windows & doors. Failure to use a qualified Fleetwood installer will void your product warranty. We would be happy to provide you with a list of qualified installers for your project.

**13.) Sill Pans:** Please be aware that ALL Fleetwood products require the use of a sill pan or panning system for the product warranty to remain intact.

Please feel free to contact your Taylor Brothers salesperson if you have any questions. Thank you for your interest in Taylor Brothers and Fleetwood Windows & Doors. We appreciate the opportunity to work together on your project.

**Norman Sands**  
General Manager

Initial: 

*TRENT KITSCH*

## **Product Delivery/Inspection Procedure**

### **1) Product Inspection**

#### **a) Wrapped Product on a wood L-rack**

##### **1. 5 business days\***

- (i) The factory should be contacted immediately regarding missing product.
- (ii) Failure to file a warranty claim for damage before the sixth business day, from the date the product is delivered, and before the product is installed, will result in a denied warranty claim.
- (iii) See page 2 for product inspection extension procedures.

#### **b) Boxed Product and Wood Crated Glass<sup>1</sup>**

##### **1. 10 business days\***

- (i) The factory should be contacted immediately regarding missing product.
- (ii) Failure to file a warranty claim for damage before the eleventh business day, from the date the product is delivered, and before the product is installed, will result in a denied warranty claim.
- (iii) See page 2 for product inspection extension procedures.

#### **c) Jumbo Crated Glass**

- 1. Glass is delivered direct from the vendor to the location specified by the dealer on the order.
- 2. Glass must be visually inspected for damage, breakage, and quantity confirmation. within five business days of the date the crate is delivered.
  - (i) A warranty claim must be submitted before the sixth business day if damage, breakage, and/or missing glass is found.
  - (ii) Failure to file a warranty claim before the sixth business day, from the date the product is delivered, will result in a denied warranty claim.
- 3. Inspection for defects and glass failure can be done as the crate is being opened to install the glass.
  - (i) Glass should be inspected as it is being removed from the crate, and prior to installation, for defects or failures.
  - (ii) If defects or glass failure is found
    - 1. Fleetwood does not recommend installing the glass.
    - 2. If the choice is made to install the glass, Fleetwood will not be responsible for labor or costs associated to replace the glass.

#### **d) EDGE |s| Rollers**

- 1. Confirm color and quantity received.
  - (i) Report any discrepancies within 48 hours of receiving the product.

### **2) Product Protection Before/During/Post Installation**

- a) Study the Care & Maintenance Instructions for proper storage and monthly care.

---

\* An online service request must be submitted within the product inspection timeframe noted.

<sup>1</sup> Does not pertain to Jumbo Crated Glass



*TRENT KITSCH*

## **Product Inspection Extension Procedure**

### **1) Product Inspection Extension Request**

#### **a) Custom Finish and wood crated glass for the order:**

1. We will allow up to 20 days from the final ship date of the product to open, inspect, and report damage.
2. A service needs to be submitted within 48 hours of the date the product is delivered requesting additional inspection time.
3. A video showing where and how the product is being stored needs to be included in the initial service request for an extension.
4. Obvious damage should be reported immediately.
5. A video needs to be provided once the product is ready to be opened showing nothing has been moved or tampered with.
  - (i) If product is removed from the original packaging/L-racks an extension will not be allowed.
  - (ii) If damage is found, photos and/or video are required showing the product damaged as it is being opened.
  - (iii) Any damage reported after the product is installed will not be covered under the warranty.

#### **b) Standard Finish and wood crated glass for the order:**

1. Additional inspection time allowance will be on a case-by-case basis.
2. A service needs to be submitted within 48 hours of the date the product is delivered requesting additional inspection time.
3. A video showing where and how the product is being stored needs to be included in the initial service requesting extra time.
4. Obvious damage should be reported immediately.
5. A video needs to be provided once the product is ready to be opened showing nothing has been moved or tampered with.
  - (i) If product is removed from the original packaging/L-racks an extension will not be allowed.
  - (ii) If damage is found, photos and/or video are required showing the product damaged as it is being opened.
  - (iii) Any damage reported after the product is installed will not be covered under the warranty.
6. A date will need to be provided by the dealer of when the product is to be installed.
  - (i) Once the date provided has come, the dealer is to follow the *Basic product inspection timeline*.