


LINE ITEM QUOTES

The following is a schedule of the windows and doors for this project. For additional unit details, please see Line Item Quotes. Additional charges, tax or Terms and Conditions may apply. Detail pricing is per unit.

| | | | | |
|---------|----------------------------|-----------------|-----|----------|
| Line #1 | Mark Unit: W200.C - P. Bed | Net Price: | | 2,038.90 |
| Qty: 1 | | Ext. Net Price: | USD | 2,038.90 |



As Viewed From The Exterior

FS 42" X 42"

RO 43" X 42 1/2"

Performance Information

U-Factor: 0.29

Solar Heat Gain Coefficient: 0.19

Visible Light Transmittance: 0.44

Condensation Resistance: 57


CPD Number: MAR-N-343-21489-00005

ENERGY STAR: S

| | |
|---|--------|
| Bright Silver Clad Exterior | 62.96 |
| Clear Interior Finish VGR Douglas Fir Interior | 581.62 |
| Ultimate Awning - Roto Operating | 952.20 |
| Frame Size 42" X 42" | |
| Rough Opening 43" X 42 1/2" | |
| Bright Silver Clad Sash Exterior | |
| Clear Interior Finish VGR Douglas Fir Sash Interior | |
| IG - 3/4" - 1 Lite | 231.08 |
| Tempered Low E3 w/Argon | |
| Black Perimeter Bar | |
| Square Exterior Glazing Profile | 18.60 |
| Square Interior Glazing Profile | 18.60 |
| Standard Bottom Rail | |
| White Weather Strip | |
| Satin Chrome Folding Handle | 70.11 |
| Satin Chrome Multi - Point Lock | |
| Interior Wood Screen | 66.53 |
| Bright View Mesh | |
| Clear Interior Finish VGR Douglas Fir | |
| Square Interior Screen Profile | 37.20 |
| 4 9/16" Jamb | |
| Nailing Fin | |

***Note: Unit Availability and Price is Subject to Change

| | | | | |
|---------|----------------------------|-----------------|-----|----------|
| Line #2 | Mark Unit: W200.B - P. Bed | Net Price: | | 6,828.55 |
| Qty: 1 | | Ext. Net Price: | USD | 6,828.55 |



As Viewed From The Exterior

FS 108 3/8" X 84"

RO 109 3/8" X 84 1/2"

Performance Information A1

U-Factor: 0.26

Solar Heat Gain Coefficient: 0.24

Visible Light Transmittance: 0.54

Condensation Resistance: 59

CPD Number: MAR-N-419-28023-00026

Performance Information A2

U-Factor: 0.29

Solar Heat Gain Coefficient: 0.19


Visible Light Transmittance: 0.44

Condensation Resistance: 58

| | |
|---|----------|
| Bright Silver Clad Exterior | 188.87 |
| Clear Interior Finish VGR Douglas Fir Interior | 1,450.84 |
| 2W2H - Rectangle Assembly | |
| Assembly Rough Opening | |
| 109 3/8" X 84 1/2" | |
| Unit: A1 | 1,887.95 |
| Ultimate Direct Glaze Rectangle | |
| Basic Frame 84" X 84" | |
| Rough Opening 85" X 84 1/2" | |
| IG - 1 Lite | 879.95 |
| 1/4" Tempered Low E3 w/Argon | |
| Black Perimeter Bar | |
| Square Exterior Glazing Profile | 37.20 |
| Unit: A2 | 752.61 |
| Ultimate Casement - Right Hand | |
| Basic Frame 24" X 41 13/16" | |
| Standard CN Width 24 | |
| Rough Opening 25" X 42 5/16" | |
| Bright Silver Clad Sash Exterior | |
| Clear Interior Finish VGR Douglas Fir Sash Interior | |
| IG - 3/4" - 1 Lite | 163.83 |
| Tempered Low E3 w/Argon | |
| Black Perimeter Bar | |
| Square Exterior Glazing Profile | 18.60 |
| Square Interior Glazing Profile | 18.60 |

| | |
|-----------------------------------|--|
| CPD Number: MAR-N-342-40142-00001 | Standard Bottom Rail |
| ENERGY STAR: S | White Weather Strip |
| Performance Information B2 | Satin Chrome Folding Handle 56.52 |
| U-Factor: 0.26 | Satin Chrome Multi - Point Lock |
| Solar Heat Gain Coefficient: 0.24 | Interior Wood Screen 66.53 |
| Visible Light Transmittance: 0.55 | Bright View Mesh |
| Condensation Resistance: 59 | Clear Interior Finish VGR Douglas Fir |
| CPD Number: MAR-N-419-28023-00001 | Square Interior Screen Profile 37.20 |
| | Unit: B2 657.46 |
| | Ultimate Direct Glaze Rectangle |
| | Basic Frame 24" X 41 13/16" |
| | Rough Opening 25" X 42 5/16" |
| | IG - 1 Lite 129.49 |
| | Tempered Low E3 w/Argon |
| | Black Perimeter Bar |
| | Putty Exterior Glazing Profile |
| | Horizontal Mull Reinforcement 3/8" 152.38 |
| | Vertical Mull Reinforcement 3/8" 256.12 |
| | Standard Mull Charge 74.40 |
| | 4 9/16" Jamb |
| | Nailing Fin |
| | ***Note: This configuration meets a minimum structural performance of DP 20 through either physical testing or calculations in accordance with AAMA 450 and building code requirements. Mull certification ratings may vary from individual unit certification ratings. Reference the mulling chapter of the ADM for additional information. |
| | ***Note: Unit Availability and Price is Subject to Change |

| | | | | |
|---------|----------------------------|-----------------|-----|----------|
| Line #3 | Mark Unit: W200.A - P. Bed | Net Price: | | 2,258.54 |
| Qty: 1 | | Ext. Net Price: | USD | 2,258.54 |




As Viewed From The Exterior

| | |
|-----------------------------------|---|
| FS 42" X 84" | Bright Silver Clad Exterior 62.96 |
| RO 43" X 84 1/2" | Clear Interior Finish VGR Douglas Fir Interior 495.06 |
| Performance Information | Ultimate Direct Glaze Rectangle 1,218.34 |
| U-Factor: 0.26 | Frame Size 42" X 84" |
| Solar Heat Gain Coefficient: 0.24 | Rough Opening 43" X 84 1/2" |
| Visible Light Transmittance: 0.55 | IG - 1 Lite 444.98 |
| Condensation Resistance: 59 | Tempered Low E3 w/Argon |
| CPD Number: MAR-N-419-28023-00010 | Black Perimeter Bar |
| | Square Exterior Glazing Profile 37.20 |
| | 4 9/16" Jamb |
| | Nailing Fin |
| | ***Note: Unit Availability and Price is Subject to Change |

| | | | | |
|---------|---------------------------------|-----------------|-----|----------|
| Line #4 | Mark Unit: W201.B - P. Bath Tub | Net Price: | | 2,995.41 |
| Qty: 1 | | Ext. Net Price: | USD | 2,995.41 |

| |
|---|
| Bright Silver Clad Exterior 62.96 |
| Clear Interior Finish VGR Douglas Fir Interior 558.02 |
| Ultimate Direct Glaze Rectangle 1,626.12 |
| Frame Size 75 7/8" X 75" |
| Rough Opening 76 7/8" X 75 1/2" |




As Viewed From The Exterior

FS 75 7/8" X 75"
RO 76 7/8" X 75 1/2"
Performance Information
U-Factor: 0.26
Solar Heat Gain Coefficient: 0.24
Visible Light Transmittance: 0.54
Condensation Resistance: 59
CPD Number: MAR-N-419-28023-00026

IG - 1 Lite 711.11
1/4" Tempered Low E3 w/Argon
Black Perimeter Bar
Square Exterior Glazing Profile 37.20
4 9/16" Jambs
Nailing Fin
*****Note: Unit Availability and Price is Subject to Change**

| | | | | |
|---------|------------------------------------|-----------------|-----|----------|
| Line #5 | Mark Unit: W201.A - P. Bath Shower | Net Price: | | 2,164.82 |
| Qty: 1 | | Ext. Net Price: | USD | 2,164.82 |




As Viewed From The Exterior

FS 42" X 42"
RO 43 1/2" X 42 3/4"
Performance Information
U-Factor: 0.3
Solar Heat Gain Coefficient: 0.2
Visible Light Transmittance: 0.45
Condensation Resistance: 62
CPD Number: MAR-N-446-02622-00001
ENERGY STAR: S

Silver Exterior
Clear Anodized Interior
Modern Casement Push Out - Right Hand 1,836.45
Frame Size 42" X 42"
Rough Opening 43 1/2" X 42 3/4"
Sash
IG - 15/16 in - 1 Lite 271.85
Tempered Low E3 w/Argon
Black Perimeter Bar
Silver Push Out Handle 56.52
Low Handle Placement
No Screen
3 13/32" Jambs
4 1/2" Overall Jamb Depth
Thru Jamb Installation
NOTICE: The recipient is solely responsible for offloading all deliveries from the Marvin truck. Please ensure the appropriate persons and lifting / handling equipment are present and prepared to take delivery and offload the product.
Weight Summary
Weight(s) provided are approximate calculated packaged weight(s).
Single Unit, 94 lbs.
*****Note: Safe handling requires proper lifting techniques using adequate personnel and appropriate mechanical assistance, based on weight and dimensions.**
*****Note: Color variation is an inherent characteristic of anodized aluminum and is not a defect; viewing angle, lighting, size, and other factors also impact the appearance.**
*****Note: Unit Availability and Price is Subject to Change**

| | | | | |
|---------|---------------------------|-----------------|-----|----------|
| Line #6 | Mark Unit: W204.A - Bed 2 | Net Price: | | 1,964.51 |
| Qty: 1 | | Ext. Net Price: | USD | 1,964.51 |

Bright Silver Clad Exterior 62.96
Clear Interior Finish VGR Douglas Fir Interior 581.62
Ultimate Casement - Right Hand 891.40
Frame Size 42" X 42"
Rough Opening 43" X 42 1/2"




As Viewed From The Exterior

FS 42" X 42"
RO 43" X 42 1/2"
Performance Information
U-Factor: 0.28
Solar Heat Gain Coefficient: 0.19
Visible Light Transmittance: 0.44
Condensation Resistance: 59
CPD Number: MAR-N-342-40129-00005
ENERGY STAR: SC, S

| | |
|---|--------|
| Bright Silver Clad Sash Exterior | |
| Clear Interior Finish VGR Douglas Fir Sash Interior | |
| IG - 3/4" - 1 Lite | 231.08 |
| Tempered Low E3 w/Argon | |
| Black Perimeter Bar | |
| Square Exterior Glazing Profile | 18.60 |
| Square Interior Glazing Profile | 18.60 |
| Standard Bottom Rail | |
| White Weather Strip | |
| Satin Chrome Folding Handle | 56.52 |
| Satin Chrome Multi - Point Lock | |
| Interior Wood Screen | 66.53 |
| Bright View Mesh | |
| Clear Interior Finish VGR Douglas Fir | |
| Square Interior Screen Profile | 37.20 |
| 4 9/16" Jambs | |
| Nailing Fin | |
| ***Note: Unit Availability and Price is Subject to Change | |

| | | | |
|---------|---------------------------|-----------------|----------|
| Line #7 | Mark Unit: W204.B - Bed 2 | Net Price: | 1,964.51 |
| Qty: 1 | | Ext. Net Price: | 1,964.51 |
| | | USD | |




As Viewed From The Exterior

FS 42" X 42"
RO 43" X 42 1/2"
Performance Information
U-Factor: 0.28
Solar Heat Gain Coefficient: 0.19
Visible Light Transmittance: 0.44
Condensation Resistance: 59
CPD Number: MAR-N-342-40129-00005
ENERGY STAR: SC, S

| | |
|---|--------|
| Bright Silver Clad Exterior | 62.96 |
| Clear Interior Finish VGR Douglas Fir Interior | 581.62 |
| Ultimate Casement - Right Hand | 891.40 |
| Frame Size 42" X 42" | |
| Rough Opening 43" X 42 1/2" | |
| Bright Silver Clad Sash Exterior | |
| Clear Interior Finish VGR Douglas Fir Sash Interior | |
| IG - 3/4" - 1 Lite | 231.08 |
| Tempered Low E3 w/Argon | |
| Black Perimeter Bar | |
| Square Exterior Glazing Profile | 18.60 |
| Square Interior Glazing Profile | 18.60 |
| Standard Bottom Rail | |
| White Weather Strip | |
| Satin Chrome Folding Handle | 56.52 |
| Satin Chrome Multi - Point Lock | |
| Interior Wood Screen | 66.53 |
| Bright View Mesh | |
| Clear Interior Finish VGR Douglas Fir | |
| Square Interior Screen Profile | 37.20 |
| 4 9/16" Jambs | |
| Nailing Fin | |
| ***Note: Unit Availability and Price is Subject to Change | |

| | | | |
|---------|---------------------------|-----------------|----------|
| Line #8 | Mark Unit: W205.B - Bed 3 | Net Price: | 1,964.51 |
| Qty: 1 | | Ext. Net Price: | 1,964.51 |
| | | USD | |

| | |
|--|--------|
| Bright Silver Clad Exterior | 62.96 |
| Clear Interior Finish VGR Douglas Fir Interior | 581.62 |
| Ultimate Casement - Right Hand | 891.40 |
| Frame Size 42" X 42" | |
| Rough Opening 43" X 42 1/2" | |




As Viewed From The Exterior

FS 42" X 42"
RO 43" X 42 1/2"
Performance Information
U-Factor: 0.28
Solar Heat Gain Coefficient: 0.19
Visible Light Transmittance: 0.44
Condensation Resistance: 59
CPD Number: MAR-N-342-40129-00005
ENERGY STAR: SC, S

| | |
|---|--------|
| Bright Silver Clad Sash Exterior | |
| Clear Interior Finish VGR Douglas Fir Sash Interior | |
| IG - 3/4" - 1 Lite | 231.08 |
| Tempered Low E3 w/Argon | |
| Black Perimeter Bar | |
| Square Exterior Glazing Profile | 18.60 |
| Square Interior Glazing Profile | 18.60 |
| Standard Bottom Rail | |
| White Weather Strip | |
| Satin Chrome Folding Handle | 56.52 |
| Satin Chrome Multi - Point Lock | |
| Interior Wood Screen | 66.53 |
| Bright View Mesh | |
| Clear Interior Finish VGR Douglas Fir | |
| Square Interior Screen Profile | 37.20 |
| 4 9/16" Jambs | |
| Nailing Fin | |
| ***Note: Unit Availability and Price is Subject to Change | |

| | | | | |
|---------|---------------------------|-----------------|-----|----------|
| Line #9 | Mark Unit: W205.A - Bed 3 | Net Price: | | 3,469.00 |
| Qty: 1 | | Ext. Net Price: | USD | 3,469.00 |




As Viewed From The Exterior

FS 84" X 84"
RO 85" X 84 1/2"
Performance Information
U-Factor: 0.26
Solar Heat Gain Coefficient: 0.24
Visible Light Transmittance: 0.54
Condensation Resistance: 59
CPD Number: MAR-N-419-28023-00026

| | |
|---|----------|
| Bright Silver Clad Exterior | 62.96 |
| Clear Interior Finish VGR Douglas Fir Interior | 600.94 |
| Ultimate Direct Glaze Rectangle | 1,887.95 |
| Frame Size 84" X 84" | |
| Rough Opening 85" X 84 1/2" | |
| IG - 1 Lite | 879.95 |
| 1/4" Tempered Low E3 w/Argon | |
| Black Perimeter Bar | |
| Square Exterior Glazing Profile | 37.20 |
| 4 9/16" Jambs | |
| Nailing Fin | |
| ***Note: Unit Availability and Price is Subject to Change | |

| | | | | |
|----------|--------------------------|-----------------|-----|----------|
| Line #10 | Mark Unit: W206.A - Bath | Net Price: | | 2,038.90 |
| Qty: 1 | | Ext. Net Price: | USD | 2,038.90 |

| | |
|--|--------|
| Bright Silver Clad Exterior | 62.96 |
| Clear Interior Finish VGR Douglas Fir Interior | 581.62 |
| Ultimate Awning - Roto Operating | 952.20 |
| Frame Size 42" X 42" | |
| Rough Opening 43" X 42 1/2" | |
| Bright Silver Clad Sash Exterior | |



FS 42" X 42"
RO 43" X 42 1/2"
Performance Information
U-Factor: 0.29
Solar Heat Gain Coefficient: 0.19
Visible Light Transmittance: 0.44
Condensation Resistance: 57
CPD Number: MAR-N-343-21489-00005
ENERGY STAR: S

| | |
|---|--------|
| Clear Interior Finish VGR Douglas Fir Sash Interior | |
| IG - 3/4" - 1 Lite | 231.08 |
| Tempered Low E3 w/Argon | |
| Black Perimeter Bar | |
| Square Exterior Glazing Profile | 18.60 |
| Square Interior Glazing Profile | 18.60 |
| Standard Bottom Rail | |
| White Weather Strip | |
| Satin Chrome Folding Handle | 70.11 |
| Satin Chrome Multi - Point Lock | |
| Interior Wood Screen | 66.53 |
| Bright View Mesh | |
| Clear Interior Finish VGR Douglas Fir | |
| Square Interior Screen Profile | 37.20 |
| 4 9/16" Jambs | |
| Nailing Fin | |
| ***Note: Unit Availability and Price is Subject to Change | |

| | | | | |
|----------|------------------------------|-----------------|-----|--------|
| Line #11 | Mark Unit: Curbside Delivery | Net Price: | | 150.00 |
| Qty: 1 | | Ext. Net Price: | USD | 150.00 |

Labor Taylor Brothers Curbside Delivery 150.00

| | |
|---------------------------------|-----------|
| Project Subtotal Net Price: USD | 27,687.65 |
| Taxable Labor: USD | 150.00 |
| 9.500% Sales Tax: USD | 2,644.58 |
| Project Total Net Price: USD | 30,482.23 |

TERMS AND CONDITIONS

PRODUCT AND PERFORMANCE INFORMATION

NFRC Ratings:


NFRC energy ratings may vary depending on the exact configuration of glass thickness used on the unit. NFRC energy values and ratings may change over time due to ongoing product changes, updated test results or requirements. NFRC values and ratings are finalized on the date of manufacture.

The National Fenestration Rating Council (NFRC) has developed and operates a uniform rating system for the energy performance of fenestration products, including windows, doors and skylights. For additional information regarding this rating system, see www.nfrc.org.


Code (residential, building or energy) Compliance:

Determining the suitability and compliance with state, provincial, local, or other applicable building codes or standards, including energy codes, is the responsibility of the buyer, user, architect, contractor, installer, and/or other construction professional.

2021 IECC Climate Zone Map:



ENERGY STAR Version 7 Climate Zone Map:




PURCHASE APPROVAL/SIGN OFF

| | |
|--|------------------|
| Project Subtotal Net Price: USD | 27,687.65 |
| Taxable Labor: USD | 150.00 |
| 9.500% Sales Tax: USD | 2,644.58 |
| Project Total Net Price: USD | 30,482.23 |

I have reviewed all line item quotes in detail and agree that the product specifications and pricing are accurate, and I approve the project for order. I acknowledge that additional charges, tax or Terms and Conditions may apply.

Seller: _____




Buyer:  10/29/24

CALIFORNIA USERS

About California Proposition 65

California's Proposition 65 entitles California consumers to special warnings for products that contain chemicals known to the state of California to cause cancer and birth defects or other reproductive harm.

We are providing the following warnings in connection with this quote:

-  **WARNING:** This product can expose you to chemicals including titanium dioxide, which is known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov.
-  **WARNING:** This product can expose you to chemicals including methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information, go to www.P65Warnings.ca.gov.
-  **WARNING:** Drilling, sawing, sanding or machining wood products can expose you to wood dust, a substance known to the State of California to cause cancer. Avoid inhaling wood dust or use a dust mask or other safeguards for personal protection. For more information go to www.P65Warnings.ca.gov/wood.

California Warranties

Pursuant to California Civil Code Section 1973.01, for product sold and originally delivered in California, the Limited Warranty is made and the warranty notice period begins to run on the original date of product delivery.