



COVER SHEET

FROM **Cristina Marquez**

Monday, July 11, 2022

9:01:21 AM

Phone: 323 805 0200

TO:

Company: TAYLOR BROS. ARCH. PRODUCTS

Attn: Ryan Chinnici

Reference: Order Submittal #553963

3570 Locksley Drive 88130-RC

Subject: Signature(s) required.

Message:

Please review carefully. Upon approval, sign and return all pages ASAP.
Thank you.

Factory Energy Labeling selection: NFRC.



FLEETWOOD Windows and Doors

Phone: 800-736-7363
www.FleetwoodUSA.com

ver: 3

Order Submittal

Quote#

553963



Market Leadership: (For more details, visit our homepage ABOUT/Market Leadership)

- * Family owned & operated
- * Elite luxury fit & finish standards
- * QC standards 2x more stringent than ASTM's
- * Lifetime TRANSFERABLE Warranty
- * Patented hardware & designs



Order Submittal Review Legend

This Order Submittal highlights Proprietary Features (legend below), each of which has a deeper story that can be read on the homepage of our website. The preferences are noted in each line item's OPTIONS and listed below each line item's options in the Premium Features segment.

All Products

- (FPA) Finish Pre-Treatment - Anodize
- (FPP) Finish Pre-Treatment - Paint

Windows

- (ABH) Archetype Butt Hinges
- (ACH) Archetype Cam Handle & Strike Plate
- (AMP) Archetype Multi-Point Latch
- (ASC) Archetype Screen Clips
- (AWL) Archetype Window Latch
- (CCH) Casement Concealed Hinges
- (GAC) Glass Anchor & Cover
- (HAH) Hopper/Awning Concealed Hinges
- (HWS) Hinged Window Screen

Hinged Doors

- (2-PT) 2-Point Locking System
- (5-PT) 5-Point Locking System
- (AHS) Adjustable Hinges – Savio
- (AHT) Adjustable Hinges – Truth
- (SFD-4) Sub Floor Draining System

Sliding Glass Doors

- (ADC) Archetype Door Collectors
- (AEP) Archetype Edge Pull
- (AHL) Archetype Handicap Lever
- (ALH) Archetype Locking Hardware
- (ALP) Archetype Lock Face Plate
- (ARS) Archetype Rolling System
- (ASP) Archetype Strike Plate
- (ATI) Archetype Threshold Insert
- (SFD-3) Sub Floor Draining System – 3-Series
- (SFD-4) Sub Floor Draining System – Gen4
- (SFD-E) Sub Floor Draining System – EDGE
- (A4-E) Keel Sheave
- (A1-E) Keel Sheave

Pivot Door

- (AFP) Archetype Floor Pivot
- (AFP-R) Archetype Floor Pivot - Remodel
- (AHP) Archetype Head Pivot
- (IRC) In-Rail Floor Closer
- (PDS) Pivot Drop Seal
- (SFD-4) Sub Floor Draining System



LEARN MORE



FLEETWOOD Windows and Doors

Phone: 800-736-7363
www.FleetwoodUSA.com

ver: 3

Order Submittal

Quote#

553963



Customer: TAYLOR BROS. ARCH. PRODUCTS

Deliver: VALLEY/GREEN

2526

Factory Delivered to Jobsite

Office Address:

2934 Riverside Drive,
Los Angeles, CA 90039
Phone: 323 805 0200
ryan@taybros.com
Call time: _____ contact:

Shipping Address:

3570 Locksley Drive,
Pasadena, CA 91107

PO: 88130-RC

Contact: Ryan Chinnici

Job Name: 3570 Locksley Drive

Quoted By: CristinaM

Quote Date: 7/8/2022

Net Frame Dimension in inches: (width x height)
Unless otherwise noted, all frames are viewed from exterior!

Comments:

Job Specific Series Defaults (Unless otherwise specified per item)

<p><u>Series 3600-T (Thermal)</u></p> <p>Finish: CLASS I, BLACK ANODIZED Glass: 1.25": Clear Cardinal 272 6mm-T, 0.75argon, Clear 6mm-T (Glazed) CLR6272TG</p> <p>Frame type: Block (Field Assembled) Boxing: None (Wrapped)</p>	<p><u>Series 3800-T (Thermal)</u></p> <p>Finish: CLASS I, BLACK ANODIZED Glass: 1.25": Clear Cardinal 272 8mm-T, 0.625argon, Clear 8mm-T (Not Glazed) CLR62728MGT</p> <p>Frame type: Block (Field Assembled) Boxing: None (Wrapped)</p>	<p><u>Series 4070-T (Thermal)</u></p> <p>Finish: CLASS I, BLACK ANODIZED Hardware: Black Painted Stainless Steel Glass: 1.25": Clear Cardinal 272 6mm-T, 0.75argon, Clear 6mm-T (Glazed) CLR6272TG</p> <p>Frame type: Block (Thermal Frame) (Field Assembled) Boxing: None (Wrapped) Screens: None</p>
<p>Collector_Magnets No DPL_Handle_Height 36 1/8in. from bottom of Panel FSB_Cylinders Exterior-(HGD) Keyed Different FSB_DPL_Handle No FSB_Handle FSB 1076 Powder Coated BLACK FSB_Handle_Height 36 1/8in. from bottom of Panel FSB_Handle_plate square Geometry Straight Hinges_Carriers PVD Black Sill (SFD-4)-2.1875 in. SillPan OPT-E2:(1/2in. side drain-ext) SillPan_height 1.1875in. (Low Profile Arche-Duct) Structural_Rating To meet a minimum 105 MPH(Vult) wind speed Swing Outside Water_Rating Performance varies</p>	<p>Butt_Glazing Equal Offset with extruded caps Geometry Std-4-Sides Glazing Outside SillPan Yes Structural_Rating To meet a minimum 105 MPH(Vult) wind speed TDL_Bar Standard (Butt Glaze at Corner) Thermal_Frame Yes Water_Rating Performance varies</p>	<p>Actuator (ALH)-Narrow Actuator Height 48"(nominal 46in. from finished floor) Arche-Duct OPT-E2:(1/2in. side drain-ext) Cylinders None Door Collectors No Geometry Corner (Outside)-std Glazing Inside Handle Archetype Narrow Interlockers Standard (Strut) Jobsite Sill Protector No MtgStiles Standard Pocket_Closer Yes Pocket_Interlocker 2 Piece (STD) Pocket_Jambs No Pocket_SL_extender 2.4375in (Wide) Pocket_type Standard (closed wall) Roller_Track (ATI) Rollers (ARS)-A4 Screen Collectors No Sill (SFD-4)-Non-Staggered SillPan_height 1.25in. (Low Profile Arche-Duct) Stacks to The Interior (of the left panel) Strike_Plate (ASP)</p>



FLEETWOOD Windows and Doors

Phone: 800-736-7363
www.FleetwoodUSA.com

Order Submittal

Quote#

553963

ver: 3



Structural_Rating	To meet a minimum 105 MPH(Vult) wind speed
Water_Rating	Performance varies



FLEETWOOD Windows and Doors

Phone: 800-736-7363
www.FleetwoodUSA.com

ver: 3

Order Submittal

Quote#

553963



Notes: Inside Glazed: see Installation Instructions (Additional Glazing Procedure)

ITEM: 1-0 SERIES 4070-T PXXXVXP

QTY Each Dealer-Cost
1 \$27,893.23 \$27,893.23

Minimum Resale Price: 40724.11


*add'l chgs on total page

Room Ref: Corner Door

Weight/lb: 2018.99 Cube/ft: 54.94


NFRC: FLE-M-110-00325-00001

Viewed from Exterior
Corner (Outside)-std (90degree)
Leg1 D/O=209.5
Leg2 D/O=60
~NFW=283.5 Pkt:74.25v117.5 P:57.75
NFH=118



Plan View - Custom Sales Drawing

Option Name	Option
Active side	Left (default)
Caution	Requires Open Tracks
Customer	Arche-Duct- spliced, field joined and sealed
Customer	Edge pulls in corner doors will be exposed
Customer	NFW does not include Sill Pan (1/4in.)
Customer	Glass center will flex; Consider thicker lites
Customer	Second latch/strike included
Drain_from_Edge	8in.
Drain_Spacing	60in.
Edge_Pull	(AEP)
Energy_NFRC	U-Value:0.4_SHGC:0.32
Energy_Simulated	U-Value:0.33_SHGC:0.36
Solar_Expansion	Exposure may inhibit operation (see Energy Report)
Premium Features	
Pocket Sightline Extender	
Available Proprietary Features:	
ADC, AEP, ALH, ALP, ARS, ASP, ATI, FPA, FPP, SFD-4	



- Archetype actuator shown
- 1.25 inch glass shown
- Outside glazing shown
- Includes Custom Pocket Closer (not shown)
- leg1-Pocket_Depth:9.375;-leg2-Pocket_Depth:3.625

- Frame_Depth:8.625;-Frame_Depth2:2.875 inches
- Tolerance: = + or - 2 degrees
- 2piece interlocker is setback 1 inch from Daylight Opening.

- Review drawings online for additional dimensions
- CUSTOMER TO CONFIRM STACKING AND CONFIGURATION

APPROVED
ryan , 7/11/2022, 9:50:11 AM

Date: 7.11.22



FLEETWOOD Windows and Doors

Phone: 800-736-7363
www.FleetwoodUSA.com

ver: 3

Order Submittal

Quote# 553963



Notes: Customer to specify Offset method(Right or Left handed).

ITEM: 2-0 SERIES 3800-T OOOVO-GTF

Glazing: Vinyl for 1.25inch Glazing (no glass) (Not Glazed)

KD_6B

Viewed from Exterior
Corner (90degree)
NFW=215.75 v 66.875 x NFH= 104


QTY	Each	Dealer-Cost
1	\$4,423.61	\$4,423.61

Minimum Resale Price: 6458.47

*add'l chgs on total page

Room Ref: Corner Window Above


Weight/lb: 166.30 Cube/ft: 8.44



Option Name	Option
Customer	Vertical TDL bars(std)
Customer	Butt Glazing will have excess deflection
Customer	Sillpan- spliced, field joined and sealed
Customer	Installer to cut glass stops to fit
Customer	Applicable Sales document(s)
Geometry	Corner
Glass_Stops	Standard
Structural_Rating	Corner Butt Glass Not Wind Rated
Premium Features	
Leak Protection Sill Pan	
Unitized Corner	
Available Proprietary Features:	
FPA, FPP	

Butt Glazing selection

OFFSET



1/4" GAP FOR SEALANT *
EQUAL CORNER OFFSET (90° STANDARD)
CUSTOM ANGLES REQUIRE DRAWING FROM DEALER
SEALANT NOT PROVIDED BY FLEETWOOD
LOW E (soft coat) GLASS COATING
WILL HAVE 1/2" EDGE DELETION

Customer Signature

APPROVED
ryan , 7/11/2022, 9:50:31 AM

Notes: To be cut to fit in field (by Installer).

ITEM: 2-1 Ship Butt Glazed Exterior Cap/Cover
(3817) Loose (item:2) - BUTT GLAZED
EXT CAP/COVER

QTY

1

*add'l chgs on total page

Notes: To be cut to fit in field (by Installer).



FLEETWOOD Windows and Doors

Phone: 800-736-7363
www.FleetwoodUSA.com

ver: 3

Order Submittal

Quote#

553963



ITEM: **2-2**

Ship Butt Glazed Interior Cap/Cover (3818)
Loose (item:2) - BUTT GLAZED INT
CAP/COVER

QTY

1

*add'l chgs on total page



FLEETWOOD Windows and Doors

Phone: 800-736-7363
www.FleetwoodUSA.com

Order Submittal

Quote#

553963

ver: 3





FLEETWOOD Windows and Doors

Phone: 800-736-7363
www.FleetwoodUSA.com

ver: 3

Order Submittal

Quote# 553963



ITEM: 3-0 SERIES 3600-T 4L (OUTSWING)

QTY Each Dealer-Cost

1 \$14,859.84 \$14,859.84

Minimum Resale Price: 21695.37

Option Name	Option
Caution:	Not accessible from exterior
Customer	NFH measured from finished floor
Customer	Arche-Duct Water Rating not tested
DPL_hardware_finish	Black (Stainless PVD)
Drain_from_Edge	8in.
Drain_Spacing	Center Drain (3 drains total)
Energy_NFRC	U-Value:0.39_SHGC:0.3
Energy_Simulated	U-Value:0.37_SHGC:0.32
Flush_Pulls	No
Solar_Expansion	Exposure may inhibit shoot bolt operation

Premium Features


Height 102in.+

Arche-Duct

Available Proprietary Features:

FPA, FPP, SFD-4

Viewed from Exterior
NFW=131 x NFH=116



Outswing Open View




*add'l chgs on total page

Room Ref: Door 2

Weight/lb: 937.41 Cube/ft: 15.05

NFRC: FLE-M-108-00280-00001

Plan View



EXTERIOR



FLEETWOOD Windows and Doors

Phone: 800-736-7363
www.FleetwoodUSA.com

ver: 3

Order Submittal

Quote#

553963



ITEM: 4-0 SERIES 3800-T O-GTF

Frame: Block (Assembled)
Glazing: 1.25": Clear Cardinal 272 6mm-T,0.75argon,Clear 6mm-T (Glazed)

Viewed from Exterior
NFW=45.75 x NFH= 104

QTY Each Dealer-Cost

1 \$1,362.23 \$1,362.23

CLR6272TG

Minimum Resale Price: 1988.86

*add'l chgs on total page

Room Ref: Window Over Folding Door

Weight/lb: 258.87 Cube/ft: 20.90

NFRC: FLE-M-89-00502-00001

Option Name	Option
Energy_NFRC	U-Value:0.33_SHGC:0.36
Energy_Simulated	U-Value:0.36_SHGC:0.38
Glass_Stops	Standard
Premium Features	
Leak Protection Sill Pan	
Available Proprietary Features:	
FPA, FPP	

ITEM: 5-0 Wood Crate Charge - WOOD CRATE CHARGE

QTY Each Dealer-Cost

1 \$450.00 \$450.00

Minimum Resale Price: 450.

*add'l chgs on total page



FLEETWOOD Windows and Doors

Phone: 800-736-7363
www.FleetwoodUSA.com

Order Submittal

Quote#

553963

ver: 3





FLEETWOOD Windows and Doors

Phone: 800-736-7363
www.FleetwoodUSA.com

ver: 3

Order Submittal

Quote# 553963



ITEM: 6-0 SERIES 3600-T 5R (OUTSWING)

Frame: Nail-On (Field Assembled)

Viewed from Exterior
NFW=196 x NFH=100


QTY Each Dealer-Cost

1 \$17,540.29 \$17,540.29


Minimum Resale Price: 25608.83

*add'l chgs on total page

Option Name	Option
Caution:	FSB handles installed on door
Customer	Arche-Duct- spliced, field joined and sealed
Customer	NFH measured from finished floor
Customer	Arche-Duct Water Rating not tested
Customer	Hinged Door Holder shipped loose
Customer	DPL recommended on swing panels for doors over 8ft
DPL_hardware_finish	Black (Stainless PVD)
Drain_from_Edge	8in.
Drain_Spacing	60in.
Energy_NFRC	U-Value:0.39_SHGC:0.3
Energy_Simulated	U-Value:0.36_SHGC:0.33
Flush_Pulls	No
Hinged_Door_Holder	1 Pair (PVD black)
Solar_Expansion	Exposure may inhibit shoot bolt operation



Outswing Open View



Premium Features

Arche-Duct


Available Proprietary Features:

FPA, FPP, SFD-4

Room Ref: Door 4

Weight/lb: 1198.91 **Cube/ft:** 19.40

NFRC: FLE-M-108-00280-00001



EXTERIOR



FLEETWOOD Windows and Doors

Phone: 800-736-7363
www.FleetwoodUSA.com

ver: 3

Order Submittal

Quote#

553963



Notes:

ITEM: 7-0 SERIES 3800-T O-GTF

Frame: Block (Assembled)

Viewed from Exterior
NFW=120 x NFH= 95.75

QTY	Each	Dealer-Cost
1	\$5,717.71	\$5,717.71

Minimum Resale Price: 8347.86

*add'l chgs on total page

Room Ref: 1st Floor - Facing Garage

Weight/lb: 707.27 Cube/ft: 46.11

NFRC: FLE-M-89-00527-00001



Option Name	Option
Customer	1. Thicker glass is naturally greener
Customer	2. Consider Low-Iron glass
Energy_NFRC	U-Value:0.33_SHGC:0.35
Energy_Simulated	U-Value:0.31_SHGC:0.38
Glass	Wood Crate
Glass_Stops	Standard
Premium Features	
Leak Protection Sill Pan	
Available Proprietary Features:	
FPA, FPP	

Notes: Glass to be Wood Crated and requires field glazing. (Crate loading and quantities determined by Fleetwood.) Fleetwood does not provide equipment to offload wood crates. Wood Crates may weigh up to 4000lbs.

ITEM: 7-99 - WOOD_CRATE

QTY

1

*add'l chgs on total page

Option Name	Option
Customer	WOOD_CRATED glass is not inspected by the factory



FLEETWOOD Windows and Doors

Phone: 800-736-7363
www.FleetwoodUSA.com

Order Submittal

Quote#

553963

ver: 3



Notes:

ITEM: 8-0 SERIES 3800-T O-GTF

Frame: Block (Assembled)

Viewed from Exterior
NFW=120 x NFH= 95.75

QTY	Each	Dealer-Cost
1	\$5,717.71	\$5,717.71

Minimum Resale Price: 8347.86

*add'l chgs on total page

Room Ref: 2nd Floor - Facing Garage

Weight/lb: 707.27 Cube/ft: 46.11

NFRC: FLE-M-89-00527-00001



Option Name	Option
Customer	1. Thicker glass is naturally greener
Customer	2. Consider Low-Iron glass
Energy_NFRC	U-Value:0.33_SHGC:0.35
Energy_Simulated	U-Value:0.31_SHGC:0.38
Glass	Wood Crate
Glass_Stops	Standard
Premium Features	
Leak Protection Sill Pan	
Available Proprietary Features:	
FPA, FPP	

Notes: Glass to be Wood Crated and requires field glazing. (Crate loading and quantities determined by Fleetwood.) Fleetwood does not provide equipment to offload wood crates. Wood Crates may weigh up to 4000lbs.

ITEM: 8-99 - WOOD_CRATE

QTY

1

*add'l chgs on total page

Option Name	Option
Customer	WOOD_CRATED glass is not inspected by the factory



FLEETWOOD Windows and Doors

Phone: 800-736-7363
www.FleetwoodUSA.com

ver: 3

Order Submittal

Quote#

553963



Item Sub-Total:	\$77,964.62
Factory Shipping & Handling:	\$779.65
<hr/>	
Installation Labor:	Not Included
Drawings/Engineering:	Not Included
Freight/Delivery:	Not Included
Other Products Provided:	Not Included
Sales Tax:	Not Included
<hr/>	
Dealer Grand Total	\$78,744.27

Minimum Resale Price*: \$113,621.36

*(may not include S&H or Tax)

Total Weight/lb: 5995.03

Total Cube/ft: 689.70

- Review all product options. SPECIAL notes are subject to factory review.
- See website for current lead times.
- Orders are subject to standard terms & conditions.
- This proposal was generated without reference to any specifications other than what is noted.
- Drawings should be ordered to verify interior and exterior finish details.

Before signing this document, be certain everything is precisely what you intend to order. This Order Submittal supersedes all connected correspondence such as emails, drawings, etc.

Please sign to proceed into production. Signature: _____

APPROVED

ryan , 7/11/2022, 9:51:12 AM

Date **7.11.22**

Additional signatures required on all pages with a signature line. Once confirmed, you will receive a one page Order Confirmation with your target ship week.

Job Name: 3570 Locksley Drive

Customer: TAYLOR BROS. ARCH. PRODUCTS

Quote: #553963

MANUFACTURER

ENERGY REPORT

Code Compliance Challenges

It is imperative to involve an energy consultant with experience in metal window compliance. We provide a list of consultants online (Professionals/Energy Compliance).

Job Specific Summary

The U-Factor and SHGC values provided in this report comply with NFRC 100 and NFRC 200. A summary of these values has been presented as a Weighted Average to assist dealers in assessing the general impact if changes are made to the Window or Door order, e.g. glass type change.

Additionally, Fleetwood has provided a column of Simulated Performance Alternative energy values that may be a useful tool in illustrating how the size of a Door or Window will impact the true living conditions inside the home. By request, Fleetwood will provide Manufacturer Labels for such values. For more information about Simulated Performance Alternative, visit Fleetwood's website; under the Professionals menu, select Energy Compliance, then Energy Code Compliance.

Product Type / Category Information:

(Metric/SI version available upon request.)

<u>Category:</u>	<u>Series:</u>	<u>Item:</u>	<u>Glazing*:</u>	<u>VT:</u>	<u>NFRC</u>		<u>Simulated Performance Alternative</u>		<u>Glazing Area</u>
					U-Factor / SHGC		U-Factor / SHGC		<u>(ft2)*Qty:</u>
DOOR	Series 3600-T	3-0	B	0.50	0.39	0.3	0.37	0.32	105.53 [131x116]*1
DOOR	Series 3600-T	6-0	B	0.50	0.39	0.3	0.36	0.33	136.11 [196x100]*1
DOOR	Series 4070-T	1-0	B	0.54	0.4	0.32	0.33	0.36	220.84 [269.5x118]*1
DOOR Weighted Average NFRC: U-Factor: 0.395 SHGC: 0.31 Simulated Performance Alternative 0.35 0.342									(ft2): 462.48

<u>Category:</u>	<u>Series:</u>	<u>Item:</u>	<u>Glazing*:</u>	<u>VT:</u>	<u>NFRC</u>		<u>Simulated Performance Alternative</u>		<u>Glazing Area</u>
					U-Factor / SHGC		U-Factor / SHGC		<u>(ft2)*Qty:</u>
WINDOW	Series 3800-T	7-0	A	0.61	0.33	0.35	0.31	0.38	79.79 [120x95.75]*1
WINDOW	Series 3800-T	8-0	A	0.61	0.33	0.35	0.31	0.38	79.79 [120x95.75]*1
WINDOW	Series 3800-T	4-0	B	0.62	0.33	0.36	0.36	0.38	33.04 [45.75x104]*1
WINDOW Weighted Average NFRC: U-Factor: 0.33 SHGC: 0.352 Simulated Performance Alternative 0.32 0.38									(ft2): 192.62

The "Performance method" for certification is recommended; wherein envelope components can be "traded off" to allow the desired windows and doors. (See Energy Code Compliance for a list of common trade-offs.)

Total Weighted Average NFRC: U-Factor: 0.38 SHGC: 0.32 Simulated Performance Alternative 0.34 0.35									Total Glazing Area:
									(ft2): 655.1

The overall product U-Factor combines the center-of-glass, product frame and edge-of-glass U-Factors in a frame model.
Note: All U-factors and SHGC values are shown with non-tinted glass. Tint on glass will further reduce the SHGC values.

*Glazing Type:		Description:		
A	CLR62728MGT	1.25": Clear Cardinal 272 8mm-T_0.625argon_Clear 8mm-T	0.25	0.39
B	CLR6272TG	1.25": Clear Cardinal 272 6mm-T_0.75argon_Clear 6mm-T	0.26	0.4

NFRC Prescriptive Sizes:		
Series	Configuration	Width x Height (in)
Series 3600-T	OX or XX	37 x 82
Series 3800-T	Fixed	47 x 59
Series 4070-T	OX or XX	78 x 78

International Energy Conservation Code.

- References:
- U-Factor.* The rated Winter U-Factor of the fenestration product, in Btu/hr-ft2-°F.
 - SHGC.* Solar Heat Gain Coefficient.
 - VT.* Visible Transmittance.
 - Area (ft2).* The area of the surface in square feet.
 - NFRC.* National Fenestration Rating Council.
 - IECC.*

Solar Expansion

Thermally broken aluminum may react to sun exposure by swelling slightly. In most cases, the changes go unnoticed but it can make it more challenging to operate or lock certain types of doors or windows. The factory offers mitigation techniques, which should be discussed before placing the order.