

Starting your development for dprevived.com

Docker Install

Install Docker (outdated)

docs.docker.com/get-docker/ or docs.docker.com/engine/install/

Comment: Only plain Docker needed. Docker Desktop is optional.

use docker-compose.yaml

Install git client

- Windows <https://git-scm.com/download/win>
- Linux use Packtmanager of distribution
- MacOS already included

Or look at <https://github.com/git-guides/install-git>

Install Misago

- *git clone https://github.com/rafalp/misago.git*
- *cd misago*
- *npm install*
- *./dev init*

Install dprevived version

- move overwrite-xx.zip into basefolder and extract it to overwrite some files
- start misago via:
docker compose up --detach
or via docker desktop
- enter misago docker container via:
docker compose exec misago /bin/bash
or via docker desktop
- import dprevived striped database via: (This is one long line!)
*bzcat dev-database-2023-04-14.sql.bz2 | PGPASSWORD=\$POSTGRES_PASSWORD psql -U *
\$POSTGRES_USER -h \$POSTGRES_HOST \$POSTGRES_USER

- start migration:
python manage.py migrate
- exit docker container:
exit

start browser on <http://127.0.0.1:8000>

You should see the Homepage

Enter Admin: <http://127.0.0.1:8000/admincp>

User: root

Password: superuser

Now you are done.

Infos about docker for console users:

Starting / stopping misago container:

Start: ***docker compose up***

Stop: press ctrl-c

or

Start: ***docker-compose up --detach***

Stop: ***docker compose down***

list all running container:

docker ps

enter shell inside docker misago container

docker compose exec misago /bin/bash

Manage misago

./dev

Manage Django

./dev manage.py

Native Install

you need

- **git**
- **postgres**
- **python 3.12**
- **npm**
- **bzip2**
- **tar**
- **virtualenv**

Make a new virtualenv dir

mkdir devel39

virtualenv --python=/usr/local/bin/python3.12 devel39

Activate with

```
cd devel39/  
. bin/activate
```

Get git

```
git clone -b dpdevel39 https://github.com/neo-photo/Misago-dprevived.git  
cd Misago-dprevived
```

Create postgres database

(do as you like with gui or “create database [database]” in psql)

unpack dev-database-2023-04-14.sql.bz2

```
bunzip dev-database-2023-04-14.sql.bz2
```

Import database

```
PGPASSWORD=[PASSWORD] pg_restore -h 127.0.0.1 -U [user] --no-owner --no-acl --clean --  
if-exists -Fc -d [database] dev-database-2023-04-14.sql
```

Install python libs

```
pip3.12 install -r requirements.txt  
(optional if install or migration fails try)  
pip3.12 install celery -U  
pip3.12 install gunicorn  
python3.12 manage.py migrate
```

start server

```
python3.12 manage.py runserver
```

Start browser

Changing layout

- you can add a new css in the backoffice and overwrite styles
- you can copy any file from misago/templates/misago to plugin4pdrevived/tempates/misago
- you can include css or js inside plugin4pdrevived/tempates/misago/jumbotron.html to run js on startup use ready() see jumbotron.html

If you want to check the layout of components redereed by react.js you shoud deativate the component in frontend/src/initializers

Changing react.js

- cd into frontend folder

- ***npm install***
- ***webpack --watch --progress***

customise frontend files

deploy

- ***npm run build***
- zip misago/static folder

see: <https://misago-project.org/t/html-customization-guide/1197/#post-5760>

Links

misago-project.org/

github.com/rafalp/misago_docker

github.com/rafalp/Misago-Docs

github.com/rafalp/Misago/

misago-project.org/t/html-customization-guide/1197/#post-5760

Native install:

Needs:

Python3.x

Pip 3.x

virtualenv

Postgress

1. create enviroment: (virtualenv devel)
2. enter dir and unzip files (cd devel; unzip path_to_zip/name_of_zip.zip)
3. activate virtualenv (. /bin/activate)
4. Install requirements (pip3 install -r dprevived-requirements.txt)
5. Install or patch database
6. extract all three tar.gz files (tar xzf _filename_.tar.gz)
7. change sesstings/settings.py to meet your local settings database, dir structure, etc
8. install frontend (cd frontend;npm install)
9. start fronted developing (npm rum start)
10. start django in other shell dont forget to activate virtualenv (python3 manager.py runserver)

```
git clone -b 0.39.2 --single-branch https://github.com/rafalp/Misago.git
Misagoxx
```

make new env

```
python3 -m venv ./
```

```
pip3 install pylibmc
```

```
pip3 install -r requirements.in
```

```
pg_restore -U spirito -h 127.0.0.1 -vx0W --role spirito -d misago40
dprevived-2024-04-28.sql
```

```
python3.12 manage.py migrate
```

```
python3.12 manage.py runserver
```

Working on beta develop server

Starting Misago:

Login on beta.dprevived.com via ssh and your beta User and beta.key

XXX will be send to you.

```
cd betaxxx
```

```
. bin/activate
```

```
cd Misago-dprevived
```

```
[optional ] git pull
```

```
POSTGRES_HOST="127.0.0.1" POSTGRES_USER="xxx" POSTGRES_DB="xxx"
POSTGRES_PASSWORD="xxx" python3.12 manage.py runserver 10.0.3.22:xxx
```

The two three lines are one big line.

Open <http://beta.dprevived.com:xxx>

you can open sftp or ssh and edit the files inside:

Misago-dprevived/devproject/plugins/dprevived-plugin/dprevived_plugin/

You can edit the css and js in the static folder,

the html in the templates folder,

and the python .py files.

If you change html files which are updated via react.js you must deactivate the frontend part, see next section.

Edit dynamic frontend

Open another ssh console

cd betaxxx

. bin/activate

cd Misago-dprevived/frontend

webpack --watch --progress

change the files in the src folder

if you want to deactivate a html overwrite of the html pages just look in the

src/initializers/ for the part you want to stop updating open the js file.

for example the navbar is components/navbar.js

comment out the misago.addInitializer lines