



CHESS Battle

2 player game

Mini project #1

24.04.2026

Ramachandra prakash M
ramachandraprakashvnr@gmail.com

Project Idea

I built a Chess Battle Simulator using HTML, CSS, and JavaScript because I love strategy games and want to build advanced AI systems and intelligent software in the future.

Prompt Used

Create a chess simulator using HTML, CSS, and JavaScript.

Features needed:

- White vs Black board
- Movable chess pieces
- Restart button
- Interactive gameplay

Initial Problems Faced

- Pieces disappeared after clicking
- Restart button was not working

- Piece movement had bugs
- Board logic issues

AI Fix Prompt

Fix my chess simulator bugs:

- Prevent pieces from disappearing
- Enable proper movement
- Fix restart button
- Improve board interaction

Final Code

Index.html

```
<!DOCTYPE html>
<html lang="en">
<head>
  <title>Ram Chess Battle</title>
  <link rel="stylesheet" href="style.css">
</head>
<body>

<h1> ♔ Ram Chess Battle ♚ </h1>

<div class="game-info">
  <p id="turn">White's Turn</p>
  <button onclick="restartGame()">Restart Game</button>
</div>

<div id="board"></div>
```

```
<script src="script.js"></script>
</body>
</html>
```

Script.js

```
const board = document.getElementById("board");
const turnText = document.getElementById("turn");
```

```
let currentTurn = "white";
let selectedSquare = null;
```

```
const initialPieces = [
  "♔","♚","♙","♘","♖","♗","♕","♔",
  "♙","♘","♗","♖","♕","♔","♙","♘",
  "","","","","","","","","",
  "","","","","","","","","",
  "","","","","","","","","",
  "","","","","","","","","",
  "♙","♘","♗","♖","♕","♔","♙","♘",
  "♔","♚","♙","♘","♖","♗","♕","♔"
];
```

```
let pieces = [...initialPieces];
```

```
function createBoard() {
  board.innerHTML = "";

  for (let i = 0; i < 64; i++) {
```

```
const square = document.createElement("div");
square.classList.add("square");

if ((Math.floor(i / 8) + i) % 2 === 0) {
  square.classList.add("white");
} else {
  square.classList.add("black");
}

square.innerHTML = pieces[i];
square.dataset.index = i;

square.addEventListener("click", () => handleMove(i));

board.appendChild(square);
}
}

function handleMove(index) {

  if (selectedSquare === null) {
    if (pieces[index] !== "") {
      selectedSquare = index;
      createBoard();

      board.children[index].classList.add("selected");
    }
  } else {
    pieces[index] = pieces[selectedSquare];
```

```
pieces[selectedSquare] = "";

selectedSquare = null;

currentTurn = currentTurn === "white" ? "black" : "white";
turnText.innerText =
    currentTurn === "white" ? "White's Turn" : "Black's Turn";

createBoard();
}
}

function restartGame() {
    pieces = [...initialPieces];
    selectedSquare = null;
    currentTurn = "white";
    turnText.innerText = "White's Turn";
    createBoard();
}

createBoard();
```

style.css

```
body {
    background: #1e1e2f;
    color: white;
    text-align: center;
    font-family: Arial;
```



```
}
```

```
h1 {  
  margin-top: 20px;  
}
```

```
#board {  
  width: 480px;  
  height: 480px;  
  margin: 20px auto;  
  display: grid;  
  grid-template-columns: repeat(8, 1fr);  
  border: 4px solid white;  
}
```


```
.square {  
  width: 60px;  
  height: 60px;  
  font-size: 35px;  
  display: flex;  
  justify-content: center;  
  align-items: center;  
  cursor: pointer;  
}
```



```
.white {  
  background: #f0d9b5;  
}
```

```
.black {
  background: #b58863;
}
```

```
.selected {
  background: yellow !important;
}
```

MY OUTPUT





Step 2

Enter the **ACTUAL** prompt in the AI tool... lol:

ACTION -> ACT as the best Javascript Coder in the world and write the code using the details below that I can execute in an Online Compiler.

PURPOSE -> We are going to perform the operation of FLAMES by comparing a boys name and a girls name.

INPUT -> Takes one input from the Command Line which is the name of the boy. Then Gets the next input as the Girls name by specifically directing the user and giving instructions.

OUTPUT -> Displays the result of the FLAMES calculation of the boy's name and the girl's name. And also in the Output display each step of your calculation.

My prompt:

Act as an expert JavaScript developer.

Write a JavaScript program that can be executed in a Node.js online compiler.

Purpose:

Implement the FLAMES relationship calculator using a boy's name and a girl's name.

Requirements:

- Take input from the command line:
 1. First input: Boy's name
 2. Second input: Girl's name (prompt the user clearly)
- Remove common letters between the two names.
- Count the remaining letters.
- Use the FLAMES logic (Friends, Love, Affection, Marriage, Enemy, Siblings) to determine the result.

Output:

- Display each step clearly:
 - Processed names
 - Remaining letters
 - Count
 - Step-by-step FLAMES elimination
- Finally display the result in a clean format.

Keep the code beginner-friendly, well-structured, and commented.

Code:

```
// FLAMES Calculator
```

```
const readline = require("readline");

const rl = readline.createInterface({
  input: process.stdin,
  output: process.stdout
});

// Step 1: Get inputs
rl.question("Enter Boy's Name: ", function (boy) {
  rl.question("Enter Girl's Name: ", function (girl) {

    let name1 = boy.toLowerCase().replace(/\s/g, "");
    let name2 = girl.toLowerCase().replace(/\s/g, "");

    console.log("\nProcessed Names:");
    console.log("Boy:", name1);
    console.log("Girl:", name2);

    // Step 2: Remove common letters
    let arr1 = name1.split("");
    let arr2 = name2.split("");

    for (let i = 0; i < arr1.length; i++) {
      let index = arr2.indexOf(arr1[i]);
      if (index !== -1) {
        arr1[i] = "";
        arr2[index] = "";
      }
    }

    let remaining = arr1.join("") + arr2.join("");
    let count = remaining.length;

    console.log("\nRemaining Letters:", remaining);
    console.log("Count:", count);

    // Step 3: FLAMES logic
    let flames = ["F", "L", "A", "M", "E", "S"];

    while (flames.length > 1) {
      let index = (count % flames.length) - 1;

      if (index >= 0) {
        flames = flames.slice(index + 1).concat(flames.slice(0, index));
      } else {
        flames.pop();
      }
    }
  });
});
```

```
        console.log("FLAMES Step:", flames.join(" "));
    }

    let resultMap = {
        F: "Friends",
        L: "Love",
        A: "Affection",
        M: "Marriage",
        E: "Enemy",
        S: "Siblings"
    };

    console.log("\nFinal Result:", resultMap[flames[0]]);

    rl.close();
    });
});
```

Output:

**Programiz**

JavaScript Online Compiler

Programiz PRO

main.js

Output



Enter Boy's Name: Ram
Enter Girl's Name: Ramya

Processed Names:

Boy: ram

Girl: ramya

Remaining Letters: ya

Count: 2

FLAMES Step: A M E S F

FLAMES Step: E S F A

FLAMES Step: F A E

FLAMES Step: E F

FLAMES Step: E

Final Result: Enemy

=== Code Execution Successful ===

