

AWS East VPC · us-east-1
10.0.0.0/16

EC2 Security Group (sg-ec2-neo4j)

Port 443 inbound from NLB-SG only · Bolt ports within VPC · SSH :22

Node A · us-east-1a

10.0.5.82

HAProxy :443 (SNI routing)

Neo4j :7473/:7687 · RAFT

Node B · us-east-1b

10.0.26.126

HAProxy :443 (SNI routing)

Neo4j :7473/:7687 · RAFT

Node C · us-east-1c

10.0.47.163

HAProxy :443 (SNI routing)

Neo4j :7473/:7687 · RAFT

Network Load Balancer

nlb-int-neo4j-443 · Internal · TCP:443 · All 3 nodes as targets

PrivateLink Endpoint Service

eps-neo4j-cluster-443

DNS: privatelink.neo4jfield.org (verified)

PrivateLink · cross-region · TCP:443 only

AWS Central VPC · ca-central-1
192.168.0.0/16

VPC Endpoint

ep-neo4j-cluster-443

192.168.2.74 (AZ-a) · 192.168.3.26 (AZ-b)

Route 53 Private Hosted Zone · neo4jfield.org

privatelink.* / east-a.* / east-b.* / east-c.* → VPC Endpoint IPs

studio.neo4jfield.org → 192.168.1.43 (NES EC2)

All neo4jfield.org names resolve to VPC endpoint within Central VPC

Test EC2 (Windows)

192.168.2.x

Neo4j Browser · HTTPS :443

bolt+s east-[a/b/c]:443

→ VPC Endpoint → NLB → HAProxy

NES EC2 · 192.168.1.43

studio.neo4jfield.org

nginx :443 (SSL termination)

*.neo4jfield.org cert

Enterprise Studio :9090

SNI routing at HAProxy · single port 443, hostname determines backend

privatelink.neo4jfield.org → Neo4j HTTPS (:7473)

east-a / b / c .neo4jfield.org → per-node Bolt (:7687)

graph360.neo4jfield.org → graph360 app (:3001) [Node A only]