

```
= What is Generative AI
```

```
:order: 1
```

```
:type: lesson
```

```
:slides: true
```

```
[ .slide]
```

```
== GenAI
```

Generative AI (or GenAI) refers to artificial intelligence systems designed to create new content that resembles human-made data. The data could be text, images, audio, or code.

```
[ .transcript-only]
```

```
====
```

These models, like GPT (for text) or DALL-E (for images), are trained on large datasets and use patterns learned from this data to generate new output.

```
====
```

image::images/genai-model-process.svg[A diagram showing the process of Generative AI, where a model is trained on a large dataset, learns patterns, and generates new content based on those patterns.]

```
[ .transcript-only]
```

```
====
```

Generative AI is widely used in applications such as chatbots, content creation, image synthesis, and code generation.

```
====
```

```
[ .slide.discrete]
```

```
== GenAI
```

Generative AI models are not "intelligent" in the way humans are:

- . They do not understand or comprehend the content they generate
- . They rely on statistical patterns and correlations learned from their training data.

While Generative AI models can produce coherent and contextually relevant outputs, they lack understanding.

```
[ .slide]
```

```
## Large Language Models (LLMs)
```

This course will focus on text-generating models, specifically Large Language Models (LLMs)

LLMs are a type of generative AI model designed to understand and generate human-like text.

These models are trained on vast amounts of text data and can perform various tasks, including answering questions, summarizing data, and analyzing text.

```
[ .slide.discrete]  
## LLM Responses
```

The response generated by an LLM is a probabilistic continuation of the instructions it receives.

The LLM provides the most likely response based on the patterns it has learned from its training data.

If presented with the instruction:

"Continue this sequence - A B C"

An LLM could respond:

"D E F"

```
[ .slide.col-2]  
## Prompts
```

```
[ .col]  
====
```

To get an LLM to perform a task, you provide a ****prompt****.

A prompt should specify your requirements and provide clear instructions on how to respond.

```
====
```

```
[ .col]  
image::images/llm-prompt-interaction.svg["A user asks an LLM the question  
'What is an LLM? Give the response using simple language avoiding  
jargon.', the LLM responds with a simple definition of an LLM."]
```

```
[ .slide.discrete]  
## Precision
```

Precision in the task description, potentially combined with examples or context, ensures that the model understands the intent and produces relevant and accurate outputs.

An example prompt may be a simple question.

What is the capital of Japan?

Or, it could be more descriptive:

You are a friendly travel agent helping a customer to choose a holiday destination. Your readers may have English as a second language, so use simple terms and avoid colloquialisms. Avoid Jargon at all costs.

Tell me about the capital of Japan.

The LLM will interpret these instructions and return a response based on the patterns it has learned from its training data.

```
[ .next]
== Check Your Understanding
```

```
include::questions/1-generative-ai.adoc[leveloffset=+1]
```

```
[ .summary]
== Lesson Summary
```

In this lesson, you learned about Generative AI and Large Language Models (LLMs).

In the next lesson, you will learn about the limitations of LLMs, including hallucination, and access to data.