

Name: Shweta Sandesh Ubale

Roll Number:

MCA2504150

LAB

3

Task: Jenkins Installation Using Docker

Step 1: Pull Jenkins LTS

```
docker pull jenkins/jenkins:lts
```

```
C:\Users\Admin>docker pull jenkins/jenkins:lts
lts: Pulling from jenkins/jenkins
Digest: sha256:f4f65e6cd1405cd889b7f5ac33f9d5cdc2a099de6b87fe8a3933b9c5d53d1d02
Status: Image is up to date for jenkins/jenkins:lts
docker.io/jenkins/jenkins:lts

What's next:
  View a summary of image vulnerabilities and recommendations → docker scout quickview jenkins/jenkins:lts
```

Step 2: Create a Docker Volume

```
docker volume create jenkins_home
```

```
C:\Users\Admin>docker volume create jenkins_home
jenkins_home
```

Step 3: Run Jenkins

```
docker run -d --name jenkins -p 8080:8080 -p 50000:50000 -v jenkins_home:/var/jenkins_home jenkins/jenkins:lts
```

```
C:\Users\Admin>docker run -d --name jenkins -p 8080:8080 -p 50000:50000 -v jenkins_home:/var/jenkins_home jenkins/jenkins:lts
3b1fe873a5d6a194a68b2b26b9af1d455afd043ff50707463e25915d058dfda9
```

☐	Name	Container ID	Image	Port(s)	CPU (%)	Memory usag...	Memory (%)	Disk rea	Actions
☐	jenkins	3b1fe873a5d6	jenkins/jen	50000:50000 Show all ports (2)	0.34%	372.5MB / 5.73G	6.35%	108MB /	


Step 4: Get the Initial Password

```
docker exec jenkins cat /var/jenkins_home/secrets/initialAdminPassword
```

I have already logged in so thats why I am getting an error message

```
C:\Users\Admin>docker exec jenkins cat /var/jenkins_home/secrets/initialAdminPassword
cat: /var/jenkins_home/secrets/initialAdminPassword: No such file or directory
```

Step 5: Open it
<http://localhost:8080>



Sign in to Jenkins

Username

Password

☐ Keep me signed in

PART 2:

First Pipeline:

From
New Item

Jenkins

Dashboard:

Name :

MyFirstPipeline

Select:

pipeline

Click

Ok

Scroll to:

Pipeline

Choose:

Pipeline

Script

IN

IT

PASTE

THIS

CODE:

```
pipeline {
    agent any

    stages {
        stage('Hello') {
            steps {
                echo 'Hello Jenkins'
            }
        }

        stage('System Info') {
            steps {
                sh 'hostname'
                sh 'whoami'
                sh 'pwd'
                sh 'ls -la'
            }
        }

        stage('Finish') {
            steps {
                echo 'Pipeline Completed Successfully'
            }
        }
    }
}
```

Click:

Save


Then

Build Now

click:



OUTPUT:



Step 3 : Build Your First Project

Create a folder

DevOpsLab

Inside it create

```
index.html
<html>
<head>
<title>DevOps Lab</title>
</head>
<body>
<h1>Hello Jenkins Pipeline</h1>
</body>
</html>
```

Create

Jenkinsfile

```
pipeline {
  agent any
  stages {
    stage('Checkout') {
      steps {
        echo 'Checking files'
      }
    }
    stage('List Files') {
      steps {
        sh 'ls -la'
      }
    }
    stage('Read HTML') {
      steps {
        sh 'cat index.html'
      }
    }
  }
}
```

Lab 4: Connect Jenkins with Git

Install Git on your system.

Go to:

Manage Jenkins



Tools



Git

Provide Git installation.


Create a GitHub repository

DevOpsLab-Pipeline

Push

index.html

Jenkinsfile



Now Create a new pipeline:

DevOpsLab

Now Instead of Pipeline choose:

Pipeline script from SCM

Definition

Pipeline script

Pipeline script

Pipeline script from SCM

SCM:

Choose GIT

Definition

Pipeline script from SCM

SCM

Git

Repositories

Repository URL

https://github.com/ShwetaUbale/DevOpsLab-Pipeline.git

Credentials

- none -

+ Add

Advanced

+ Add Repository

Branches to build

Branch Specifier (blank for 'any')

*/main

+ Add Branch

Save Apply

SAVE

and

BUILD:

 **Jenkins** / DevOpsLab

 Status

 Changes

 Build Now

 Delete Pipeline

 Configure

 Rename

 Stages

 Pipeline Syntax

 **DevOpsLab**

Permalinks

- [Last build \(#1\), 23 hr ago](#)
- [Last stable build \(#1\), 23 hr ago](#)
- [Last successful build \(#1\), 23 hr ago](#)
- [Last completed build \(#1\), 23 hr ago](#)

Builds > 

 Filter 

27 July 2026

 **#1** 16:44 