



# ИНДИВИДУАЛЬНЫЙ ПРОЕКТ ЭТАП 5

Петрова Мария

НФИбД-02-21

# ЦЕЛЬ РАБОТЫ:

Добавить к сайту персональный проект. Сделать 2 поста: по прошедшей неделе и на тему “Языки научного программирования.”

# 1. ДОБАВИТЬ ИНФОРМАЦИЮ О НАВЫКАХ (SKILLS)

Необходимо зайти в файл `content/home/skills.md` и изменить там данные


## 2. ДОБАВИТЬ ИНФОРМАЦИЮ ОБ ОПЫТЕ (EXPERIENCE)

Необходимо зайти в файл `content/home/experience.md` и изменить там данные.

# **3. ДОБАВИТЬ ИНФОРМАЦИЮ О ДОСТИЖЕНИЯХ (ACCOMPLISHMENTS)**


Необходимо зайти в файл `content/home/accomplishments.md` и изменить там данные.

# СДЕЛАТЬ ПОСТ ПО ПРОШЕДШЕЙ НЕДЕЛЕ.



```
14
15 # Featured image
16 # To use, add an image named `featured.jpg/png` to your page's folder.
17 # Focal points: Smart, Center, TopLeft, Top, TopRight, Left, Right, BottomLeft, Bottom, BottomRight.
18 image:
19   caption: ""
20   focal_point: ""
21   preview_only: false
22
23 # Projects (optional).
24 # Associate this post with one or more of your projects.
25 # Simply enter your project's folder or file name without extension.
26 # E.g. `projects = ["internal-project"]` references `content/project/deep-learning/index.md`.
27 # Otherwise, set `projects = []`.
28 projects: []
29 ---
30
31 # Events
32 <hr>
33 - During the May holidays, I spent my time very interestingly. I walked a lot with
34   the pool, read and did not sleep until the morning. I also did laboratory work on the
35   "Operating systems".
36
37 - I really wanted to go to my parents for the weekend, but unfortunately there were no
38   weekends. My last week was fun and interesting.
```

# 5. ДОБАВИТЬ ПОСТ НА ТЕМУ: MARKDOWN



```
C:\> Github > blog > content > post > markdown > index.md > # Standardization
27 # Otherwise, set `projects = []`.
28 projects: []
29 ---
30 # History
31 - In 2002 Aaron Swartz created atx, "the true structured text format". Swartz and Gruber then worked
  together to create the Markdown language in 2004, with the goal of enabling people "to write using an
  easy-to-read and easy-to-write plain text format, optionally convert it to structurally valid XHTML.
32
33 - ts key design goal was readability, that the language be readable as-is, without looking like it has
  been marked up with tags or formatting instructions, unlike text formatted with a markup language, such
  as Rich Text Format (RTF) or HTML, which have obvious tags and formatting instructions. To this end, its
  main inspiration is the existing conventions for marking up plain text in email, though it also draws
  from earlier markup languages, notably setext, Textile, and reStructuredText.
34 # Standardization
35 - From 2012, a group of people, including Jeff Atwood and John MacFarlane, launched what Atwood
  characterised as a standardisation effort. A community website now aims to "document various tools and
  resources available to document authors and developers, as well as implementors of the
  implementations".
36 - In September 2014, Gruber objected to the usage of "Markdown" in the name of this effort, which
  rebranded as CommonMark. CommonMark.org published several versions of a specification,
  implementation, test suite, and " to announce a finalized 1.0 spec and test suite in
  has since been released as major issues still remain unsolved. Nonetheless, the following
  projects have adopted CommonMark: Discourse, GitHub, GitLab, Reddit, Qt, Stack Exchange,
  , and Swift.
```

**Вывод:**

**Добавили данные об опыте, достижениях и навыках. Сделали пост по прошедшей неделе. Сделали пост на тему Markdown.**