


## Locator/ID Separation Protocol (LISP)



### Lab Requirements

1. Each EID endpoint must be able to communicate with other EID endpoints through the Internet via *LISP encapsulation*.
2. Direct IP reachability between EID subnets without LISP is **not** required; communication must occur *only after successful EID-to-RLOC mapping resolution and LISP encapsulation over the underlay Internet*.

## MS/MR SERVER

```
ip route 0.0.0.0 0.0.0.0 9.8.7.253
```

```
!
```

```
router lisp
```

```
site CENTER
```

```
authentication-key CENTER
```

```
eid-prefix 172.16.30.0/30
```

```
exit
```

```
!
```

```
site LEFT
```

```
authentication-key LEFT
```

```
eid-prefix 10.0.0.0/30
```

```
exit
```

```
!
```

```
site RIGHT
```

```
authentication-key RIGHT
```

```
eid-prefix 192.168.255.0/30
```

```
exit
```

```
!
```

```
ipv4 map-server
```

```
ipv4 map-resolver
```

```
exit
```

```
!
```

### xTR01

```
ip route 0.0.0.0 0.0.0.0 11.0.0.253
```

```
!
```

```
router lisp
```

```
database-mapping 10.0.0.0/30 11.0.0.254 priority 1 weight 100
```

```
ipv4 itr map-resolver 9.8.7.254
```

```
ipv4 itr
```

```
ipv4 etr map-server 9.8.7.254 key LEFT
```

```
ipv4 etr
```

```
exit
```

```
!
```

### xTR02

```
ip route 0.0.0.0 0.0.0.0 172.192.0.253
```

```
!
```

```
router lisp
```

```
database-mapping 172.16.30.0/30 172.192.0.254 priority 1 weight 100
```

```
ipv4 itr map-resolver 9.8.7.254
```

```
ipv4 itr
```

```
ipv4 etr map-server 9.8.7.254 key CENTER
```

```
ipv4 etr
```

```
exit
```

```
!
```

### xTR03

```
ip route 0.0.0.0 0.0.0.0 192.172.0.253
```

!

router lisp

database-mapping 192.168.255.0/30 192.172.0.254 priority 1 weight 100

ipv4 itr map-resolver 9.8.7.254

ipv4 itr

ipv4 etr map-server 9.8.7.254 key RIGHT

ipv4 etr

exit

!

## Verification

### MS/MR SERVER

```
MS-MR#sh lisp site
LISP Site Registration Information

Site Name      Last      Up    Who Last      Inst      EID Prefix
               Register                Registered ID
CENTER         00:00:47 yes    172.192.0.254
LEFT           00:00:07 yes    11.0.0.254
RIGHT          00:00:39 yes    192.172.0.254
MS-MR#
```

### xTR01

```
xTR01#sh ip lisp map-cache
LISP IPv4 Mapping Cache for EID-table default (IID 0), 3 entries

0.0.0.0/0, uptime: 00:22:38, expires: never, via static send map-request
Negative cache entry, action: send-map-request
172.16.30.0/30, uptime: 00:20:34, expires: 23:39:25, via map-reply, complete
Locator      Uptime      State      Pri/Wgt
172.192.0.254 00:20:34    up         1/100
192.168.255.0/30, uptime: 00:01:04, expires: 23:58:55, via map-reply, complete
Locator      Uptime      State      Pri/Wgt
192.172.0.254 00:01:04    up         1/100
```

## xTR02

```
xTR02#sh ip lisp map-cache
LISP IPv4 Mapping Cache for EID-table default (IID 0), 3 entries

0.0.0.0/0, uptime: 00:23:28, expires: never, via static send map-request
Negative cache entry, action: send-map-request
10.0.0.0/30, uptime: 00:21:26, expires: 23:38:34, via map-reply, complete
Locator      Uptime      State      Pri/Wgt
11.0.0.254   00:21:26   up         1/100
192.168.255.0/30, uptime: 00:01:26, expires: 23:58:33, via map-reply, complete
Locator      Uptime      State      Pri/Wgt
192.172.0.254 00:01:26   up         1/100
```

## xTR03

```
xTR03#sh ip lisp map-cache
LISP IPv4 Mapping Cache for EID-table default (IID 0), 3 entries

0.0.0.0/0, uptime: 00:24:13, expires: never, via static send map-request
Negative cache entry, action: send-map-request
10.0.0.0/30, uptime: 00:02:37, expires: 23:57:22, via map-reply, complete
Locator      Uptime      State      Pri/Wgt
11.0.0.254   00:02:37   up         1/100
172.16.30.0/30, uptime: 00:02:10, expires: 23:57:49, via map-reply, complete
Locator      Uptime      State      Pri/Wgt
172.192.0.254 00:02:10   up         1/100
```

## EID01

```
EID01> ping 172.16.30.1

84 bytes from 172.16.30.1 icmp_seq=1 ttl=61 time=19.349 ms
84 bytes from 172.16.30.1 icmp_seq=2 ttl=61 time=16.501 ms
84 bytes from 172.16.30.1 icmp_seq=3 ttl=61 time=21.414 ms
84 bytes from 172.16.30.1 icmp_seq=4 ttl=61 time=16.010 ms
84 bytes from 172.16.30.1 icmp_seq=5 ttl=61 time=11.464 ms

EID01> ping 192.168.255.1

84 bytes from 192.168.255.1 icmp_seq=1 ttl=61 time=21.644 ms
84 bytes from 192.168.255.1 icmp_seq=2 ttl=61 time=20.571 ms
84 bytes from 192.168.255.1 icmp_seq=3 ttl=61 time=13.526 ms
84 bytes from 192.168.255.1 icmp_seq=4 ttl=61 time=12.157 ms
84 bytes from 192.168.255.1 icmp_seq=5 ttl=61 time=13.452 ms
```

## EID02

```
EID02> ping 10.0.0.1
```

```
84 bytes from 10.0.0.1 icmp_seq=1 ttl=61 time=13.855 ms
84 bytes from 10.0.0.1 icmp_seq=2 ttl=61 time=18.978 ms
84 bytes from 10.0.0.1 icmp_seq=3 ttl=61 time=20.211 ms
84 bytes from 10.0.0.1 icmp_seq=4 ttl=61 time=11.060 ms
84 bytes from 10.0.0.1 icmp_seq=5 ttl=61 time=15.109 ms
```

```
EID02> ping 192.168.255.1
```

```
84 bytes from 192.168.255.1 icmp_seq=1 ttl=61 time=19.190 ms
84 bytes from 192.168.255.1 icmp_seq=2 ttl=61 time=21.511 ms
84 bytes from 192.168.255.1 icmp_seq=3 ttl=61 time=12.102 ms
84 bytes from 192.168.255.1 icmp_seq=4 ttl=61 time=19.145 ms
84 bytes from 192.168.255.1 icmp_seq=5 ttl=61 time=11.050 ms
```

## EID03

```
EID03> ping 10.0.0.1
```

```
84 bytes from 10.0.0.1 icmp_seq=1 ttl=61 time=17.427 ms
84 bytes from 10.0.0.1 icmp_seq=2 ttl=61 time=18.732 ms
84 bytes from 10.0.0.1 icmp_seq=3 ttl=61 time=17.533 ms
84 bytes from 10.0.0.1 icmp_seq=4 ttl=61 time=18.977 ms
84 bytes from 10.0.0.1 icmp_seq=5 ttl=61 time=15.494 ms
```

```
EID03> ping 172.16.30.1
```

```
84 bytes from 172.16.30.1 icmp_seq=1 ttl=61 time=20.235 ms
84 bytes from 172.16.30.1 icmp_seq=2 ttl=61 time=20.519 ms
84 bytes from 172.16.30.1 icmp_seq=3 ttl=61 time=15.489 ms
84 bytes from 172.16.30.1 icmp_seq=4 ttl=61 time=11.264 ms
84 bytes from 172.16.30.1 icmp_seq=5 ttl=61 time=19.098 ms
```

*Ko Lwin (Network)*