
🗄 Database Schema

The database is named `ClothingStore` and contains the following tables:

`tblUser`

Column	Type	Description
UserID	INT (PK)	Auto-increment
FullName	VARCHAR(100)	User's full name
Email	VARCHAR(100) UNIQUE	Login credential
Password	VARCHAR(255)	bcrypt hash
Campus	VARCHAR(100)	e.g. Pretoria Campus
Status	ENUM('pending','verified')	Admin approval status
CreatedAt	DATETIME	Auto timestamp

`tblAdmin`

Column	Type	Description
AdminID	INT (PK)	Auto-increment
FullName	VARCHAR(100)	Admin's name
Email	VARCHAR(100) UNIQUE	Login credential
Password	VARCHAR(255)	bcrypt hash
CreatedAt	DATETIME	Auto timestamp

`tblClothes`

Column	Type	Description
ClothesID	INT (PK)	Auto-increment
Name	VARCHAR(100)	Product name
Description	TEXT	Item details
Price	DECIMAL(10,2)	Selling price
Size	VARCHAR(10)	XS, S, M, L, XL, etc.
Category	VARCHAR(50)	Dresses, Tops, Jackets, ...
Gender	ENUM('men','women','unisex')	
Brand	VARCHAR(50)	Zara, Nike, H&M, ...
ItemCondition	VARCHAR(50)	Like New, Excellent, Good
Campus	VARCHAR(100)	Listing campus
SellerID	INT (FK → tblUser.UserID)	Seller reference
CreatedAt	DATETIME	Auto timestamp

`tblAorder` (Orders)

Column	Type	Description
OrderID	INT (PK)	Auto-increment
UserID	INT (FK)	Buyer (tblUser.UserID)
ClothesID	INT (FK)	Product (tblClothes.ClothesID)
Quantity	INT	Number of items
TotalPrice	DECIMAL(10,2)	Price × Quantity
OrderDate	DATETIME	Auto timestamp
Status	VARCHAR(50)	Pending, Shipped, Delivered

🖥️ Installation & Setup

1. Prerequisites

- ****XAMPP**** (or any LAMP/WAMP stack) with PHP 8.0+ and MySQL
- Git (optional)

2. Clone or download the project

```
```bash
```

```
git clone https://github.com/yourusername/SecondWear.git
```