

NeoMundi x OASSE 60-Pull Benchmark

Focused Tier 03 | Full-pipeline evidence run | 4 August 2026 | Run run-d86e7abe7d55 | UTC

NEO AUDIT	60	SEALED	60	FAILURES	0
-----------	----	--------	----	----------	---


Executive result

The measured runner attempted and sealed all **60 Gatekeeper artifacts**. No transport, authentication, validation, timeout, or runner failure appears in the focused result file. NeoMundi returned **58 ALLOW** and **2 FLAG** signals. FAM independently returned **50 ALLOW** and **10 BLOCK** verdicts. Gatekeeper composed the two layers into **48 PROCEED**, **10 DENY**, and **2 HOLD** actions.

All 60 NeoMundi trace IDs reconcile one-to-one with the supplied audit export. The sealed outer chain is continuous from sequence 1 through 60, and every FAM previous-hash field agrees with its enclosing Gatekeeper artifact. The run occupied 20.34 minutes. Full-pipeline latency averaged 20.336 seconds; NeoMundi reported 20024.02 ms mean processing, leaving 311.74 ms as the OASSE-plus-transport residual on the successful path.

This is the focused live benchmark requested for the Tier 03 pilot. GOV remains the internal OASSE benchmark designation; OBS is the authoritative NeoMundi wire-level mode. The measured result demonstrates runtime governance signaling with downstream OASSE enforcement.

Attempt latency across the run



Green points are PROCEED cases. Red points are policy DENY or governance HOLD cases. All 60 requests completed successfully, with latency concentrated near 20 seconds.

Reliability and timing

Metric	Mean	Median	P95	P99	Maximum
Full pipeline, success	20.336 s	20.325 s	20.393 s	20.563 s	20.798 s
NeoMundi processing	20024.02 ms	20024.54 ms	20031.75 ms	20033.56 ms	20033.60 ms
OASSE + transport	311.74 ms	299.72 ms	366.73 ms	539.07 ms	776.39 ms

The measured window covered 20.34 minutes. Effective throughput was 177.01 sealed artifacts per hour.

OASSE plus transport is a residual measurement, not an isolated processor timer. It includes network transit, serialization, bridge normalization, FAM evaluation, Gatekeeper sealing, persistence, and client overhead.

NeoMundi audit reconciliation

Population	Count	Finding
Focused run result rows	60	All full-mode cases sealed
Direct trace matches	60	One-to-one with NeoMundi audit entries
Missing successful trace IDs	0	Complete successful-path coverage
Distinct source-response hashes	60	Unique response evidence per pull

The ControlTower audit export contains 66 period entries. The focused run contributes 60 matched entries; the remaining six are earlier integration probes. The audit export declares SHA-256 2d391c3f29a45036695b53faf3316e59035f3a3f74e29152225e196b7c80c2e7.

Controlled benchmark design

Control	Observed design
Internal benchmark identity	GOV focused governance-path pack
NeoMundi wire contract	source_type=llm; mode=OBS; model=oasse-tier3-gov-pack
Case population	60 controlled cases
FAM oracle matrix	50 ALLOW; 10 BLOCK
Cross-gate design	NeoMundi observation against FAM/Gatekeeper enforcement
Sealing method	Sequential Gatekeeper artifacts with bridge and response digests

Governance outcomes across the measured run

Layer	Outcome	Count	Base	Share
NeoMundi audit	ALLOW	58	60	96.67%
NeoMundi audit	FLAG	2	60	3.33%
FAM sealed	ALLOW	50	60	83.33%
FAM sealed	BLOCK	10	60	16.67%
Gatekeeper sealed	PROCEED	48	60	80.00%
Gatekeeper sealed	DENY	10	60	16.67%
Gatekeeper sealed	HOLD	2	60	3.33%

The distribution is generated by the intentionally controlled governance pack and must not be interpreted as a production incident rate. NeoMundi observes and scores all 60 calls; FAM applies the deterministic policy path; Gatekeeper applies the strictest operational result.

Cross-gate enforcement matrix

FAM verdict	NeoMundi signal	Gatekeeper action	Count
BLOCK	ALLOW	DENY	10
ALLOW	FLAG	HOLD	2
ALLOW	ALLOW	PROCEED	48

The matrix confirms both enforcement directions. A NeoMundi ALLOW does not override a FAM BLOCK, and a NeoMundi FLAG converts an otherwise admissible request into HOLD.

Observed NeoMundi score summary for 60 sealed responses

Score	Mean	Median	P95	Minimum	Maximum
G-Score	0.5933	0.6000	0.6000	0.4000	0.6000
G-Final	0.9852	0.9885	0.9885	0.8898	0.9885
V-Score	0.9667	1.0000	1.0000	0.0000	1.0000
Stability	0.9128	0.9231	0.9231	0.6154	0.9231

Measured benchmark result: 60 of 60 calls completed and sealed. OASSE preserved independent policy authority while consuming NeoMundi runtime signals exactly as confirmed in the deployed integration contract.

Evidence integrity

Check	Result
All result rows report status success	PASS
All result rows report full runner mode	PASS
Ordinals are complete and ordered 1 through 60	PASS
Outer artifact sequences are complete 1 through 60	PASS
Outer previous-hash chain is continuous	PASS
FAM previous-hash fields agree with outer chain	PASS
All NeoMundi trace IDs are unique	PASS
All source-response hashes are unique	PASS
All 60 trace IDs reconcile to NeoMundi audit entries	PASS
Matched audit decisions agree with sealed facts	PASS
Matched audit G-Scores agree with sealed facts	PASS
NeoMundi wire mode is OBS throughout	PASS
Bridge implementation digest is stable throughout	PASS
Measurement version is stable throughout	PASS
Runner version is stable throughout	PASS

The verified focused segment starts at sequence 1 with previous hash e67348352930bce89ebcac687327... and ends at sequence 60 with SHA-256 b3aeff1c7f5c10b1df6143bbf5f4....

Interpretation boundaries

The supplied OASSE result set proves the complete focused run and its internal chain continuity. The NeoMundi audit export independently confirms the 60 request identities, timestamps, decisions, confidence values, and G-Scores. This report does not claim native NeoMundi enforcement. NeoMundi provides OBS-mode runtime governance signaling; OASSE applies PROCEED, HOLD, or DENY downstream.

The requested focused benchmark is complete. This 60-call live run provides the measurement, cross-gate enforcement, timing, trace reconciliation, and evidence-integrity populations required for the current pilot phase.

Reproducibility and source manifest

The evidence package preserves the exact measured results, the NeoMundi period audit, and the ControlTower governance report. Re-validation can reconcile each OASSE trace suffix to its NeoMundi request ID, compare decisions and G-Scores, and verify the sequential chain relationships recorded in the result set.

Artifact	SHA-256
OASSE 60-result JSONL	4baa8ac3c818af3defe1c1356423f6145991ff536b6608ade729e1c4482891b5
NeoMundi audit JSON	f21a8338657677ad7034bdac4ab65eef2c50da5ad41d0568eb98f6c118a3922a
NeoMundi governance PDF	453ac0dd90133d7bf62623c541164537be9e69489eefec4b14a47f22585b86af
Benchmark report PDF	Calculated after generation

Source roles

Source	Role in validation
OASSE results JSONL	Artifacts, FAM verdicts, NeoMundi facts, actions, timings, chain fields, and trace IDs
NeoMundi audit JSON	Server-side request population, decisions, confidence, G-Scores, request IDs, and audit digest
NeoMundi governance PDF	Signed period summary and Tier 03 integrity certificate
Focused pack designation	Internal GOV benchmark identity using deployed OBS wire contract

Verification method

Reconcile the 60 result trace suffixes to NeoMundi request IDs, confirm decision and G-Score equality, verify ordinal and sequence populations, confirm previous-hash continuity, and preserve the bridge implementation digest, measurement version, runner version, and final chain hash alongside the source files.

Share readiness: ready to share. The report distinguishes internal GOV benchmark semantics from the deployed OBS transport contract, and it keeps NeoMundi signaling separate from OASSE enforcement throughout.