



102 + 104 Campbell Lane Production Kitchen Lab Brief

Working plan for the madebutter. back-of-house bakery, donut, savory prep, cold storage, cleaning and pickup support system.
Clean bakery up front. Quiet product lab behind it.

INCLUDES A DEDICATED CLEANING STATION IN THE BIGGER ROOM.

Prepared as a working design and operations brief for equipment planning, layout conversations and staff workflow alignment.

1. Planning math and assumptions

This brief uses the available working areas and the current creative direction for 102 and 104 Campbell Lane. Exact field dimensions, wall conditions, drains, doors, hood paths and utility locations need to be verified before construction or purchasing.

Planning math	Value
104 Campbell production room	1,021 sq ft with 10 ft 4 in ceilings
102 Campbell support room	296 sq ft with 10 ft 4 in ceilings
Combined production lab	1,317 sq ft
Ceiling height	10 ft 4 in, equal to about 10.33 ft
Approximate combined room volume	13,609 cubic ft
Front public space	100 Campbell, connected separately and treated as customer-facing
Back-of-house mission	Donut production, bakery production, savory prep, cold staging, cleaning, packaging and future pickup support

Assumptions: 102 is the cleaner bakery support room. 104 carries heavier equipment, hotter work, final packaging and the dedicated cleaning station. The window between doors should stay protected as a future pickup and locker feature.

2. Core direction

102 and 104 become the production engine behind madebutter. 100 Campbell stays customer-facing with coffee, warmers, pickup, retail and daily product display. The lab behind it is built for repeatable production, cold staging, clean racks and fresh morning finish.

The system should feel simple from the customer side and scientific from the staff side. Guests see a clean daily menu. Staff see prep status, rack counts, pull dates, batch labels and finished inventory.

Working principle: prep ahead, store smart, finish fresh, count when ready and sell only what is actually available.

- Priority outcomes
- Two massive refrigerators and two massive freezers become the cold backbone.
 - Donut production has its own fry, cooling and finish lane.
 - Bakery dough work stays cleaner and calmer in 102.
 - Meat and vegetarian prep are split and visibly controlled.
 - 104 includes a proper cleaning station so the lab can reset quickly.
 - Packaging, order staging and the window between doors support future lockers.
 - Racks move in one direction instead of becoming clutter.


Room	Primary identity	Best use
102 Campbell	Clean bakery support	Mixing, scaling, dough shaping, dry storage, clean rack staging and overnight bakery prep.
104 Campbell	Main production lab	Donuts, ovens, savory prep, cold wall, cleaning, finishing, packaging and rack inventory.
Window between doors	Pickup transition	Phase 1 pass-through shelf, phase 2 cubbies, phase 3 locker wall.
Connection to 100	Secret production link	Finished product moves forward without exposing kitchen complexity.

3. Concept layout + workflow

104 Campbell is the larger production room and now includes a dedicated cleaning station.

102 Campbell is the cleaner bakery support room for dough, proofing and rack staging.

The wall window between the doors remains a future grab-and-go / locker transition point.



Priority outcomes

- two massive refrigerators and two massive freezers anchor the cold backbone
- dedicated cleaning station added in the bigger room
- donut production gets its own fry, cool and finish flow
- meat and vegetarian prep stay visibly split
- 102 stays cleaner and calmer for bakery support
- working tables are built in for scaling production

Legend

- Primary workflow direction
- Cleaning zone
- Cold storage
- Hot equipment zone
- Work tables / prep surfaces
- Storage / rack staging

Room roles

Room	Primary identity	Key functions
102 Campbell	Clean bakery support	dough prep, proofing, tables, rack staging
104 Campbell	Main production lab	donuts, ovens, savory prep, cleaning, packaging, cold wall

4. Production zones

Zone	Location	Purpose	Design notes
Clean bakery zone	102	Dough mixing, scaling, shaping, croissant kolaches and stuffed roll dough.	Keep calm, dry and organized. No random finished inventory.
Donut lane	104	Prep, fry, cool, glaze, fill, set and count donuts.	Linear movement from dough to fryer to cooling rack to finish table.
Savory split prep	104	Vegetarian side plus meat side.	Separate boards, knives, cambros, tools, labels and storage positions.
Cleaning station	104	Hand wash, tool wash, reset, wipe-down and sanitation staging.	Bigger room needs its own reset point so production does not stop.
Cold wall	104 or shared long wall	Two freezers and two refrigerators.	The backbone of molds, dough, creams, next-day prep and pull dates.
Oven wall	104	Rack oven, convection/combi, proofing or hot-hold cabinet.	Heavy power, clear rack approach and fire/hood review.
Packaging and pass-through	Near window	Sleeves, boxes, labels, order rack and future lockers.	Customer never sees kitchen complexity, only finished product.

The room should not be packed wall to wall. The valuable space is the open lane for racks, carts and staff. A rack that cannot turn cleanly will slow down the whole kitchen.

5. Cleaning station + sanitation spine

The dedicated cleaning station belongs in 104 because that room carries the fryer, ovens, savory prep, finishing racks, packaging and the highest number of resets. It should feel like part of the lab, not an afterthought.

Element	Purpose	Planning note
Hand sink	Fast staff hand wash between zones	Confirm code-required placement with health department.
Tool wash landing	Knives, boards, silicone molds, trays and small tools	Keep close enough to prep, but not inside the clean dough lane.
Sanitizer and wipe station	Quick reset for tables, racks and touch points	Make it visible. Staff should not hunt for supplies.
Drying and clean return	Air-dry tools, return clean pans, stage next batch	Separate clean return from dirty drop.
Mop / floor care planning	End-of-day reset and spill control	Final location depends on drains, plumbing and code review.
Label + waste log station	Track rejects, cleaning checks and batch notes	Pairs well with packaging and inventory screen.

Reset rule: every zone needs a quick reset path. Donut glaze, savory prep and packaging all create mess in different ways. The cleaning station keeps those resets controlled so production stays calm.

Separation rule: cleaning supports both vegetarian and meat prep, but tools, boards, cambros, gloves and labels still stay separate. Dirty flow should never cross back into ready-to-sell product.

6. Cold wall and storage logic

The two massive freezers and two massive refrigerators are not just storage. They are part of the production method. They let the kitchen prep inserts, chill shaped items, hold creams safely, pull ahead and finish fresh.

Unit	Primary use	Secondary use	Rules
Freezer 1	Stuffed roll molded meat inserts	Smoked meat backups and batch overflow	Cook fully, cool safely, mold, freeze, label, date and pull ahead.
Freezer 2	Vegan inserts and clean bakery overflow	Future retail tests and emergency frozen backup	Keep vegan and non-meat items clearly separated from meat production.
Refrigerator 1	Dough, shaped kolaches and next-day bakery prep	Proofed or retarded items ready for morning bake-off	This is the bakery pull wall. Nothing should be untagged.
Refrigerator 2	Creams, glazes, dairy, vegan cheese and prepared fillings	Daily service components and ready-use toppings	Use dated containers and shelf map by product family.

Cold label standard: product name, batch date, made by, status, storage zone, pull date and use-by date. Color labels can separate bakery, vegan, meat and ready-to-sell.

7. Equipment and table schedule

This is a first-pass equipment logic sheet. The exact brand and model can change. The important thing is to buy around workflow, rack compatibility, capacity, cleaning access and serviceability.

Item	Suggested placement	Why it matters
Tall rack oven or high-capacity convection rack oven	104 oven wall	Kolaches, stuffed rolls and larger batch bakery production. Rack compatibility is key.
Secondary convection or combi oven	104 oven wall	Small runs, testing, reheating and flexible savory production.
Commercial donut fryer with filtration	104 donut lane	Main donut volume. Needs landing space, oil management and clean cooling rack flow.
Spiral mixer	102 mixer wall	Dough strength, batch consistency and scale.
Planetary mixer	102 or 104 support wall	Creams, glazes, fillings, small doughs and test batches.
Dough sheeter or laminating support	102 if space allows	Future croissant kolache consistency and efficiency.
Two massive refrigerators	Cold wall	Dough, creams, ready fillings and next-day pull.
Two massive freezers	Cold wall	Molded inserts, frozen backup and future retail testing.

Work table	Size target	Use
Bakery bench	36 x 96	Scaling, folding, shaping, kolaches and stuffed roll dough.
Donut prep	30 x 72	Cutting, trays, screens and proof/rest staging.
Glaze table	30 x 96	Dips, drizzle, splatter, filling and final check.
Vegetarian prep	30 x 72	Vegetable cuts, vegan fillings and plant-based inserts.
Meat prep	30 x 72	Smoked meats, all-beef sausage, meat fillings and molding.
Packaging table	30 x 96	Sleeves, boxes, labels and order staging.
Cleaning landing	30 x 60 or fit to plumbing	Dirty drop, clean return and sanitation supplies.

8. Donut production workflow

Donuts should have a dedicated lane because they are fast, visual and inventory-sensitive. The shape, glaze and finish must match the menu image as closely as possible.



Station	Standard
Prep	Cutters, dies, screens and trays stay organized by donut family. Ring donuts should remain the same approved size.
Fry	Only approved proof level goes into fryer. Reject overproofed, collapsed or misshaped items before they hit inventory.
Finish	Glaze should match the photo standard. Half-dipped crullers stay half-dipped. Bars, fritters and old-fashionedes keep their own shape language.
Rack count	When donuts are cooled, finished and set, staff add them to available inventory. Not before.
Waste log	Anything ugly, cracked, leaking or off-size is logged so the product improves.

9. Bakery and kolache workflow

102 should support the cleaner dough side. Kolaches are the morning grab-and-go base product, then second-tier versions can build from the same form with different cheeses, fillings and finishing details.



Product family	Workflow standard	Launch position
All-beef croissant kolache	Fill, shape and refrigerate for next-day bake-off.	Base savory breakfast item.
All-beef jalapeno cheddar croissant kolache	Same size and same dough as original, with two visible jalapenos when used as visual cue.	Base spicy version, not oversized.
Vegan maple sausage dairy-free cheese croissant kolache	Separate prep tools, labels and storage.	Base plant-based version with savory maple direction.
Second-tier kolaches	Same form, new cheeses, vegetables, meats or finishes.	Future menu growth without changing workflow.

10. Stuffed roll insert workflow

The stuffed roll is the most product-lab item. The filling is cooked, reduced, shaped into a mold, chilled or semi-frozen and then inserted into dough so the final roll bakes cleanly and consistently.



Step	Standard
Cook fully	No raw high-risk filling goes into the dough. Meats and vegetables are cooked, seasoned and cooled before molding.
Reduce moisture	Sauces and juices need to be thick, glossy and controlled. Watery fillings cause leaks and collapse.
Mold inserts	Use silicone molds, tube molds or sleeve molds to create repeatable long inserts.
Freeze or refrigerate	Extra inserts can freeze. Pull into refrigeration ahead of production until firm but workable.
Insert into dough	The insert should be structured enough to handle but not so frozen that it blocks proofing or bake quality.
Bake and temp check	Final food safety standards must be documented after recipe testing and compliance review.

11. Electrical and utility planning map

The exact electrical schedule needs the final equipment list. This brief only maps likely load zones so the space can be planned intelligently before final MEP drawings.

Power group	Likely equipment	Planning note
Heavy dedicated power	Rack oven, convection/combi oven, fryer, large mixer, refrigerators, freezers and possible dish machine.	Group these along service walls with clear access panels and service clearance.
Medium power	Planetary mixer, sheeter, food processor, blender, vacuum sealer, induction burners and label printer.	Place outlets above work tables and away from wet landing zones.
Low power/data	POS tablets, inventory screen, order board, printers, charging, cameras and small lighting.	Run clean cable paths early so the lab stays tidy.
Plumbing adjacency	Hand sinks, prep sinks, cleaning station, possible dish area, floor sinks and bathrooms behind.	Assume opportunities exist, but verify drains, grease, venting and health requirements.
Ventilation/fire	Fryer, ovens and hot equipment.	Requires hood/fire suppression/code review once equipment is chosen.

Recommended next move: create a one-page equipment cut-sheet folder before the electrician or kitchen designer prices anything. Every oven, fryer, mixer, fridge and freezer should have voltage, phase, amps, plug type, clearance and heat output attached.

12. Rack movement and inventory rules

Racks are the operating system of the kitchen. The staff should be able to read a rack from across the room and understand whether it is planned, prepped, proofing, cooling, finished, packed, waste or dirty.

Rack type	Meaning	Inventory behavior
Prepped rack	Item is shaped or assembled but not ready to sell.	Do not add to customer inventory.
Proof/rest rack	Item is rising, relaxing or waiting for fry/bake.	Do not add to inventory.
Cooling rack	Item is cooked but not finished or set.	Do not add to inventory yet.
Finished rack	Item is finished, stable and sellable.	Add to website/admin inventory.
Order rack	Items are packed, labeled and ready for customer pickup.	Remove from sellable count when order is paid or packed.
Dirty rack	Needs cleaning before it returns to production.	Send to cleaning station or dirty return. Never mix with clean racks.
Waste rack/log	Rejected or test items.	Log for training and recipe improvement.

Staff rule: if it is not on the finished rack, it is not available online. If it moves from finished to order rack, the count must come down.

13. Window between doors and pickup phases

The window between the two doors should become a signature operational feature. It can start simple and evolve into lockers without forcing the launch to be overbuilt.

Phase	Build	Use
Phase 1	Clean pass-through shelf and staff-side order rack.	Name-label pickup, receipt number handoff and simple order staging.
Phase 2	Cubbies or controlled pickup shelf.	Better separation for order-ahead and grab-and-go bags.
Phase 3	Locker wall integrated into the window.	After-hours pickup, higher order volume and a more automated customer flow.
Future retail	Shelf-stable or frozen packaging near front-of-house.	Only after production standards, labels and food safety are mature.

The customer-facing side should stay calm and beautiful. The staff-facing side can hold labels, racks, counts, receipts and fulfillment screens. That split keeps the brand warm while the lab stays precise.

14. Final working standard

madebutter. should be built like a product company running a bakery. The kitchen can experiment, but approved products need a repeatable form, a photo reference, a finished count, a packaging method and a staff standard.

Decision area	Recommendation
Launch layout	102 as clean bakery support, 104 as main production lab.
Cold storage	Install two major refrigerators and two major freezers as a dedicated cold wall.
Donut production	Keep donut lane linear and separate from savory prep.
Savory production	Use visible vegetarian and meat prep split with separate tools and labels.
Cleaning	Place a dedicated cleaning station in 104 with dirty drop, clean return and sanitation supplies.
Packaging	Keep packaging close to finished racks and the window between doors.
Future lockers	Protect the window area now so it can evolve later.
Next required professional review	Kitchen designer, electrician, plumber, hood/fire, health department and equipment supplier.

Recommended next briefs to create

Brief	Purpose
Equipment cut-sheet and power schedule	Lock down oven, fryer, refrigeration, mixer, sink and electrical requirements.
Rack inventory and staff operating system	Define rack labels, stages, count rules and admin updates.
Food safety, labeling and cold storage standards	Build HACCP-adjacent operating rules before scaling.
Order-ahead pickup and pass-through system	Connect the customer flow, staff order board and future locker phases.
Product spec sheet template	Give every approved item its formula, image standard, packaging and yield.