

Offensive Programming Book

Fabien GELINEAU neonira@gmail.com

2019-Q2

Contents

1	Introduction	5
2	Literature	7
3	Methods	9
4	Applications	11
4.1	Example one	11
4.2	Example two	11
5	Final Words	13

Package (PKN) aims to provide a strict type checking enforcement in (R).

(R) is a weakly typed script language. As such, it simplifies greatly program writing and allows for great flexibility. That's fine, and conceptually, there is no issue about that.

Indeed, sometimes you need to produce code that has to rely on strongly typed checking. How is this traditionnaly achieved using (R)?

Mainly, by 2 means, either conventions, or defensive programming.

Conventions are generally stated and shared through the documentation of function parameters and through the provided code examples. Notice, that quality and consistency of this changes a lot from a package to another.

Second, defensive programming, id est, implementation of controls in the code to ensure the parameters complies to expectations. Again, depth and quality of controls vary greatly from one package to another.

The main objective of package (PKN) is to allow strict type checking in (R), without the burden of instrumenting all the defensive coding tactics.

Chapter 1

Introduction

You can label chapter and section titles using `{#label}` after them, e.g., we can reference Chapter 1. If you do not manually label them, there will be automatic labels anyway, e.g., Chapter 3.

Figures and tables with captions will be placed in `figure` and `table` environments, respectively.

```
par(mar = c(4, 4, .1, .1))
plot(pressure, type = 'b', pch = 19)
```

Reference a figure by its code chunk label with the `fig:` prefix, e.g., see Figure 1.1. Similarly, you can reference tables generated from `knitr::kable()`, e.g., see Table 1.1.

```
knitr::kable(
  head(iris, 20), caption = 'Here is a nice table!',
  booktabs = TRUE
)
```

You can write citations, too. For example, we are using the **bookdown** package (Xie, 2018) in this sample book, which was built on top of R Markdown and **knitr** (Xie, 2015).




Figure 1.1: Here is a nice figure!

Table 1.1: Here is a nice table!				
Sepal.Length	Sepal.Width	Petal.Length	Petal.Width	Species
5.1	3.5	1.4	0.2	setosa
4.9	3.0	1.4	0.2	setosa
4.7	3.2	1.3	0.2	setosa
4.6	3.1	1.5	0.2	setosa
5.0	3.6	1.4	0.2	setosa
5.4	3.9	1.7	0.4	setosa
4.6	3.4	1.4	0.3	setosa
5.0	3.4	1.5	0.2	setosa
4.4	2.9	1.4	0.2	setosa
4.9	3.1	1.5	0.1	setosa
5.4	3.7	1.5	0.2	setosa
4.8	3.4	1.6	0.2	setosa
4.8	3.0	1.4	0.1	setosa
4.3	3.0	1.1	0.1	setosa
5.8	4.0	1.2	0.2	setosa
5.7	4.4	1.5	0.4	setosa
5.4	3.9	1.3	0.4	setosa
5.1	3.5	1.4	0.3	setosa
5.7	3.8	1.7	0.3	setosa
5.1	3.8	1.5	0.3	setosa

Chapter 2

Literature

Here is a review of existing methods.

Chapter 3

Methods

We describe our methods in this chapter.

Chapter 4

Applications

Some *significant* applications are demonstrated in this chapter.

4.1 Example one

4.2 Example two

Chapter 5

Final Words

We have finished a nice book.

(PKN) `wyz.code.offensiveProgramming` (R) **R**

Bibliography

- Xie, Y. (2015). *Dynamic Documents with R and knitr*. Chapman and Hall/CRC, Boca Raton, Florida, 2nd edition. ISBN 978-1498716963.
- Xie, Y. (2018). *bookdown: Authoring Books and Technical Documents with R Markdown*. R package version 0.7.