Botran® 75WP

FUNGICIDE

Fungicide for the control of rhizopus rots in stonefruit, berryfruit, grapes and kumaras

Registered pursuant to the ACVM Act 1997, No. P2584
See www.foodsafety.govt.nz/ for registration conditions
HSNO Act 1996 Approval: HSR000716
See www.epa.govt.nz for Controls

WARNING
KEEP OUT OF REACH OF CHILDREN
READ LABEL COMPLETELY BEFORE MIXING OR APPLYING.

Active Ingredient: Contains 750 g/kg dicloran in the form of a wettable powder.

MINISTRY FOR PRIMARY INDUSTRIES
NEW ZEALAND
05/05/2022

Gowan® CROP PROTECTION LIMITED

Highlands House Basingstoke Road, Spencers Wood, Reading, Berkshire, England, RG7 1NT
(Registered company number: 9852199)

NZ Agent and distributed by: **PGG Wrightson Limited (Agritrade),**
1 Robin Mann Place, Christchurch Airport, Christchurch 8053
Telephone (03) 341 4587

29206-NZ-BTNF-CL-05-0422 Item 29211

Emergency Response (ALL HOURS) 0800 CHEMCALL or 0800 243 622
or contact PGG Wrightson Freephone 0800 10 22 76

NET CONTENTS :
20 kg (20 x 1 kg)

HSNO CLASSIFICATIONS

Acute oral toxicity Category 4, Eye irritation Category 2, Specific target organ toxicity (repeated exposure) Category 2, Hazardous to terrestrial vertebrates, Hazardous to the aquatic environment acute Category 1, Hazardous to the aquatic environment chronic Category 1

QUALIFIED HANDLER

This product must be under the control of a trained handler during mixing, loading and application if being used by a contractor.

WARNING - Harmful if swallowed. Serious eye irritant. May cause liver damage from repeated oral exposure at high doses.

ECOTOXIC - Very toxic to aquatic organisms and with long-lasting effects. Harmful to terrestrial vertebrates. Do not apply onto or into water. Do not allow spray drift outside the target area. Avoid contamination of water supply with product or empty container.

PRECAUTIONS

Keep out of reach of children. Do not eat, drink or smoke while using. Avoid contact with the eyes. Avoid breathing dust or spray mist. When mixing or applying wear appropriate protective clothing such as waterproof gloves, hat, overalls, safety goggles and footwear. Wash hands and face before meals and after work.
Avoid release to environment.

STORAGE

Store in original container, tightly closed in secure dry place. Do not store with Class 1,2,3.2,4 or 5 substances or feed, seeds or foodstuffs. Stores containing more than 100 kg of this product require secondary containment and are subject to signage. and an emergency response plan. When stored appropriately, this product should show no significant degradation for 2 years from the date of manufacture. Contact your supplier for further information about the use of any product that is older than this.

DISPOSAL

Container disposal: Ensure container is empty. Burn, if circumstances, especially wind direction permit, otherwise bury in an approved landfill. Do not reuse container. Product disposal: Use according to this label. Otherwise, disposal of through a waste management facility. Always follow local authority requirements.

FIRST AID

For advice, contact the National Poisons Centre 0800 POISON (0800 764766) or a doctor. If swallowed do NOT induce vomiting. Call a POISON CENTRE or doctor if you feel unwell.
If on skin, wash with plenty of soap and water.
If in eyes, rinse cautiously with water for several minutes. Remove contact lenses. If present and easy to do. Continue rinsing. If irritation persists, get medical advice.
If inhaled move victim to fresh air immediately and keep in a position comfortable for breathing. Get medical advice if person feels unwell.

SPILLAGE

Wear appropriate protective clothing. Shovel or sweep up and place into labelled contains that can be sealed. If product unable to be used then dispose of as waste safely to an approved landfill.

GENERAL INFORMATION

It is an offence to use this product on animals.

Botran® 75 WP is a protectant fungicide with particular activity against Rhizopus. Its low volatility and chemical stability enable it to be used both outdoors and under glass. It is recommended for use as a post-harvest dip and/or pre-harvest spray to protect against Rhizopus rot in stonefruit, berryfruit, grapes and kumaras.

DIRECTIONS FOR USE

APPLICATION METHODS

PRE-HARVEST SPRAYING: Use only high volume calibrated and well-maintained spraying equipment and ensure thorough coverage of the fruit.

DO NOT USE A WETTING AGENT WITH BOTRAN® 75WP ON GROWING CROPS. Keep spray mixture well agitated before and during spraying.

POST-HARVEST DIP: Avoid excessive contamination of the Botran® 75WP dip with dust, soil or vegetable matter. Before commencing dipping ensure the Botran® 75WP is well stirred to give an even suspension. Do not dip packed cases or bags.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

COMPATIBILITY

Normally, Botran® 75WP can be mixed with other fungicides or insecticides formulated as wettable powder or suspension concentrates. However, combination sprays of Botran® 75WP and micible oil formulations or Bordeaux mixtures should NOT be used. Botran® 75WP is compatible in a dip with benomyl and diphenyl-amine fruit dips.

MIXING

To ensure a uniform suspension, first pre-mix the required quantity of Botran® 75WP with a small quantity of water to obtain a smooth cream. This is then poured into the partly filled spray tank (or dipping vat) and the remaining water added during agitation or stirring. The suspension must be kept well agitated during use as a spray and as a dip.

CROP	DISEASE TREAMENT	RATE PER 100 L WATER	COMMENTS
Stonefruit	Rhizopus rot (pre-harvest spray or post-harvest dip)	100 g	Ensure complete coverage of fruit.
Berryfurit, Grapes	Rhizopus rot (pre-harvest spray)		
Kumaras	Rhizopus rot (post-harvest dip)	150 g	Dip with constant and vigorous agitation of the tubers to ensure separation and complete wetting. i. Dip 2,500 kg tubers for every 100 litres mixture (i.e. if the vat holds 1,200 litres, dip 30,000 kg). ii. Add 10 g Botran® 75WP fungicide for every 1,000 kg tubers dipped (**DO NOT** add water) and dip the same amount of tubers again. iii. Discard the remainder of the dip and make a fresh suspension.

MINISTRY FOR PRIMARY INDUSTRIES NEW ZEALAND
05/05/2022

RECORD KEEPING: Records of use, as described in The New Zealand Standard for the Management of Agrichemicals (NZS8049) must be kept if apply 3 kg or more within 24 hours in a place where the substance is likely to enter air or water and leave the application area.

NOTICE TO BUYER: Gowan warrants that this product conforms to the chemical description on the label thereof and if reasonably fit for purposes stated on such label only when used in accordance with directions under normal use conditions. It is impossible to eliminate all risks inherently associated with the use of this product. Crop injury, ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use of application, all of which are beyond the control of Gowan. To the extent permitted at law Gowan shall not be liable for consequential, special or indirect damages resulting from the use or handling of this product. All such risks shall be assumed by the buyer.

TO THE EXTENT PERIMITTED AT LAW, GOWAN MAKES NO WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE NOR ANY OTHER EXPRESS OR IMPLIED WARRANTY EXCEPT AS STATED ABOVE.

Botran® is a registered Trademark of Gowan Co, USA.

BATCH NUMBER:

DATE OF MANUFACTURE:

29206-NZ-BTNF-LB-04-0422 Item 29210

Botran® 75WP

FUNGICIDE

Fungicide for the control of rhizopus rots in stonefruit, berryfruit, grapes and kumaras

Registered pursuant to the ACVM Act 1997, No. P2584
See www.foodsafety.govt.nz/ for registration conditions
HSNO Act 1996 Approval: HSR000716
See www.epa.govt.nz for Controls

WARNING
KEEP OUT OF REACH OF CHILDREN

READ LABEL COMPLETELY
BEFORE MIXING OR APPLYING.

Active Ingredient: Contains 750 g/kg dicloran in the form of a wettable powder.

MINISTRY FOR PRIMARY INDUSTRIES
NEW ZEALAND
05/05/2022

Gowan® CROP PROTECTION LIMITED

Registered to: **Gowan Crop Protection Limited**
Highlands House Basingstoke Road, Spencers Wood, Reading,
Berkshire, England, RG7 1NT
(Registered company number: 9852199)

NZ Agent and distributed by: **PGG Wrightson Limited (Agritrade),**
1 Robin Mann Place, Christchurch Airport, Christchurch 8053
Telephone (03) 341 4587

29206-NZ-BTNF-LF-04-0422 Item 29210

Emergency Response (ALL HOURS) 0800 CHEMCALL or 0800 243 622
or contact PGG Wrightson Freephone 0800 10 22 76

NET CONTENTS : 1 kg