FRONT

100mm

95mm

Organic Crop Protectants

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

eco-oil™

MITICIDE/INSECTICIDE botanical oil concentrate

ACTIVE INGREDIENT: 850g/litre canola oil in the form of an emulsifiable concentrate

FOR THE CONTROL OF

TWO-SPOTTED MITE, APHIDS, WHITEFLY & SCALE IN:

- > Commercial tree, Vine & Vegetable crops
- > Ornamentals
- > Floriculture
- > Home gardens
- > Covered cropping

IMPROVES THE CONTROL OF POWDERY MILDEW

CONTENTS
1 L

Distributed by:
ORGANIC CROP PROTECTANTS
Telephone: 0800 686 600

Registered to:
DuluxGroup (New Zealand) Pty Ltd
The Gate, 373 Neilson St
Onehunga 1061, Auckland

CERTIFIED ORGANIC SUPPORT FOR ORGANICS 6047

Input for Organic Production ACO CERT. NO. 222

Input for Organic Gardens ACO CERT. NO. 222

BACK

100mm

DIRECTIONS FOR USE

RESTRAINTS:
DO NOT spray **eco**-oil™ in temperatures exceeding 35°C.
WARNING: **eco**-oil™ has been tested on a limited range of plant species for phytotoxic reactions. Some plant species are more sensitive than others. For further details on plant safety contact the manufacturer. Maidenhair ferns may show commercially unacceptable phytotoxic symptoms.
DO NOT introduce predatory mites *(Phytoseiulus persimilis)* to the crop within 7 days of an **eco**-oil™ application.
DO NOT use through ULV fogging machines unless cold fogging system is in use.

CROPS	PESTS	RATE	CRITICAL COMMENTS
Tree, vine and Vegetable crops	Two-spotted mite *(T. urticae)*, Green peach aphids *(M. persicae)*, Greenhouse whitefly *(T. vaporariorum)* and various Scale pests	500ml - 1 litre/ 100L	Regularly monitor plants for pest infestation and apply spray when they first appear. Apply two sprays 3-5 days apart. Use the higher rate for Scale pests and when pest numbers are high. Repeat applications at signs of reinfestation but not within 7 days of last spray. Spray both upper and underside of leaves to run-off. A minmum spray volume of 1000L/ha is recommended.
Commercial ornamental & floriculture crops and protected cropping including Shadehouse, Glasshouse & Polyhouses		75 - 150 ml /15L (Knapsack)	
Home garden		5 – 10 ml / L	

It is an offence to use this product on animals. WITHHOLDING PERIOD: 1 day

GENERAL INSTRUCTIONS

eco-oil™ is a botanical oil based Miticide/Insecticide that controls Two-spotted mite, Green peach aphids, Greenhouse whitefly and Scale pests in Home gardens, Commercial Tree, Vegetable and Vine crops, Nursery and Covered Cropping situations. For best results spray with **eco**-oil™ at the first sign of pest infestation. As **eco**-oil™ controls these pests by contact, it is important that good coverage of the pest or target is achieved. **eco**-oil™ has minimal residual activity, so repeat applications may be necessary.

MIXING:
1. Half fill the spray tank or vat with clean water.
2. Add the required amount of **eco**-oil™ while agitating and top up the tank with water. Agitate thoroughly prior to and during application.

COMPATIBILITY: **eco**-oil™ is compatible with most commonly used agricultural and horticultural products except the following; **DO NOT USE WITH DELAN™, Chlorothalonil, BORDEAUX or Captan. DO NOT APPLY eco-oil™ within 10 days of a EUPAREN™ application.**

STORAGE AND DISPOSAL: KEEP OUT OF REACH OF CHILDREN. Store in the closed, original container, in a well ventilated area as cool as possible. Do not store for prolonged periods in direct sunlight. Triple, or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on-site. Break, crush, puncture and bury empty containers in a local authority landfill. If not available, bury below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots. Empty containers and product should not be burnt.

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

SHELF-LIFE: When stored appropriately, this product should show no significant degradation for two years from the date of manufacture. Contact your supplier for further information about the use of any product that is older than this.

SAFETY DIRECTIONS: Avoid inhalation of spray mist. If used with other sprays wear appropriate protective clothing as per relevant agricultural manufacturers' label. Registered pursuant to the ACVM Act 1997, No. P7069. See www.foodsafety.govt.nz for registration conditions. EPA NZ Approval Code: HSR000054.

FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre 0800 POISON (0800 764 766).

FOR EMERGENCIES ONLY, CALL 0800 220 770 (ALL HOURS).

SDS: Additional information is listed in the Safety Data Sheet available from the supplier.

The OCP Drop Device is a registered trade mark and eco-oil is a trade mark of Organic Crop Protectants.

2 HDPE

BATCH NO.

DATE OF MANUFACTURE

80% magnification
EAN BARCODE
XXXXX

Red Pin

Job OCP652_Eco-Oil NZ 1L

Version v1 05/10/21

Size 95mm x 100mm
Colours C M Y K

Barcode % 100%
Spot 2597

Process Flexo Lytho Gravure **Offset**

94 Harris Street, Harris Park NSW 2150 **T.** 02 9683 1177 **E.** creative@redpin.com.au **W.** redpin.com.au

MINISTRY FOR PRIMARY INDUSTRIES NEW ZEALAND

10/11/2022

140mm

135mm

Organic Crop Protectants

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

eco-oil™

MITICIDE/INSECTICIDE botanical oil concentrate

ACTIVE INGREDIENT: 850g/litre canola oil in the form of an emulsifiable concentrate

FOR THE CONTROL OF

TWO-SPOTTED MITE, APHIDS, WHITEFLY & SCALE IN:

- > Commercial tree, Vine & Vegetable crops
- > Ornamentals
- > Floriculture
- > Home gardens
- > Covered cropping

IMPROVES THE CONTROL OF POWDERY MILDEW

CERTIFIED INPUT FOR ORGANICS bio gro NZ CERT 6047

Input for Organic Production ACO CERT. NO. 222

Input for Organic Gardens ACO CERT. NO. 222

Y20-3766

CONTENTS
5 L

Distributed by:
ORGANIC CROP PROTECTANTS
Telephone: 0800 686 600

Registered to:
DuluxGroup (New Zealand) Pty Ltd
The Gate, 373 Neilson St
Onehunga 1061, Auckland

140mm

DIRECTIONS FOR USE

RESTRAINTS:

DO NOT spray **eco**-oil™ in temperatures exceeding 35°C.

WARNING: **eco**-oil™ has been tested on a limited range of plant species for phytotoxic reactions. Some plant species are more sensitive than others. For further details on plant safety contact the manufacturer. Maidenhair ferns may show commercially unacceptable phytotoxic symptoms.

DO NOT introduce predatory mites *(Phytoseiulus persimilis)* to the crop within 7 days of an **eco**-oil™ application.

DO NOT use through ULV fogging machines unless cold fogging system is in use.

CROPS	PESTS	RATE	CRITICAL COMMENTS
Tree, vine and Vegetable crops	Two-spotted mite *(T. urticae)*, Green peach aphids *(M. persicae)*, Greenhouse whitefly *(T. vaporariorum)* and various Scale pests	500ml - 1 litre/ 100L	Regularly monitor plants for pest infestation and apply spray when they first appear. Apply two sprays 3-5 days apart. Use the higher rate for Scale pests and when pest numbers are high. Repeat applications at signs of reinfestation but not within 7 days of last spray. Spray both upper and underside of leaves to run-off. A minmum spray volume of 1000L/ha is recommended.
Commercial ornamental & floriculture crops and protected cropping including Shadehouse, Glasshouse & Polyhouses		75 - 150 ml /15L (Knapsack)	
Home garden		5 – 10 ml / L	

It is an offence to use this product on animals.
WITHHOLDING PERIOD: 1 day

GENERAL INSTRUCTIONS

eco-oil™ is a botanical oil based Miticide/Insecticide that controls Two-spotted mite, Green peach aphids, Greenhouse whitefly and Scale pests in Home gardens, Commercial Tree, Vegetable and Vine crops, Nursery and Covered Cropping situations. For best results spray with **eco**-oil™ at the first sign of pest infestation. As **eco**-oil™ controls these pests by contact, it is important that good coverage of the pest or target is achieved. **eco**-oil™ has minimal residual activity, so repeat applications may be necessary.

MIXING:

1. Half fill the spray tank or vat with clean water.
2. Add the required amount of **eco**-oil™ while agitating and top up the tank with water. Agitate thoroughly prior to and during application.

COMPATIBILITY: eco-oil™ is compatible with most commonly used agricultural and horticultural products except the following; **DO NOT USE WITH DELAN™, Chlorothalonil, BORDEAUX or Captan.**
DO NOT APPLY eco-oil™ within 10 days of a EUPAREN™ application.

STORAGE AND DISPOSAL: KEEP OUT OF REACH OF CHILDREN. Store in the closed, original container, in a well ventilated area as cool as possible. Do not store for prolonged periods in direct sunlight. Triple, or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on-site. Break, crush, puncture and bury empty containers in a local authority landfill. If not available, bury below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots. Empty containers and product should not be burnt.

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

SHELF-LIFE: When stored appropriately, this product should show no significant degradation for two years from the date of manufacture. Contact your supplier for further information about the use of any product that is older than this.

SAFETY DIRECTIONS: Avoid inhalation of spray mist. If used with other sprays wear appropriate protective clothing as per relevant agricultural manufacturers' label. Registered pursuant to the ACVM Act 1997, No. P7069. See www.foodsafety.govt.nz for registration conditions. EPA NZ Approval Code: HSR000054.

FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre 0800 POISON (0800 764 766).

FOR EMERGENCIES ONLY, CALL 0800 220 770 (ALL HOURS).

SDS: Additional information is listed in the Safety Data Sheet available from the supplier.

BATCH NO.

DATE OF MANUFACTURE

2 HDPE

The OCP Drop Device is a registered trade mark and eco-oil is a trade mark of Organic Crop Protectants.

Y20-3767

100% magnification
EAN BARCODE
9336099001002

MINISTRY FOR PRIMARY INDUSTRIES NEW ZEALAND

10/11/2022

Red Pin

Job OCP652_Eco-Oil NZ 5L			Version
Size 135mm x 140mm Colours C M Y K	Barcode % 100% Spot 2597	Process Flexo Lytho Gravure **Offset**	6 29/09/21

94 Harris Street, Harris Park NSW 2150 **T.** 02 9683 1177 **E.** creative@redpin.com.au **W.** redpin.com.au

375mm

178mm

Organic Crop Protectants

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

eco-oil™

MITICIDE/INSECTICIDE botanical oil concentrate

ACTIVE INGREDIENT: 850g/litre canola oil in the form of an emulsifiable concentrate

FOR THE CONTROL OF

TWO-SPOTTED MITE, APHIDS, WHITEFLY & SCALE IN:

- > Commercial tree, Vine & Vegetable crops
- > Ornamentals
- > Floriculture
- > Home gardens
- > Covered cropping

IMPROVES THE CONTROL OF POWDERY MILDEW

CONTENTS
20 L

Distributed by:
ORGANIC CROP PROTECTANTS
Telephone: 0800 686 600

Registered to:
DuluxGroup (New Zealand) Pty Ltd
The Gate, 373 Neilson St
Onehunga 1061, Auckland

16.1 to 40kg
This product requires a two person lift - use proper lifting techniques
CAUTION

CERTIFIED INPUT FOR ORGANICS bio NZ gro CERT 6047

Input for Organic Production
ACO CERT. NO. 222

Input for Organic Gardens
ACO CERT. NO. 222

16.1 to 40kg
This product requires a two person lift - use proper lifting techniques
CAUTION

DIRECTIONS FOR USE

RESTRAINTS:

DO NOT spray **eco**-oil™ in temperatures exceeding 35°C.

WARNING: **eco**-oil™ has been tested on a limited range of plant species for phytotoxic reactions. Some plant species are more sensitive than others. For further details on plant safety contact the manufacturer. Maidenhair ferns may show commercially unacceptable phytotoxic symptoms.

DO NOT introduce predatory mites *(Phytoseiulus persimilis)* to the crop within 7 days of an **eco**-oil™ application.

DO NOT use through ULV fogging machines unless cold fogging system is in use.

CROPS	PESTS	RATE	CRITICAL COMMENTS
Tree, vine and Vegetable crops	Two-spotted mite *(T. urticae)*, Green peach aphids *(M. persicae)*, Greenhouse whitefly *(T. vaporariorum)* and various Scale pests	500ml - 1 litre/ 100L	Regularly monitor plants for pest infestation and apply spray when they first appear. Apply two sprays 3-5 days apart. Use the higher rate for Scale pests and when pest numbers are high. Repeat applications at signs of reinfestation but not within 7 days of last spray. Spray both upper and underside of leaves to run-off. A minmum spray volume of 1000L/ha is recommended.
Commercial ornamental & floriculture crops and protected cropping including Shadehouse, Glasshouse & Polyhouses		75 - 150 ml /15L (Knapsack)	
Home garden		5 – 10 ml / L	

It is an offence to use this product on animals.
WITHHOLDING PERIOD: 1 day

GENERAL INSTRUCTIONS

eco-oil™ is a botanical oil based Miticide/Insecticide that controls Two-spotted mite, Green peach aphids, Greenhouse whitefly and Scale pests in Home gardens, Commercial Tree, Vegetable and Vine crops, Nursery and Covered Cropping situations. For best results spray with **eco**-oil™ at the first sign of pest infestation. As **eco**-oil™ controls these pests by contact, it is important that good coverage of the pest or target is achieved. **eco**-oil™ has minimal residual activity, so repeat applications may be necessary.

MIXING:

1. Half fill the spray tank or vat with clean water.
2. Add the required amount of **eco**-oil™ while agitating and top up the tank with water. Agitate thoroughly prior to and during application.

COMPATIBILITY: eco-oil™ is compatible with most commonly used agricultural and horticultural products except the following; **DO NOT USE WITH DELAN™, Chlorothalonil, BORDEAUX or Captan.**

DO NOT APPLY eco-oil™ **within 10 days of a EUPAREN™ application.**

STORAGE AND DISPOSAL: KEEP OUT OF REACH OF CHILDREN. Store in the closed, original container, in a well ventilated area as cool as possible. Do not store for prolonged periods in direct sunlight. Triple, or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on-site. Break, crush, puncture and bury empty containers in a local authority landfill. If not available, bury below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots. Empty containers and product should not be burnt.

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

SHELF-LIFE: When stored appropriately, this product should show no significant degradation for two years from the date of manufacture. Contact your supplier for further information about the use of any product that is older than this.

SAFETY DIRECTIONS: Avoid inhalation of spray mist. If used with other sprays wear appropriate protective clothing as per relevant agricultural manufacturers' label. Registered pursuant to the ACVM Act 1997, No. P7069. See www.foodsafety.govt.nz for registration conditions. EPA NZ Approval Code: HSR000054

FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre 0800 POISON (0800 764 766).

FOR EMERGENCIES ONLY, CALL 0800 220 770 (ALL HOURS).

SDS: Additional information is listed in the Safety Data Sheet available from the supplier.

The OCP Drop Device is a registered trade mark and eco-oil is a trade mark of Organic Crop Protectants.

BATCH NO.
DATE OF MANUFACTURE

2 HDPE

Y20-3768

100% magnification
EAN BARCODE
9336099001019

MINISTRY FOR PRIMARY INDUSTRIES NEW ZEALAND

10/11/2022

Red Pin

Job OCP652_Eco-Oil NZ 20L

Version 6
1/09/21

Size 375mm x 178mm
Colours C M Y K

Barcode % 100%
Spot 2597

Process
Flexo
Lytho
Gravure
Offset

94 Harris Street, Harris Park NSW 2150 **T.** 02 9683 1177 **E.** creative@redpin.com.au **W.** redpin.com.au

375mm

178mm

Organic Crop Protectants

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

eco-oil™

MITICIDE/INSECTICIDE botanical oil concentrate

ACTIVE INGREDIENT: 850g/litre canola oil in the form of an emulsifiable concentrate

FOR THE CONTROL OF

TWO-SPOTTED MITE, APHIDS, WHITEFLY & SCALE IN:

- > Commercial tree, Vine & Vegetable crops
- > Ornamentals
- > Floriculture
- > Home gardens
- > Covered cropping

IMPROVES THE CONTROL OF POWDERY MILDEW

CONTENTS
200 L

Distributed by:
ORGANIC CROP PROTECTANTS
Telephone: 0800 686 600

Registered to:
DuluxGroup (New Zealand) Pty Ltd
The Gate, 373 Neilson St
Onehunga 1061, Auckland

CERTIFIED bio gro NZ CERT INPUT FOR ORGANICS 6047

Input for Organic Production ACO CERT. NO. 222

Input for Organic Gardens ACO CERT. NO. 222

DIRECTIONS FOR USE

RESTRAINTS:

DO NOT spray **eco**-oil™ in temperatures exceeding 35°C.

WARNING: **eco**-oil™ has been tested on a limited range of plant species for phytotoxic reactions. Some plant species are more sensitive than others. For further details on plant safety contact the manufacturer. Maidenhair ferns may show commercially unacceptable phytotoxic symptoms.

DO NOT introduce predatory mites *(Phytoseiulus persimilis)* to the crop within 7 days of an **eco**-oil™ application.

DO NOT use through ULV fogging machines unless cold fogging system is in use.

CROPS	PESTS	RATE	CRITICAL COMMENTS
Tree, vine and Vegetable crops	Two-spotted mite *(T. urticae)*, Green peach aphids *(M. persicae)*, Greenhouse whitefly *(T. vaporariorum)* and various Scale pests	500ml - 1 litre/ 100L	Regularly monitor plants for pest infestation and apply spray when they first appear. Apply two sprays 3-5 days apart. Use the higher rate for Scale pests and when pest numbers are high. Repeat applications at signs of reinfestation but not within 7 days of last spray. Spray both upper and underside of leaves to run-off. A minmum spray volume of 1000L/ha is recommended.
Commercial ornamental & floriculture crops and protected cropping including Shadehouse, Glasshouse & Polyhouses		75 - 150 ml /15L (Knapsack)	
Home garden		5 – 10 ml / L	

It is an offence to use this product on animals.
WITHHOLDING PERIOD: 1 day

GENERAL INSTRUCTIONS

eco-oil™ is a botanical oil based Miticide/Insecticide that controls Two-spotted mite, Green peach aphids, Greenhouse whitefly and Scale pests in Home gardens, Commercial Tree, Vegetable and Vine crops, Nursery and Covered Cropping situations. For best results spray with **eco**-oil™ at the first sign of pest infestation. As **eco**-oil™ controls these pests by contact, it is important that good coverage of the pest or target is achieved. **eco**-oil™ has minimal residual activity, so repeat applications may be necessary.

MIXING:

1. Half fill the spray tank or vat with clean water.
2. Add the required amount of **eco**-oil™ while agitating and top up the tank with water. Agitate thoroughly prior to and during application.

COMPATIBILITY: eco-oil™ is compatible with most commonly used agricultural and horticultural products except the following; **DO NOT USE WITH DELAN™, Chlorothalonil, BORDEAUX or Captan.**

DO NOT APPLY eco-oil™ within 10 days of a EUPAREN™ application.

STORAGE AND DISPOSAL: KEEP OUT OF REACH OF CHILDREN. Store in the closed, original container, in a well ventilated area as cool as possible. Do not store for prolonged periods in direct sunlight. Triple, or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on-site. Break, crush, puncture and bury empty containers in a local authority landfill. If not available, bury below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots. Empty containers and product should not be burnt.

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

SHELF-LIFE: When stored appropriately, this product should show no significant degradation for two years from the date of manufacture. Contact your supplier for further information about the use of any product that is older than this.

SAFETY DIRECTIONS: Avoid inhalation of spray mist. If used with other sprays wear appropriate protective clothing as per relevant agricultural manufacturers' label. Registered pursuant to the ACVM Act 1997, No. P7069. See www.foodsafety.govt.nz for registration conditions. EPA NZ Approval Code: HSR000054.

FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre 0800 POISON (0800 764 766).

FOR EMERGENCIES ONLY, CALL 0800 220 770 (ALL HOURS).

SDS: Additional information is listed in the Safety Data Sheet available from the supplier.

BATCH NO.
DATE OF MANUFACTURE

2 HDPE

The OCP Drop Device is a registered trade mark and eco-oil is a trade mark of Organic Crop Protectants.

YXX-XXX

100% magnification
EAN BARCODE
XXXXXXX

MINISTRY FOR PRIMARY INDUSTRIES NEW ZEALAND

10/11/2022

Red Pin

Job OCP652_Eco-Oil NZ 200L **Version**

Size 375mm x 178mm
Colours C M Y K

Barcode % 100%
Spot 2597

Process Flexo Lytho Gravure **Offset**

1
1/09/21

94 Harris Street, Harris Park NSW 2150 **T.** 02 9683 1177 **E.** creative@redpin.com.au **W.** redpin.com.au

375mm

178mm

Organic Crop Protectants

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

eco-oil™

MITICIDE/INSECTICIDE botanical oil concentrate

ACTIVE INGREDIENT: 850g/litre canola oil in the form of an emulsifiable concentrate

FOR THE CONTROL OF

TWO-SPOTTED MITE, APHIDS, WHITEFLY & SCALE IN:

- > Commercial tree, Vine & Vegetable crops
- > Ornamentals
- > Floriculture
- > Home gardens
- > Covered cropping

IMPROVES THE CONTROL OF POWDERY MILDEW

CERTIFIED bio gro CERT NZ INPUT FOR ORGANICS 6047

Input for Organic Production ACO CERT. NO. 222

Input for Organic Gardens ACO CERT. NO. 222

CONTENTS
1000 L

Distributed by:
ORGANIC CROP PROTECTANTS
Telephone: 0800 686 600

Registered to:
DuluxGroup (New Zealand) Pty Ltd
The Gate, 373 Neilson St
Onehunga 1061, Auckland

DIRECTIONS FOR USE

RESTRAINTS:

DO NOT spray **eco**-oil™ in temperatures exceeding 35°C.

WARNING: **eco**-oil™ has been tested on a limited range of plant species for phytotoxic reactions. Some plant species are more sensitive than others. For further details on plant safety contact the manufacturer. Maidenhair ferns may show commercially unacceptable phytotoxic symptoms.

DO NOT introduce predatory mites *(Phytoseiulus persimilis)* to the crop within 7 days of an **eco**-oil™ application.

DO NOT use through ULV fogging machines unless cold fogging system is in use.

CROPS	PESTS	RATE	CRITICAL COMMENTS
Tree, vine and Vegetable crops	Two-spotted mite *(T. urticae)*, Green peach aphids *(M. persicae)*, Greenhouse whitefly *(T. vaporariorum)* and various Scale pests	500ml - 1 litre/ 100L	Regularly monitor plants for pest infestation and apply spray when they first appear. Apply two sprays 3-5 days apart. Use the higher rate for Scale pests and when pest numbers are high. Repeat applications at signs of reinfestation but not within 7 days of last spray. Spray both upper and underside of leaves to run-off. A minmum spray volume of 1000L/ha is recommended.
Commercial ornamental & floriculture crops and protected cropping including Shadehouse, Glasshouse & Polyhouses		75 - 150 ml /15L (Knapsack)	
Home garden		5 – 10 ml / L	

It is an offence to use this product on animals.
WITHHOLDING PERIOD: 1 day

GENERAL INSTRUCTIONS

eco-oil™ is a botanical oil based Miticide/Insecticide that controls Two-spotted mite, Green peach aphids, Greenhouse whitefly and Scale pests in Home gardens, Commercial Tree, Vegetable and Vine crops, Nursery and Covered Cropping situations. For best results spray with **eco**-oil™ at the first sign of pest infestation. As **eco**-oil™ controls these pests by contact, it is important that good coverage of the pest or target is achieved. **eco**-oil™ has minimal residual activity, so repeat applications may be necessary.

MIXING:

1. Half fill the spray tank or vat with clean water.
2. Add the required amount of **eco**-oil™ while agitating and top up the tank with water. Agitate thoroughly prior to and during application.

COMPATIBILITY: eco-oil™ is compatible with most commonly used agricultural and horticultural products except the following; **DO NOT USE WITH DELAN™, Chlorothalonil, BORDEAUX or Captan.**

DO NOT APPLY eco-oil™ within 10 days of a EUPAREN™ application.

STORAGE AND DISPOSAL: KEEP OUT OF REACH OF CHILDREN. Store in the closed, original container, in a well ventilated area as cool as possible. Do not store for prolonged periods in direct sunlight. Triple, or preferably pressure rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on-site. Break, crush, puncture and bury empty containers in a local authority landfill. If not available, bury below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, vegetation and roots. Empty containers and product should not be burnt.

DO NOT contaminate streams, rivers or waterways with the chemical or used containers.

SHELF-LIFE: When stored appropriately, this product should show no significant degradation for two years from the date of manufacture. Contact your supplier for further information about the use of any product that is older than this.

SAFETY DIRECTIONS: Avoid inhalation of spray mist. If used with other sprays wear appropriate protective clothing as per relevant agricultural manufacturers' label. Registered pursuant to the ACVM Act 1997, No. P7069. See www.foodsafety.govt.nz for registration conditions. EPA NZ Approval Code: HSR000054.

FIRST AID: If poisoning occurs, contact a doctor or Poisons Information Centre 0800 POISON (0800 764 766).

FOR EMERGENCIES ONLY, CALL 0800 220 770 (ALL HOURS).

SDS: Additional information is listed in the Safety Data Sheet available from the supplier.

BATCH NO.
DATE OF MANUFACTURE

2 HDPE

The OCP Drop Device is a registered trade mark and eco-oil is a trade mark of Organic Crop Protectants.

YXX-XXX

100% magnification
EAN BARCODE
XXXXXXX

MINISTRY FOR PRIMARY INDUSTRIES NEW ZEALAND
10/11/2022

Red Pin

Job OCP652_Eco-Oil NZ 200L **Version**

Size 375mm x 178mm
Colours C M Y K

Barcode % 100%
Spot 2597

Process Flexo Lytho Gravure **Offset**

1
1/09/21

94 Harris Street, Harris Park NSW 2150 **T.** 02 9683 1177 **E.** creative@redpin.com.au **W.** redpin.com.au