STORAGE
Store in original container tightly closed and in a locked, dry, cool, well ventilated area, away from foodstuffs. Storage must be generally in accordance with the New Zealand Standard for the Management of Agrichemicals (NZS8409). Stores containing more than 100 L of QUINTEC® (or substances of the same hazard class) require bunding and are subject to signage. See the Hazardous Substances Emergency Management Regulations 35 – 41 and the New Zealand Standard for the Management of Agrichemicals (NZS8409) for further information.

PERSONAL PROTECTION
When opening the container, preparing the spray or using the spray, wear eye protection, cotton overalls buttoned to the neck and wrist, elbow length PVC gloves, and waterproof boots. **Do not** eat, drink or smoke while using. Remove protective clothing immediately after handling this product and wash hands and face before meals and after work.

SPILLAGE
DO NOT touch or walk through spilled material. Wear the protective equipment recommended above. Stop leak when safe to do so. Dam area and prevent entry into waterways, and drains. **Small spills/leaks:** Absorb with a proprietary absorbent suitable for chemical spills or inert material such as sand, soil or sawdust. Collect spilled product and place in sealable container for disposal. Spill residues may be cleaned using water and detergent. Contain and absorb wash water for disposal. Absorb and collect washings and place in the same sealable container for disposal. **Large spills/leaks:** Contain spillage, recover liquid into labelled resealable drum for reuse (if possible) or disposal. Absorb remain residues as described above and place in sealable container for disposal.

FIRST AID
If swallowed **DO NOT** induce vomiting. For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If splashed in eyes, wash out immediately with water. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

SAFETY DATA SHEET
A Safety Data Sheet for Quintec® is available from the distributor on request.

TRANSPORT
Do not carry more than 100 mL of this product on a passenger service vehicle.

WARNING
Keep out of reach of children

Quintec®
FUNGICIDE

For the control of Powdery Mildews in grapevines and squash with inedible peel (kabocha)

READ LABEL COMPLETELY BEFORE MIXING OR APPLYING

ACTIVE INGREDIENT: 250 g/litre quinoxyfen as a suspension concentrate

GROUP	13	FUNGICIDE

ECOTOXIC

Registered pursuant to the ACVM Act 1997, No P7296
See www.foodsafety.govt.nz for registration conditions.

Approved pursuant to HSNO Act 1996, EPA Approval Code HSR001671 See www.epa.govt.nz for approval controls.

NZ Agent and Distributed by:
Agritrade
1 Robin Mann Place
Christchurch Airport.
Christchurch 8053
Telephone 03 341 4587
www.pggwrightson.co.nz

agritrade®

Gowan Crop Protection Limited
Highlands House, Basingstoke Road,
Spencers Wood, Reading,
Berks, RG7 1NT, United Kingdom.
(Registered company number: 9852199)

Gowan® CROP PROTECTION LIMITED

MINISTRY FOR PRIMARY INDUSTRIES
NEW ZEALAND
25/09/2025

AGRECOVERY
www.agrecovery.co.nz

Batch No:

Date of Manufacturer:

NET CONTENTS: 1 L

NOTICE
Warning: This product is subject to controls and could be hazardous if handled incorrectly. **The user is responsible** for ensuring that the handling of this product is in accordance with the law (including the *Hazardous Substances and New Organisms Act 1996* and the *Agricultural Compounds and Veterinary Medicines Act 1997*) and with the directions provided.

Further information regarding the applicable Acts, Regulations and Guidelines for the proper handling of this product may be obtained from EPA New Zealand (www.epa.govt.nz) or the Ministry for Primary Industries (MPI) (www.foodsafety.govt.nz).

CONDITIONS OF SUPPLY - Read before buying and using.
If these conditions are unacceptable, return at once to the retailer unopened within seven days and the purchase price will be refunded in full.
This product conforms to the chemical description on the label. However to the full extent permitted by law, all warranties of any kind, expressed or implied, with respect to the fitness for any purpose (including crop yield/performance/injury, product effectiveness or any other consequence), condition, merchantable quality or any other matter, are expressly excluded. Buyers and/or users accept that PGG Wrightson Ltd and its distributors, are not liable in any way (including in negligence, tort and equity) to you for any loss, costs, loss of income, damage or injury whether direct, indirect or consequential, howsoever arising in connection with this product including without limitation storage, application, handling or use. PGG Wrightson Ltd's liability if any is limited solely to an amount not exceeding twice the purchase price of the product. To read PGG Wrightson Ltd's terms of trade that apply to PGG Wrightson transactions, visit www.pggwrightson.co.nz.

Emergency Response
(ALL HOURS) 0800
CHEMCALL or
0800 243 622 or
Contact PGG Wrightson
Freephone 0800 10 22 76

IN A TRANSPORT EMERGENCY DIAL 111 FOR POLICE OR FIRE

85913-NZ-QNTF-BL-07-0725 Item 97919

HAZARD CLASSIFICATION:
Skin sensitisation Category 1, Specific target organ toxicity (repeated exposure) Category 2, Hazardous to the aquatic environment acute Category 1, Hazardous to the aquatic environment chronic Category 1.

TOXICITY:

WARNING:

REPEATED SKIN EXPOSURE MAY RESULT IN AN ALLERGIC RESPONSE. Avoid contact with skin. MAY CAUSE ORGAN DAMAGE FROM REPEATED ORAL EXPOSURE AT HIGH DOSES.

ECOTOXICITY:

VERY TOXIC TO AQUATIC ORGANISMS AND WITH LONG-LASTING EFFECTS. DO NOT contaminate an aquatic environment with chemical or empty container. **DO NOT** spray over, or allow to drift over, an aquatic environment.Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area.

HANDLING PRECAUTIONS:

QUALIFIED HANDLER: A suitably qualified handler is required when mixing, loading or applying.

RECORD KEEPING:

Records of use, as described in relevant HSNO Act regulations and the New Zealand Standard for the Management of Agrichemicals (NZS8409), must be kept if more than 3L of Quintec™ is applied, or discharged within 24 hours in a place where members of the public may be present or where the substance may enter air or water and leave the place.

EQUIPMENT:

Apply using accurately calibrated and maintained equipment in accordance with the New Zealand Standard for the Management of Agrichemicals (NZS8409).Flush equipment thoroughly with clean water after use according to the Cleaning Spray Equipment instructions below. Dispose of the cleaning water according to the Disposal instructions below.

STORAGE:

Store in original container tightly closed and in a locked, dry, cool, well ventilated area, away from foodstuffs.Storage must be generally in accordance with the New Zealand Standard for the Management of Agrichemicals (NZS8409). Stores containing more than 100 L of Quintec® (or substances of the same hazard class) require bunding and are subject to signage. See the Hazardous Substances Emergency Management Regulations 35 – 41 and the New Zealand Standard for the Management of Agrichemicals (NZS8409) for further information.

PERSONAL PROTECTION:

When opening the container, preparing the spray or using the spray, wear eye protection, cotton overalls buttoned to the neck and wrist, elbow length PVC gloves, and waterproof boots. **Do not** eat, drink or smoke while using. Remove protective clothing immediately after handling this product and wash hands and face before meals and after work.

SPILLAGE:

DO NOT touch or walk through spilled material. Wear the protective equipment recommended above. Stop leak when safe to do so. Dam area and prevent entry into waterways, and drains. **Small spills/leaks:** Absorb with a proprietary absorbent suitable for chemical spills or inert material such as sand, soil or sawdust. Collect spilled product and place in sealable container for disposal. Spill residues may be cleaned using water and detergent. Contain and absorb wash water for disposal. Absorb and collect washings and place in the same sealable container or disposal. **Large spills/leaks:** Contain spillage, recover liquid into labelled resealable drum for reuse (if possible) or disposal. Absorb remain residues as described above and place in sealable container for disposal.

DISPOSAL

Triple rinse empty container and add rinsate to spray tank. Triple rinsed containers containing the Agrecovery logo on the label and that are free of all residues (liquid and dry) and have an intact legible label should be taken to an Agrecovery collection site. Otherwise crush and bury in a suitably approved landfill. **DO NOT** burn empty containers.Dispose of this product only by using according to the label, via Agrecovery www.agrecovery.co.nz (visit or call 0800 AGRECOVERY (0800 247 326) for information about the type and quantity of chemical acceptable for disposal), or at an approved landfill. **DO NOT** burn.Dispose of equipment cleaning water onto ground away from edible crops. **DO NOT** dispose of this product, spray mix or equipment cleaning water down drains or sewers.

FIRST AID:

If swallowed **DO NOT** induce vomiting. For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If splashed in eyes, wash out immediately with water. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water.

SAFETY DATA SHEET:

A Safety Data Sheet for Quintec® is available from the distributor on request.

TRANSPORT

Do not carry more than 100 mL of this product on a passenger service vehicle.

MINISTRY FOR PRIMARY INDUSTRIES
NEW ZEALAND
25/09/2025

WARNING
Keep out of reach of children

Quintec®

FUNGICIDE

For the control of Powdery Mildews in grapevines and squash with inedible peel (kabocha)

ACTIVE INGREDIENT: 250 g/litre quinoxyfen as a suspension concentrate

READ LABEL COMPLETELY BEFORE MIXING OR APPLYING

GROUP	13	FUNGICIDE

ECOTOXIC

NZ Agent and Distributed by:
Agritrade
1 Robin Mann Place
Christchurch Airport.
Christchurch 8053
Telephone 03 341 4587
www.pggwrightson.co.nz
agritrade®

Gowan Crop Protection Limited
Highlands House, Basingstoke Road,
Spencers Wood, Reading,
Berks, RG7 1NT, United Kingdom.
(Registered company number: 9852199)
Gowan® CROP PROTECTION LIMITED

NET CONTENTS: 1 L

Emergency Response
(ALL HOURS) **0800**
CHEMCALL or
0800 243 622 or
Contact PGG Wrightson
Freephone **0800 10 22 76**

IN A TRANSPORT
EMERGENCY
DIAL **111** FOR
POLICE OR
FIRE

Registered pursuant to the ACVM Act 1997, No P7296
See www.foodsafety.govt.nz for registration conditions.

Approved pursuant to HSNO Act 1996,
EPA Approval Code HSR001671
See www.epa.govt.nz for approval controls.

MINISTRY FOR PRIMARY INDUSTRIES
NEW ZEALAND
25/09/2025

HAZARD CLASSIFICATION:
Skin sensitisation Category 1, Specific target organ toxicity (repeated exposure) Category 2, Hazardous to the aquatic environment acute Category 1, Hazardous to the aquatic environment chronic Category 1.

TOXICITY:

WARNING:

REPEATED SKIN EXPOSURE MAY RESULT IN AN ALLERGIC RESPONSE. Avoid contact with skin. MAY CAUSE ORGAN DAMAGE FROM REPEATED ORAL EXPOSURE AT HIGH DOSES.

ECOTOXICITY:

WARNING: VERY TOXIC TO AQUATIC ORGANISMS AND WITH LONG-LASTING EFFECTS. **DO NOT** contaminate an aquatic environment with chemical or empty container. **DO NOT** spray over, or allow to drift over, an aquatic environment. Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area.

HANDLING PRECAUTIONS:

QUALIFIED HANDLER: A suitably qualified handler is required when mixing, loading or applying.

RECORD KEEPING:
Records of use, as described in relevant HSNO Act regulations and the New Zealand Standard for the Management of Agrichemicals (NZS8409), must be kept if more than 3L of Quintec™ is applied, or discharged within 24 hours in a place where members of the public may be present or where the substance may enter air or water and leave the place.

EQUIPMENT:
Apply using accurately calibrated and maintained equipment in accordance with the New Zealand Standard for the Management of Agrichemicals (NZS8409).Flush equipment thoroughly with clean water after use according to the Cleaning Spray Equipment instructions below. Dispose of the cleaning water according to the Disposal instructions below.

STORAGE:
Store in original container tightly closed and in a locked, dry, cool, well ventilated area, away from foodstuffs. Storage must be generally in accordance with the New Zealand Standard for the Management of Agrichemicals (NZS8409). Stores containing more than 100 L of Quintec® (or substances of the same hazard class) require bunding and are subject to signage. See the Hazardous Substances Emergency Management Regulations 35 – 41 and the New Zealand Standard for the Management of Agrichemicals (NZS8409) for further information.

PERSONAL PROTECTION:
When opening the container, preparing the spray or using the spray, wear eye protection, cotton overalls buttoned to the neck and wrist, elbow length PVC gloves, and waterproof boots. **Do not** eat, drink or smoke while using. Remove protective clothing immediately after handling this product and wash hands and face before meals and after work.

SPILLAGE:
DO NOT touch or walk through spilled material. Wear the protective equipment recommended above. Stop leak when safe to do so. Dam area and prevent entry into waterways, and drains. **Small spills/leaks:** Absorb with a proprietary absorbent suitable for chemical spills or inert material such as sand, soil or sawdust. Collect spilled product and place in sealable container for disposal. Spill residues may be cleaned using water and detergent. Contain and absorb wash water for disposal. Absorb and collect washings and place in the same sealable container for disposal. **Large spills/leaks:** Contain spillage, recover liquid into labelled resealable drum for reuse (if possible) or disposal. Absorb remain residues as described above and place in sealable container for disposal.

DISPOSAL
Triple rinse empty container and add rinsate to spray tank. Triple rinsed containers containing the Agrecovery logo on the label and that are free of all residues (liquid and dry) and have an intact legible label should be taken to an Agrecovery collection site. Otherwise crush and bury in a suitably approved landfill. **DO NOT** burn empty containers. Dispose of this product only by using according to the label, (visit via Agrecovery www.agrecovery.co.nz or call 0800 AGRECOVERY (0800 247 326) for information about the type and quantity of chemical acceptable for disposal), or at an approved landfill. **DO NOT** burn.Dispose of equipment cleaning water onto ground away from edible crops. **DO NOT** dispose of this product, spray mix or equipment cleaning water down drains or sewers.

FIRST AID:
If swallowed **DO NOT** induce vomiting. For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If splashed in eyes, wash out immediately with water. If skin or hair contaminated, remove contaminated clothing and flush skin and hair with running water.

SAFETY DATA SHEET:
A Safety Data Sheet for Quintec® is available from the distributor on request.

TRANSPORT:
DO NOT carry more than 100 mL of this product on a passenger service vehicle.

RE-ENTRY:
DO NOT allow entry into treated areas until the spray has dried. If prior entry is necessary, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and waterproof gloves. Clothing must be laundered after each day's use.

NOTICE:
Warning: This product is subject to controls and could be hazardous if handled incorrectly. The **user is responsible** for ensuring that the handling of this product is in accordance with the law (including the Hazardous Substances and New Organisms Act 1996 and the Agricultural Compounds and Veterinary Medicines Act 1997) and with the directions provided. **Further information** regarding the applicable Acts, Regulations and Guidelines for the proper handling of this product may

MINISTRY FOR PRIMARY INDUSTRIES
NEW ZEALAND
25/09/2025

be obtained from EPA New Zealand (www.epa.govt.nz) or the Ministry for Primary Industries (MPI) (www.foodsafety.govt.nz).

APPLICATION METHOD

Use either:

- a sprayer designed to apply high volumes of water up to the point of run-off and matched to the crop being sprayed; or
- a sprayer designed and set up for concentrate spraying (that is a sprayer which applies water volumes less than those required to reach the point of run-off) and matched to the crop being sprayed.

Cleaning the spray equipment:

Rinsing

- After using Quintec®, empty the spray unit completely and drain the whole system. Thoroughly wash inside the unit using a pressure hose. Drain the spray unit, and clean any filters in the tank, pump, lines, hoses and nozzles.
- After cleaning the spray unit as above, quarter fill with clean water and circulate through the pump, lines, hoses and nozzles. Drain and repeat the rinsing procedure twice.
- Discard rinse water on land already sprayed or on waste land away from edible crops and water sources.

Using the spray equipment:

The following application situations must use spray equipment in accordance with the New Zealand Standard for the Management of Agrichemicals (NZS8409).

MIXING:

Agitate or shake the container vigorously prior to use. Add the required amount of Quintec® to a half-full spray tank and agitated well during filling. Ensure thorough agitation during mixing and application.

STORAGE OF DILUTED SPRAY MIX:

The spray mix must be used within 6 hours after mixing.

RAINFALL:

Quintec® is rainfast one hour after application.

COMPATIBILITY AND TANK MIXING:

DO NOT mix concentrates together but add each to the spray tank separately. As formulations of other manufacturers' products are beyond the control of the registrant or distributor, all mixtures should be tested prior to mixing commercial quantities. As changes in climatic conditions can alter the sensitivity of plants to mixtures of sprays, the registrant or distributor cannot be responsible for the behaviour of such mixtures. Quintec® is **NOT** compatible with fungicides containing fosetyl as the aluminium salt. However Quintec® is compatible with a range of products as follows:

Insecticides: Bacillus thuringiensis, chlorpyriphos as water dispersible granule, spinosad, methoxyfenoxide.

Miticides: Pyridaben and tebufenpyrad.

Fungicides: Azoxystrobin, benomyl, chlorothalonil, copper hydroxide, copper oxychloride, dithianon, mancozeb, dimethomorph + mancozeb mixture, fenarimol, iprodione, procymidone, spiroxamine, pyrimethanil, sulphur and thiram.

WITHHOLDING PERIODS:

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residues Levels for Agricultural Compounds.

Grapes: DO NOT harvest for 35 days after treatment.

Grapes for Export Wine: Refer to Export Wine Grape Spray Schedule.

Squash, inedible peel (kabocha): DO NOT harvest for 14 days after the last application.

GRAZING RESTRICTION:

The following restrictions on the use of this product **must** be observed. **DO NOT** feed treated crops to stock other than sheep used for leaf plucking in vineyards. Take care not to allow this product to drift onto pasture or crops that may be grazed.

CONDITIONS OF SUPPLY - Read before buying and using. If these conditions are unacceptable, return at once to the retailer unopened within seven days and the purchase price will be refunded in full.

This product conforms to the chemical description on the label. However to the full extent permitted by law, all warranties of any kind, expressed or implied, with respect to the fitness for any purpose (including crop yield/performance/injury, product effectiveness or any other consequence), condition, merchantable quality or any other matter, are expressly excluded. Buyers and/or users accept that PGG Wrightson Ltd and its distributors, are not liable in any way (including in negligence, tort and equity) to you for any loss, costs, loss of income, damage or injury whether direct, indirect or consequential, howsoever arising in connection with this product including without limitation storage, application, handling or use. PGG Wrightson Ltd's liability if any is limited solely to an amount not exceeding twice the purchase price of the product. To read PGG Wrightson Ltd's terms of trade that apply to PGG Wrightson transactions, visit www.pggwrightson.co.nz

MINISTRY OF PRIMARY INDUSTRIES
NEW ZEALAND
25/09/2025

Crop	Instructions
Grapes	**DO NOT** harvest for 35 days after treatment.
Grapes for Export Wine	Refer to Export Wine Grape Spray Schedule.
Squash, inedible peel (kabocha)	**DO NOT** harvest for 14 days after the last application.

VINEYARDS:

DO NOT graze stock other than sheep in vineyards which have been treated with Quintec® Sheep may be grazed in vineyards for the purpose of leaf plucking providing they are not slaughtered for 56 days (2 months) after leaving the vineyard.

SQUASH (inedible peel): DO NOT allow livestock to graze treated crop or foliage.

GROUP	13	FUNGICIDE

RESISTANCE MANAGEMENT

Quintec® is a quinoline fungicide (Group 13). Some naturally occurring individual fungi may become resistant when excessive use of the same fungicide occurs. To maximize the effectiveness of fungicides, products containing alternate modes of action should be used in the spray program. Consult http://www.resistance.nzpps.org/ for alternate modes of action and the details of resistance management strategies (if any) for the crops listed on the label.

Squash (inedible peel): Always apply Quintec® in a mixture with myclobutanil (200 g/L oil in water emulsion). To help prevent the onset of resistance **DO NOT** apply more than **three** applications of Quintec® to any crop in any one season.

GENERAL INFORMATION

Quintec® is a foliar applied fungicide that only has protectant properties. Quintec® has no curative activity and does not control any existing powdery mildew infection including the pre- visible stage. Once dry, Quintec® is strongly bound to leaf waxes and therefore not easily washed off the foliage by rain. When applied to plant foliage, Quintec® moves throughout the crop canopy by volatilization and re-absorption onto new, untreated plant material.

DIRECTIONS FOR USE

It is an offence to use this product on animals

CROP	DISEASE	RATES	CRITICAL COMMENTS
Grapes	Powdery mildew (*Uncinula necator*)	10-20ml/100L water; used as follows:	**Use as a protectant treatment only.** Rates recommended are for high volume spraying to run-off. For concentrate spraying adjust dilution rate accordingly. Use the 10 mL rate as part of a protectant spray program. Repeat at 7- 10 day intervals as necessary.Use the 20 mL rate for extended protection during periods of high or sustained infection pressure. Repeat at 10-14 day intervals as necessary.
		10 mL/100 L water, applying not less than 100 mL Quintec®/ha.	
		20 mL/100 L water, applying not less than 200 mL Quintec®/ha.	
Squash, inedible peel (kabocha)	Powdery mildews (*Erysiphe cichoracearum* and *Sphaerotheca fuliginea*)	200 mL/ha + 200 mL/ha myclobutanil[NOTE]	**Always apply in mixture with 200ml/ha myclobutanil[NOTE]**. Apply mixtures of Quintec® plus myclobutanil[NOTE] at 14 day intervals from **early** flowering until harvest. **DO NOT** add copper fungicides to the tank-mix of myclobutanil[NOTE] plus Quintec® Commence applications prior to establishment of powdery mildew. Ensure thorough and uniform spray coverage.Sulphur sprays may be used for powdery mildew control prior to use of the mixture of myclobutanil[NOTE] + Quintec®.

NOTE: Myclobutanil product formulated as 200 g/L oil in water emulsion

DO NOT use more than 3 applications to grapevines or squash (inedible peel) in any one season.

MINISTRY FOR PRIMARY INDUSTRIES
NEW ZEALAND
25/09/2025

Registered pursuant to the ACVM Act 1997, No P7296
See www.foodsafety.govt.nz for registration conditions.

Approved pursuant to HSNO Act 1996, EPA Approval Code HSR001671
See www.epa.govt.nz for approval controls.

Emergency Response (ALL HOURS) **0800** CHEMCALL or **0800 243 622** or Contact PGG Wrightson Freephone **0800 10 22 76**

IN A TRANSPORT EMERGENCY DIAL **111** FOR POLICE OR FIRE

WARNING
Keep out of reach of children

Quintec®

FUNGICIDE

For the control of Powdery Mildews in grapevines and squash with inedible peel (kabocha)

READ LABEL COMPLETELY BEFORE MIXING OR APPLYING

ACTIVE INGREDIENT: 250 g/litre quinoxyfen as a suspension concentrate

GROUP	13	FUNGICIDE

ECOTOXIC

MINISTRY FOR PRIMARY INDUSTRIES
NEW ZEALAND
25/09/2025

NZ Agent and Distributed by:
Agritrade
1 Robin Mann Place
Christchurch Airport.
Christchurch 8053
Telephone 03 341 4587
www.pggwrightson.co.nz

agritrade®

Gowan Crop Protection Limited
Highlands House, Basingstoke Road,
Spencers Wood, Reading,
Berks, RG7 1NT, United Kingdom.
(Registered company number: 9852199)

Gowan® CROP PROTECTION LIMITED

NET CONTENTS: **5 L**

85914-NZ-QNTF-BL-05-0425 Item 98010

HAZARD CLASSIFICATION:
Skin sensitisation Category 1, Specific target organ toxicity (repeated exposure) Category 2, Hazardous to the aquatic environment acute Category 1, Hazardous to the aquatic environment chronic Category 1.

TOXICITY:

WARNING: REPEATED SKIN EXPOSURE MAY RESULT IN AN ALLERGIC RESPONSE. Avoid contact with skin. MAY CAUSE ORGAN DAMAGE FROM REPEATED ORAL EXPOSURE AT HIGH DOSES.

ECOTOXICITY:

VERY TOXIC TO AQUATIC ORGANISMS. **DO NOT** contaminate an aquatic environment with chemical or empty container. **DO NOT** spray over, or allow to drift over, an aquatic environment. Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area.

HANDLING PRECAUTIONS:

QUALIFIED HANDLER: A suitably qualified handler is required when mixing, loading or applying.

RECORD KEEPING:

Records of use, as described in relevant HSNO Act regulations and the New Zealand Standard for the Management of Agrichemicals (NZS8409), must be kept if more than 3L of Quintec™ is applied, or discharged within 24 hours in a place where members of the public may be present or where the substance may enter air or water and leave the place.

EQUIPMENT:

Apply using accurately calibrated and maintained equipment in accordance with the New Zealand Standard for the Management of Agrichemicals (NZS8409).Flush equipment thoroughly with clean water after use according to the Cleaning Spray Equipment instructions below. Dispose of the cleaning water according to the Disposal instructions below.

STORAGE:

Store in original container tightly closed and in a locked, dry, cool, well ventilated area, away from foodstuffs. Storage must be generally in accordance with the New Zealand Standard for the Management of Agrichemicals (NZS8409). Stores containing more than 100 L of Quintec® (or substances of the same hazard class) require bunding and are subject to signage. See the Hazardous Substances Emergency Management Regulations 35 – 41 and the New Zealand Standard for the Management of Agrichemicals (NZS8409) for further information.

PERSONAL PROTECTION:

When opening the container, preparing the spray or using the spray, wear eye protection, cotton overalls buttoned to the neck and wrist, elbow length PVC gloves, and waterproof boots. **Do not** eat, drink or smoke while using. Remove protective clothing immediately after handling this product and wash hands and face before meals and after work.

SPILLAGE:

DO NOT touch or walk through spilled material. Wear the protective equipment recommended above. Stop leak when safe to do so. Dam area and prevent entry into waterways, and drains. **Small spills/leaks:** Absorb with a proprietary absorbent suitable for chemical spills or inert material such as sand, soil or sawdust. Collect spilled product and place in sealable container for disposal. Spill residues may be cleaned using water and detergent. Contain and absorb wash water for disposal. Absorb and collect washings and place in the same sealable container or disposal. **Large spills/leaks:** Contain spillage, recover liquid into labelled resealable drum for reuse (if possible) or disposal. Absorb remain residues as described above and place in sealable container for disposal.

DISPOSAL

Triple rinse empty container and add rinsate to spray tank. Triple rinsed containers containing the Agrecovery logo on the label and that are free of all residues (liquid and dry) and have an intact legible label should be taken to an Agrecovery collection site. Otherwise crush and bury in a suitably approved landfill. **DO NOT** burn empty containers.Dispose of this product only by using according to the label, via Agrecovery www.agrecovery.co.nz (visit or call 0800 AGRECOVERY (0800 247 326) for information about the type and quantity of chemical acceptable for disposal), or at an approved landfill. **DO NOT** burn.Dispose of equipment cleaning water onto ground away from edible crops. **DO NOT** dispose of this product, spray mix or equipment cleaning water down drains or sewers.

FIRST AID:

If swallowed **DO NOT** induce vomiting. For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If splashed in eyes, wash out immediately with water. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If irritation or rash persists, get medical advice.

SAFETY DATA SHEET:

A Safety Data Sheet for Quintec® is available from the distributor on request.

TRANSPORT

Do not carry more than 100 mL of this product on a passenger service vehicle.

RE-ENTRY:

DO NOT allow entry into treated areas until the spray has dried. If prior entry is necessary, wear cotton overalls buttoned to the neck and wrist (or equivalent clothing) and waterproof gloves. Clothing must be laundered after each day's use.

NOTICE:

Warning: This product is subject to controls and could be hazardous if handled incorrectly. The **user is responsible** for ensuring that the handling of this product is in accordance with the law (including the Hazardous Substances and New Organisms Act 1996 and the Agricultural Compounds and Veterinary Medicines Act 1997) and with the directions provided.

Further information regarding the applicable Acts, Regulations and Guidelines for the proper handling of this product may be obtained from EPA New Zealand (www.epa.govt.nz) or the Ministry for Primary Industries (MPI) (www.foodsafety.govt.nz).

CONDITIONS OF SUPPLY - Read before buying and using. If these conditions are unacceptable, return at once to the retailer unopened within seven days and the purchase price will be refunded in full.

This product conforms to the chemical description on the label. However to the full extent permitted by law, all warranties of any kind, expressed or implied, with respect to the fitness for any purpose (including crop yield/performance/injury, product effectiveness or any other consequence), condition, merchantable quality or any other matter, are expressly excluded. Buyers and/or users accept that PGG Wrightson Ltd and its distributors are not liable in any way (including in negligence, tort and equity) to you for any loss, costs, loss of income, damage or injury whether direct, indirect or consequential, howsoever arising in connection with this product including, without limitation storage, application, handling or use. PGG Wrightson Ltd's liability if any is limited solely to an amount not exceeding twice the purchase price of the product. To read PGG Wrightson Ltd's terms of trade that apply to PGG Wrightson transactions, visit www.pggwrightson.co.nz

MINISTRY OF PRIMARY INDUSTRIES
NEW ZEALAND
25/09/2025

APPLICATION METHOD

Use either:

- a sprayer designed to apply high volumes of water up to the point of run-off and matched to the crop being sprayed; or
- a sprayer designed and set up for concentrate spraying (that is a sprayer which applies water volumes less than those required to reach the point of run-off) and matched to the crop being sprayed.

Cleaning the spray equipment:

Rinsing:

- After using Quintec®, empty the spray unit completely and drain the whole system. Thoroughly wash inside the unit using a pressure hose. Drain the spray unit, and clean any filters in the tank, pump, lines, hoses and nozzles.
- After cleaning the spray unit as above, quarter fill with clean water and circulate through the pump, lines, hoses and nozzles. Drain and repeat the rinsing procedure twice.
- Discard rinse water on land already sprayed or on waste land away from edible crops and water sources.

Using the spray equipment:

The following application situations must use spray equipment in accordance with the New Zealand Standard for the Management of Agrichemicals (NZS8409).

MIXING:

Agitate or shake the container vigorously prior to use. Add the required amount of Quintec® to a half-full spray tank and agitated well during filling. Ensure thorough agitation during mixing and application.

STORAGE OF DILUTED SPRAY MIX:

The spray mix must be used within 6 hours after mixing.

RAINFALL:

Quintec® is rainfast one hour after application.

COMPATIBILITY AND TANK MIXING:

DO NOT mix concentrates together but add each to the spray tank separately. As formulations of other manufacturers' products are beyond the control of the registrant or distributor, all mixtures should be tested prior to mixing commercial quantities. As changes in climatic conditions can alter the sensitivity of plants to mixtures of sprays, the registrant or distributor cannot be responsible for the behaviour of such mixtures.

Quintec® is **NOT** compatible with fungicides containing fosetyl as the aluminium salt. However Quintec® is compatible with a range of products as follows:

Insecticides: Bacillus thuringiensis, chlorpyriphos as water dispersible granule, spinosad, methoxyfenoxide.

Miticides: Pyridaben and tebufenpyrad.

Fungicides: Azoxystrobin, benomyl, chlorothalonil, copper hydroxide, copper oxychloride, dithianon, mancozeb, dimethomorph + mancozeb mixture, fenarimol, iprodione, procymidone, spiroxamine, pyrimethanil, sulphur and thiram.

WITHHOLDING PERIODS:

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residues Levels for Agricultural Compounds.

Grapes: DO NOT harvest for 35 days after treatment.

Grapes for Export Wine: Refer to Export Wine Grape Spray Schedule.

Squash, inedible peel (kabocha): DO NOT harvest for 14 days after the last application.

GRAZING RESTRICTION:

The following restrictions on the use of this product **must** be observed. **DO NOT** feed treated crops to stock other than sheep used for leaf plucking in vineyards. Take care not to allow this product to drift onto pasture or crops that may be grazed.

VINEYARDS:

DO NOT graze stock other than sheep in vineyards which have been treated with Quintec® Sheep may be grazed in vineyards for the purpose of leaf plucking providing they are not slaughtered for 56 days (2 months) after leaving the vineyard.

SQUASH (inedible peel): DO NOT allow livestock to graze treated crop or foliage.

RESISTANCE MANAGEMENT

GROUP	13	FUNGICIDE

Quintec® is a quinoline fungicide (Group 13). Some naturally occurring individual fungi may become resistant when excessive use of the same fungicide occurs. To maximize the effectiveness of fungicides, products containing alternate modes of action should be used in the spray program. Consult http://www.resistance.nzpps.org/ for alternate modes of action and the details of resistance management strategies (if any) for the crops listed on the label.

Squash (inedible peel): Always apply Quintec® in a mixture with myclobutanil (200 g/L oil in water emulsion). To help prevent the onset of resistance **DO NOT** apply more than **three** applications of Quintec® to any crop in any one season.

GENERAL INFORMATION

Quintec® is a foliar applied fungicide that only has protectant properties. Quintec® has no curative activity and does not control any existing powdery mildew infection including the pre- visible stage. Once dry, Quintec®is strongly bound to leaf waxes and therefore not easily washed off the foliage by rain. When applied to plant foliage, Quintec® moves throughout the crop canopy by volatilization and re-absorption onto new, untreated plant material.

DIRECTIONS FOR USE

It is an offence to use this product on animals.

CROP	DISEASE	RATES	CRITICAL COMMENTS
Grapes	Powdery mildew (*Uncinula necator*)	10-20ml/100L water; used as follows:	**Use as a protectant treatment only.** Rates recommended are for high volume spraying to run-off. For concentrate spraying adjust dilution rate accordingly. Use the 10 mL rate as part of a protectant spray program. Repeat at 7- 10 day intervals as necessary.Use the 20 mL rate for extended protection during periods of high or sustained infection pressure. Repeat at 10-14 day intervals as necessary.
		10 mL/100 L water, applying not less than 100 mL Quintec®/ha.	
		20 mL/100 L water, applying not less than 200 mL Quintec®/ha.	
Squash, inedible peel (kabocha)	Powdery mildews (*Erysiphe cichoracearum* and *Sphaerotheca fuliginea*)	200 mL/ha + 200 mL/ha myclobutanil[NOTE]	**Always apply in mixture with 200ml/ha myclobutanil[NOTE].** Apply mixtures of Quintec® plus myclobutanil[NOTE] at 14 day intervals from **early** flowering until harvest. **DO NOT** add copper fungicides to the tank-mix of myclobutanil[NOTE] plus Quintec® Commence applications prior to establishment of powdery mildew. Ensure thorough and uniform spray coverage.Sulphur sprays may be used for powdery mildew control prior to use of the mixture of myclobutanil[NOTE] + Quintec®.

NOTE: Myclobutanil product formulated as 200 g/L oil in water emulsion

DO NOT use more than 3 applications to grapevines or squash (inedible peel) in any one season.

MINISTRY FOR PRIMARY INDUSTRIES NEW ZEALAND 25/09/2025

WARNING

Keep out of reach of children

Quintec®

FUNGICIDE

For the control of Powdery Mildews in grapevines and squash with inedible peel (kabocha)

READ LABEL COMPLETELY BEFORE MIXING OR APPLYING

ACTIVE INGREDIENT: 250 g/litre quinoxyfen as a suspension concentrate

GROUP	13	FUNGICIDE

ECOTOXIC

NZ Agent and Distributed by:
Agritrade
1 Robin Mann Place
Christchurch Airport. Christchurch 8053
Telephone 03 341 4587
www.pggwrightson.co.nz

agritrade®

Gowan Crop Protection Limited
Highlands House, Basingstoke Road,
Spencers Wood, Reading,
Berks, RG7 1NT, United Kingdom.
(Registered company number: 9852199)

Gowan® CROP PROTECTION LIMITED

® Trademark of Nissan Chemical Corporation and their affiliated companies or respective owners.

MINISTRY FOR PRIMARY INDUSTRIES NEW ZEALAND
25/09/2025

NET CONTENTS: 4 x 5 L

85914-NZ-QNTF-CL-04-0425 Item 98011

HAZARD CLASSIFICATION:
Skin sensitisation Category 1, Specific target organ toxicity (repeated exposure) Category 2, Hazardous to the aquatic environment acute Category 1, Hazardous to the aquatic environment chronic Category 1.

TOXICITY:
WARNING: REPEATED SKIN EXPOSURE MAY RESULT IN AN ALLERGIC RESPONSE. Avoid contact with skin. MAY CAUSE ORGAN DAMAGE FROM REPEATED ORAL EXPOSURE AT HIGH DOSES.

ECOTOXICITY
VERY TOXIC TO AQUATIC ORGANISMS. Do not contaminate an aquatic environment with chemical or empty container. Do not spray over, or allow to drift over, an aquatic environment. Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area.

FIRST AID
If swallowed do NOT induce vomiting. For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If splashed in eyes, wash out immediately with water. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If irritation or rash persists, get medical advice.

SAFETY DATA SHEET
A Safety Data Sheet for Quintec® is available from the distributor on request.

TRANSPORT
Do not carry more than 100 mL of this product on a passenger service vehicle.

WARNING
Keep out of reach of children

Quinteo®

FUNGICIDE

MINISTRY FOR PRIMARY INDUSTRIES
NEW ZEALAND
25/09/2025

For the control of Powdery Mildews in grapevines and squash with inedible peel (kabocha)

READ LABEL COMPLETELY BEFORE MIXING OR APPLYING

ACTIVE INGREDIENT: 250 g/litre quinoxyfen as a suspension concentrate

GROUP	13	FUNGICIDE

ECOTOXIC

NZ Agent and Distributed by:
Agritrade
1 Robin Mann Place
Christchurch Airport.
Christchurch 8053
Telephone 03 341 4587
www.pggwrightson.co.nz
agritrade®

Gowan Crop Protection Limited
Highlands House, Basingstoke Road,
Spencers Wood, Reading,
Berks, RG7 1NT, United Kingdom.
(Registered company number: 9852199)
Gowan® CROP PROTECTION LIMITED

® Trademark of Nissan Chemical Corporation and their affiliated companies or respective owners.

Registered pursuant to the ACVM Act 1997, No P7296
See www.foodsafety.govt.nz for registration conditions.

Approved pursuant to HSNO Act 1996, EPA Approval Code HSR001671 See www.epa.govt.nz for approval controls.

Batch No:
Date of Manufacturer:

NET CONTENTS: **6 x 1 L**

85913-NZ-QNTF-CL-04-0221 Item 97892