SOUTHWELL AC

Contains 1g. per litre of Chlorine dioxide in aqueous solution

MINISTRY FOR PRIMARY INDUSTRIES
NEW ZEALAND
31/08/2020

SOUTHWELL AC

Contains 1g. per litre of Chlorine dioxide in aqueous solution

Net Contents (Litres)
Fungicide
Broad spectrum Fungicide

INSTRUCTIONS FOR USE FIELD CROPS
Rates recommended are for high volume spraying to the point of run-off (i.e. fill the spray tank with 99 litres of potable water and make up 100 liters with SOUTHWELL AC to get a mixture containing 10 ppm or 0.01 g/L

CROP	DISEASE	RATE	WITHHOLDING	WHEN TO APPLY
Apples Pears	Fireblight	0.005-0.01g/L	None	On detection as required
Grapes	Grey Mould* (Botrytis)	5-10 ppm	None	On detection as required
Stone Fruit	Brown Rot	0.005-0.01g/L	None	On detection as required
Kiwi Fruit	Botrytis	0.005-0.01g/L	None None	Sclerotinia control. At flowering or when required.
Tangelos	Alterarnaria Citri	0.005-0.01g/L	None	Apply when last season's crop has been harvested completely and on Detection as required
Fine Turf And Cotula	Fusarium patch Red Thread Brown Patch Dollar spot Helminthosporium Leaf blight Curvularia	20L per Ha.	None	Apply as required when conditions favour disease
Berryfruit	Botrytis	0.005-0.01g/L	None	On detection from start of flowering
Asparagus	Stemphylium	20 L per Ha.	None	On detection as required
Greenhouse Tomatoes	Botrytis	0.005-0.01g/L	None	On detection as required

Addition of a non-ionic wetter at recommended rates will improve coverage

* Where the bunch line is 3750 Linear Metres at 2.7 metre spacing,

KEEP OUT OF THE REACH OF CHILDREN
STORE OUT OF DIRECT SUNLIGHT UNDER 30 DEG. C
DO NOT APPLY IN DIRECT SUNLIGHT

IT IS AN OFFENCE TO USE THIS PRODUCT ON ANIMALS

Registered pursuant to the ACVM Act 1997, No. P007989

MINISTRY FOR PRIMARY INDUSTRIES
NEW ZEALAND
31/08/2020

HAZARDS IDENTIFICATION

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO NOHSC CRITERIA

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

UN No. None Allocated **Pkg Group** None Allocated **DG Class** None allocated
Hazchem Code None allocated **Subsidiary Risk(s)** None allocated **EPG** None Allocated

CONDITIONS OF SUPPLY

READ THESE CONDITIONS OF SUPPLY BEFORE BUYING AND USING. IF THESE CONDITIONS ARE UNACCEPTABLE RETURN AT ONCE UNOPENED

To the extent permitted by Law **SOUTHWELL PRODUCTS LTD.,** does not accept any liability or responsibility whatsoever for any loss, damage or injury whether direct, indirect or consequential howsoever arising in connection with these goods, including without limitation their storage, application, handling or use. **SOUTHWELL PRODUCTS LTD.,** does not make any warranties (express or implied) with respect to fitness for purpose, merchantable quality or any other matter.

To the extent only that **SOUTHWELL PRODUCTS LTD.,** is prevented by law from contracting out of the Consumer Guarantees Act, then these conditions apply subject to that Act. The Act shall not apply where these good s are acquired for business purposes.

See www.mpi.govt.nz for registration conditions

SOUTHWELL PRODUCTS LTD.,
36, Cobden Street,
Westport
7825

03-789-4244

MINISTRY FOR PRIMARY INDUSTRIES
NEW ZEALAND
31/08/2020

WARNING

FIRST AID MEASURES

Eye Flush gently with running water for 15 minutes.

Skin Gently flush affected areas with water.

Inhalation If over exposure occurs leave exposure area immediately. If irritation persists or breathing becomes laboured in any way, seek medical attention.

Ingestion DO NOT induce vomiting. Immediately wash out mouth with water, and then give water to drink. Seek medical attention.

Advice to Doctor Treat symptomatically

FIRE FIGHTING MEASURES

Flammability Non-flammable. No fire or explosion hazard exists.

Fire, Explosion Non-flammable. Evacuate area and contact emergency services. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use water-fog to cool intact containers and nearby storage areas.

Extinguishing Non-flammable.

READ THIS LABLE COMPLETELY BEFORE USE

SOUTHWELL AC is Chlorine Dioxide in solution which acts by penetrating the cell wall of the target organism and disrupting its food supply. The triggering action for this product is thought to be the sugar like substances that are an integral part of the target species cell wall. It is accelerated in the presence of bacteria or organics consisting of sugar like compounds.

Due to this mode of action disease bearing organisms do not build up resistance to the product.

The Disinfection by-products are Chloride and Chlorite so there is no withholding period with the product

SOUTHWELL AC is recommended as a foliar spray in the control of Grey Mould (Botrytis) in grapes, kiwifruit, glasshouse tomatoes and berryfruit , Brown rot (Monilinia) in stone fruit. Field rot (Sclerotinia) in kiwifruit, Alternaria in Tangelos. Fusarium patch and certain other fungous diseases in fine turf grass. Stemphylium in Asparagus, Fire blight in apples and pears

As a post-harvest dip for all fruits vegetables and mushrooms and a general high level sanitiser

DIIRECTIONS FOR USE

Fill the spray tank with clean water to the required level. Add the recommended amount of **SOUTHWELL AC**

BATCH NUMBER

EXPIRY DATE

KEEP OUT OF THE REACH OF CHILDREN

STORE OUT OF DIRECT SUNLIGHT

STORE BELOW 30 DEG, C.

Net Contents (Litres)
Fungicide

Broad spectrum Fungicide

INSTRUCTIONS FOR USE FIELD CROPS
Rates recommended are for high volume spraying to the point of run-off (i.e. fill the spray tank with 99 litres of potable water and make up 100 liters with SOUTHWELL AC to get a mixture containing 10 ppm or 0.01 g/L

CROP	DISEASE	RATE	WITHHOLDING	WHEN TO APPLY
Apples Pears	Fireblight	0.005-0.01g/L	None	On detection as required
Grapes	Grey Mould* (Botrytis)	5-10 ppm	None	On detection as required
Stone Fruit	Brown Rot	0.005-0.01g/L	None	On detection as required
Kiwi Fruit	Botrytis	0.005-0.01g/L	None None	Sclerotinia control. At flowering or when required.
Tangelos	Alterarnaria Citri	0.005-0.01g/L	None	Apply when last season's crop has been harvested completely and on Detection as required
Fine Turf And Cotula	Fusarium patch Red Thread Brown Patch Dollar spot Helminthosporium Leaf blight Curvularia	20L per Ha.	None	Apply as required when conditions favour disease
Berryfruit	Botrytis	0.005-0.01g/L	None	On detection from start of flowering
Asparagus	Stemphylium	20 L per Ha.	None	On detection as required
Greenhouse Tomatoes	Botrytis	0.005-0.01g/L	None	On detection as required

Addition of a non-ionic wetter at recommended rates will improve coverage

* Where the bunch line is 3750 Linear Metres at 2.7 metre spacing,

KEEP OUT OF THE REACH OF CHILDREN
STORE OUT OF DIRECT SUNLIGHT UNDER 30 DEG. C
DO NOT APPLY IN DIRECT SUNLIGHT

IT IS AN OFFENCE TO USE THIS PRODUCT ON ANIMALS

Registered pursuant to the ACVM Act 1997, No. P007989

HAZARDS IDENTIFICATION

NOT CLASSIFIED AS HAZARDOUS ACCORDING TO NOHSC CRITERIA

NOT CLASSIFIED AS A DANGEROUS GOOD BY THE CRITERIA OF THE ADG CODE

UN No. None Allocated
Pkg Group None Allocated
DG Class None allocated
Hazchem Code None allocated
Subsidiary Risk(s) None allocated
EPG None Allocated

CONDITIONS OF SUPPLY

READ THESE CONDITIONS OF SUPPLY BEFORE BUYING AND USING. IF THESE CONDITIONS ARE UNACCEPTABLE RETURN AT ONCE UNOPENED

To the extent permitted by Law **SOUTHWELL PRODUCTS LTD.,** does not accept any liability or responsibility whatsoever for any loss, damage or injury whether direct, indirect or consequential howsoever arising in connection with these goods, including without limitation their storage, application, handling or use. **SOUTHWELL PRODUCTS LTD.,** does not make any warranties (express or implied) with respect to fitness for purpose, merchantable quality or any other matter.

To the extent only that **SOUTHWELL PRODUCTS LTD.,** is prevented by law from contracting out of the Consumer Guarantees Act, then these conditions apply subject to that Act. The Act shall not apply where these good s are acquired for business purposes.

See www.mpi.govt.nz for registration conditions

SOUTHWELL PRODUCTS LTD.,
36, Cobden Street,
Westport
7825

03-789-4244

WARNING

FIRST AID MEASURES

Eye Flush gently with running water for 15 minutes.

Skin Gently flush affected areas with water.

Inhalation If over exposure occurs leave exposure area immediately. If irritation persists or breathing becomes laboured in any way, seek medical attention.

Ingestion DO NOT induce vomiting. Immediately wash out mouth with water, and then give water to drink. Seek medical attention.

Advice to Doctor Treat symptomatically

FIRE FIGHTING MEASURES

Flammability Non-flammable. No fire or explosion hazard exists.

Fire, Explosion Non-flammable. Evacuate area and contact emergency services. Remain upwind and notify those downwind of hazard. Wear full protective equipment including Self Contained Breathing Apparatus (SCBA) when combating fire. Use water-fog to cool intact containers and nearby storage areas.

Extinguishing Non-flammable.

READ THIS LABLE COMPLETELY BEFORE USE

SOUTHWELL AC is Chlorine Dioxide in solution which acts by penetrating the cell wall of the target organism and disrupting its food supply. The triggering action for this product is thought to be the sugar like substances that are an integral part of the target species cell wall. It is accelerated in the presence of bacteria or organics consisting of sugar like compounds.

Due to this mode of action disease bearing organisms do not build up resistance to the product.

The Disinfection by-products are Chloride and Chlorite so there is no withholding period with the product

SOUTHWELL AC is recommended as a foliar spray in the control of Grey Mould (Botrytis) in grapes, kiwifruit, glasshouse tomatoes and berryfruit , Brown rot (Monilinia) in stone fruit. Field rot (Sclerotinia) in kiwifruit, Alternaria in Tangelos. Fusarium patch and certain other fungous diseases in fine turf grass. Stemphylium in Asparagus, Fire blight in apples and pears

As a post-harvest dip for all fruits vegetables and mushrooms and a general high level sanitiser

DIIRECTIONS FOR USE

Fill the spray tank with clean water to the required level. Add the recommended amount of **SOUTHWELL AC**

BATCH NUMBER

EXPIRY DATE

KEEP OUT OF THE REACH OF CHILDREN

STORE OUT OF DIRECT SUNLIGHT

STORE BELOW 30 DEG, C.

MINISTRY FOR PRIMARY INDUSTRIES NEW ZEALAND

31/08/2020