# WARNING

## KEEP OUT OF REACH OF CHILDREN

## READ THE LABEL COMPLETELY BEFORE MIXING OR APPLYING

# TIMBERWOLF 900 WG

## HERBICIDE

MINISTRY FOR PRIMARY INDUSTRIES
NEW ZEALAND
05/03/2025

**ACTIVE INGREDIENT: 900 g/kg TERBUTHYLAZINE in the form of a water dispersible granule**

**GROUP 5 HERBICIDE**

A residual and knockdown herbicide for the control of grass and broadleaf weeds in Forestry, established Lucerne, Maize, Sweetcorn, Orchards and Peas.

KENSO NZ
*Together we grow*

Registered pursuant to the ACVM Act 1997, No. P009036
See www.foodsafety.govt.nz for registration conditions
Approved pursuant to the HSNO Act 1996, Approval No. HSR100964
See www.epa.govt.nz for approval controls

**NET CONTENTS: 10 KG**

Registrant:
**Kenso Corporation (M) Sdn Bhd**
Lot 29, Jalan Sungai Pinang 5/4, Taman Perindustrian Pulau Indah, 42920 Pelabuhan Klang, Selangor, Malaysia.

NZ Agent:
**Kenso NZ Limited**
2 Bond Crescent, Forrest Hill, Auckland 0620 New Zealand.
Ph: 0800 536 766

**PERSONNEL QUALIFICATION & EXPERIENCE**
This product must be under the control of an appropriately trained and experienced person during storage, use and disposal. For guidance refer to the requirements for class 6, 8 and 9 substances of the Health and Safety at Work (Hazardous Substances) Regulations 2017 part 4.5 and the Hazardous Substances (Hazardous Property Controls) Notice 2017 Part 4 Subpart C.

**HAZARD CLASSIFICATION**
Acute oral toxicity Category 4, Hazardous to soil organisms, Hazardous to terrestrial vertebrates, Hazardous to the aquatic environment acute Category 1, Hazardous to the aquatic environment chronic Category 1.

**WARNING**
Harmful if swallowed.
**ECOTOXIC**
Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Avoid contamination of any water supplier with product or empty container. Very toxic to the soil environment.

**Selective Herbicide** – very toxic to some plant species. Avoid use near desirable plants or in areas where their roots may extend.

**Beware: Spray drift hazard. Apply this product carefully. Spray drift may cause serious damage to other desirable plants. Do not allow spray drift to occur outside the treated property.**

**HANDLING PRECAUTIONS**
**STORAGE**
Store in original container tightly closed and in a locked, dry, cool area away from foodstuffs, seeds, and fertilisers. Storage must be in accordance with NZS 8409 Management of Agrichemicals. Stores containing 100 kg are subject to signage, and more than 100 kg require emergency response plans.

**DISPOSAL**
Ensure bag is empty and add any remaining contents to the spray tank. Submit empty bag to a local authority approved refuse receival facility.

**FIRST AID**
If swallowed do NOT induce vomiting. For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If splashed in eyes, wash out immediately with water. If inhaled, move the victim to fresh air immediately.

**SAFETY DATA SHEET**
A Safety Data Sheet is available from the Kenso NZ website: www.kenso.co.nz

**CONDITIONS OF SALE**
Kenso Corporation (M) Sdn. Bhd. will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Kenso Corporation (M) Sdn. Bhd. is limited to the replacement of the goods or (at the option of Kenso Corporation (M) Sdn. Bhd.) the refund of the price paid and where possible sufficient part of the goods to enable proper examination being returned to Kenso Corporation (M) Sdn. Bhd. within thirty days of delivery.

EMERGENCY RESPONSE
Ring 0800 CHEMCALL, or
0800 243 622 (24 hours)

Product of China

9 421028 660679

KENSO NZ
Together we grow

UN NO: 3077
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (CONTAINS TERBUTHYLAZINE)
PACKING GROUP III
HAZCHEM 2X
CLASS 9

**MISCELLANEOUS DANGEROUS GOODS**
**9**

In a transport emergency dial 111, Police or Fire Service. For specialist advice in emergency only, call 0800 243 622 (24 hours)

MINISTRY FOR PRIMARY INDUSTRIES
NEW ZEALAND
05/03/2025

Batch No.:
Date of Manufacture:

# WARNING

**KEEP OUT OF REACH OF CHILDREN**
**READ THE LABEL COMPLETELY BEFORE MIXING OR APPLYING**

# TIMBERWOLF 900 WG

## HERBICIDE

**ACTIVE INGREDIENT: 900 g/L TERBUTHYLAZINE in the form of a water dispersible granule.**

**GROUP 5 HERBICIDE**

A residual and knockdown herbicide for the control of grass and broadleaf weeds in Forestry, established Lucerne, Maize, Sweetcorn, Orchards and Peas.

Registered pursuant to the ACVM Act 1997, No. P009036
See www.foodsafety.govt.nz for registration conditions
Approved pursuant to the HSNO Act 1996, Approval No. HSR100964
See www.epa.govt.nz for approval controls

**Kenso Corporation (M) Sdn Bhd**
2 Bond Crescent, Forrest Hill,
Auckland 0620 New Zealand
Phone: 0800 536 766

**SAFETY DATA SHEET**
A Safety Data Sheet is available from the Kenso NZ website: www.kenso.co.nz

**CONDITION OF SALE**
Kenso Corporation (M) Sdn. Bhd. will not accept any responsibility whatsoever and howsoever arising and whether for consequential loss or otherwise in connection with the supply of these goods other than responsibility for the merchantable quality of the goods and such responsibilities mandatorily imposed by Statutes applicable to the sale or supply of these goods. To the extent allowed by such Statutes the liability of Kenso Corporation (M) Sdn. Bhd. is limited to the replacement of the goods or (at the option of Kenso Corporation (M) Sdn. Bhd.) the refund of the price paid and where possible sufficient part of the goods to enable proper examination being returned to Kenso Corporation (M) Sdn. Bhd. within thirty days of delivery.

Registered pursuant to the ACVM Act 1997, No. P009036
See www.foodsafety.govt.nz for registration conditions.

Approved pursuant to the HSNO Act 1996, Approval No. HSR100964
See www.epa.govt.nz for approval controls

Batch No :

Date of Manufacture :

EMERGENCY RESPONSE
Ring 0800 CHEMCALL, or
0800 243 622 (24 hours)

**UN NO: 3077**

**ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S**
**(CONTAINS TERBUTHYLAZINE)**
**PACKING GROUP III, HAZCHEM 2X**
**CLASS 9**
**In a transport emergency call 111 Police or Fire Service.**
**For specialist advice in emergency only, call 0800 243 622 (24 hours).**

MINISTRY FOR PRIMARY INDUSTRIES
NEW ZEALAND
05/03/2025

**PERSONNEL QUALIFICATION & EXPERIENCE**
This product must be under the control of an appropriately trained and experienced person during storage, use and disposal. For guidance refer to the requirements for class 6, 8 and 9 substances of the Health and Safety at Work (Hazardous Substances) Regulations 2017 part 4.5 and the Hazardous Substances (Hazardous Property Controls) Notice 2017 Part 4 Subpart C.

**HAZARD CLASSIFICATION**
Acute oral toxicity Category 4, Hazardous to soil organisms, Hazardous to terrestrial vertebrates, Hazardous to the aquatic environment acute Category 1, Hazardous to the aquatic environment chronic Category 1.

**WARNING**
Harmful if swallowed.

**ECOTOXIC**
Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects. Avoid contamination of any water supplier with product or empty container. Very toxic to the soil environment.

Selective Herbicide - very toxic to some plant species. Avoid use near desirable plants or in areas where their roots may extend.

**Beware: Spray drift hazard. Apply this product carefully. Spray drift may cause serious damage to other desirable plants. Do not allow spray drift to occur outside the treated property.**

**HANDLING PRECAUTIONS**
**STORAGE**
Store in original container tightly closed and in a locked, dry, cool area away from foodstuffs, seeds, and fertilisers. Storage must be in accordance with NZS8409 Management of Agrichemicals.
Stores containing 100 kg are subject to signage, and more than 100 kg require emergency response plans.

**PERSONAL PROTECTION**
Avoid contact with eyes and skin. Avoid inhalation of spray mist. When mixing or applying, wear eye protection, chemical resistant coveralls buttoned to the neck and wrist, gloves and boots. Wear respiratory protection to at least Organic Vapour Protection level if inhalation of mists or vapours is likely. Clean protective clothing daily after work. Do not eat, drink or smoke while using. Remove protective clothing and wash hands and face thoroughly before meals and after work.

**EQUIPMENT**
Apply using accurately calibrated and well maintained equipment. Do not use strainers finer than 300 micrometres. Flush equipment thoroughly with clean water after use.

**DISPOSAL**
Ensure bag is empty and add any remaining contents to the spray tank. Submit empty bag to a local authority approved refuse receival facility.

**SPILLAGE**
Wear appropriate protective clothing and prevent material from entering waterways. Sweep up spilt material and place in a waste container. Wash area with water and detergent, and absorb with inert material. Dispose of safely to a suitable local authority refuse receival facility or approved hazardous substances wast disposal facility.

**FIRST AID**
If swallowed do NOT induce vomiting. For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. If splashed in eyes, wash out immediately with water. If inhaled, move the victim to fresh air immediately.

## TRANSPORT
Do not carry more than 10 kg Timberwolf 900 WG Herbicide on a passenger service vehicle.

## RECORD KEEPING
Record of use as described in Part 4 Subpart B Paragraph 48 must be kept if 3 kg or more of Timberwolf 900 WG Herbicide is used within 24 hours.

## MIXING AND COMPATIBILITY
Timberwolf 900 WG Herbicide mixes readily with water. With the agitation system going, slowly add the required quantity to half-filled spray tank. Complete filling within water. Maintain agitation during filling and spraying and agitate thoroughly after a stoppage before recommencing spraying Timberwolf 900 WG Herbicide is compatible with most other commonly used herbicides. When using with liquid herbicides, add the Timberwolf 900 WG Herbicide first and ensure it is thoroughly mixed before adding the other herbicides.

## DIRECTIONS FOR USE

| Crop | Rate | Notes |
|---|---|---|
| Lucerne (Established) | 830 g – 1.1 kg/ha in 200 – 300L water/ha | Stand must be at least 2 years old. Use in a mix with 2-3L of paraquat 20% a.i. Lucerne must be completely dormant and closely grazed. Apply in mid-winter preferably. Use the higher rate for clovers or where longer residual control is required. Do not exceed the higher rate as yield may be affected. |
| Orchards:<br>-Pipfruit<br>-Citrus<br>-Grapes<br>-Kiwifruit | 3.3 – 4.4 kg/ha in 200-300L water/ha | Do not apply to trees / vines less than one year old or plants growing in light sandy loams.<br>**Pre-emergence:** Apply in spring to weed-free soil.<br>**Post-emergence:** To control established weeds tank mix with Max-Out 540 Herbicide. |
| Maize and Sweetcorn | 1.7 – 2 kg/ha in 200 – 300L water/ha<br><br>1.7 kg/ha in 200 – 300L water/ha | **Pre-emergence:** Addition of a suitable grass weed =herbicide is needed to control grass weeds.<br>Apply to a freshly worked seedbed after the crop has been sown but before the seedlings have emerged.<br>**Post-emergence:** Apply to actively growing weeds no larger than 5cm high. Add a suitable non-ionic surfactant at recommended label rates.<br>Note: Where weeds such as father are resistant to triazine herbicdes an appropriate post-emergence herbicide such as Dicamba is required for control. |
| Peas | 830 g – 1.1 kg/ha in 200 – 300L water/ha | Use the higher rate for dry conditions. Apply to a freshly worked seedbed after the crop has been sown but before seedlings have emerged. Do not use on light sandy soils or on soils which are low in organic matter. |
| Industrial Weed Control | 8.3 – 11 kg/ha | For long term residual weed control in non-crop areas such as roadsides, footpaths, pipelines, industrial storage and waste sites and around farm buildings. Add Max-Out 540 Herbicide for deep-rooted perennial weeds. |

## GENERAL INFORMATION
Timberwolf 900 WG Herbicide controls a wide range of weeds including Barley Grass, Black Nightshade, Browntop, Catsear, Chickweed, Clovers, Cocksfoot, Dove's Foot, Fathen, Kentucky Bluegrass, Lotus, Nodding Thistle, Poa Spp., Redroot, Scotch Thistle, Seeding Gorse, Shepherd's Purse, Storksbill, Sweet Vernal, Willow Weed, Yorkshire Fog, plus many other annual grasses and broadleaf weeds it does not control deep rooted perennial grasses such as Paspalum, Kikuyu and India Doab.
Timberwolf 900 WG Herbicide is absorbed through the roots and leaves, with effects taking 1 - 3 weeks to become apparent. Rainfall within three hours of spraying will lessen the effect of post-emergence application. For both pre- and post- emergence treatments, rainfall or irrigation within one week of spraying is necessary for good residual control. For pre-emergence use Timberwolf 900 WG Herbicide should be applied to a clean soil surface with a firm fine tilth and good soil moisture.

## RESISTANCE MANAGEMENT GROUP 5 HERBICIDE
Timberwolf 900 WG Herbicide contains terbuthylazine, a GROUP 5 HERBICIDE from the triazine chemical group with the inhibition of photosynthesis at photosystem II mode of action. Naturally occurring weed biotypes resistant to terbuthylazine and other triazine herbicides are known to exist. These become more prevalent after many years of continuous use of the product. Species with known resistant biotypes include fathen and willow weed. To prevent or delay development of resistant biotypes, use Timberwolf 900 WG Herbicide in tank mixture or rotatation with herbicides of a different mode of action against the weed. Consult www.resistance.nzpps.org/ for alternative modes of action and details of resistance management strategies (if any) for the crops listed on the label.

**It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.**

**WITHHOLDING PERIOD:** Lucerne…28 days

**FORESTRY -** Radiata Pine, Douglas Fir and Eucalyptus species (E. delegatensis, fastigata and saligna)
Timberwolf 900 WG Herbicide may be applied either pre-planting or as a release treatment over newly planted bare rooted trees.
Best control will be obtained if treatments are applied to bare ground or when existing vegetation is less than 10cm high, before it undergoes rapid spring growth.
**Note:** Where grass weeds predominate, especially the more difficult to kill perennial grasses, it is recommended that Timberwolf 900 WG Herbicide be tank-mixed with an approved selective grasskiller such as Cletho 240.
**Broadcast Treatment:** Apply 8.3 - 11.0 kg Timberwolf 900 WG Herbicide in 150 - 300 litres water/ha (refer application table for more detail).
**Spot Treatment:** Carefully calibrate equipment to apply 0.83 - 1.1 g Timberwolf 900 WG Herbicide per square metre in sufficient water for good coverage. Treat approximately two square metres around each tree (refer application table for suggested dilution rate).

**Forestry Use:**

| Product | Rate | | Notes |
|---|---|---|---|
| | **Broadcast Treatment** Rate/ha applied in 150 – 300L water/ha | **Spot Treatment** Rate/L applied at 20ml spray solution per sq. metre | |
| Timberwolf 900 WG Herbicide | 8.3 – 11.0 kg | 42 – 55 g | General broadleaf and grass weed control, where existing vegetation is below 10cm in height. Add a suitable non-ionic surfactant at recommended label rates. |
| Timberwolf 900 WG Herbicide<br>+Cletho 240<br>+ Koil | 8.3 – 11.0 kg<br><br>1L<br>1L/100L water | 42 – 55 g<br><br>3.5 ml<br>10 ml | For improved knockdown where grass weeds predominate and exceed 10cm in height |
| **Note:** Timberwolf 900 WG Herbicide – use the higher rate to control gorse seedlings. | | | |

MINISTRY OF PRIMARY INDUSTRIES NEW ZEALAND 05/03/2025