DANGER: KEEP OUT OF REACH OF CHILDREN
ECOTOXIC • SHAKE WELL BEFORE USE

MINISTRY FOR PRIMARY INDUSTRIES
NEW ZEALAND
17/02/2026

Key Industries
Protecting people, crops and native species

ZETaPY

Natural Insecticide

GENERAL INFORMATION

ZETaPY is a fast acting, natural insecticide. It controls a range of insect pests by contact action on fruit, vegetable or ornamental crops. Also for use in industrial and urban pest control.

ACTIVE INGREDIENT

Contains: 28g/litre pyrethrins in the form of an oil in water emulsion.

9 415840 822414

TESTED AND PROVEN IN NZ

NEW ZEALAND MADE

1L

Registrant:
Key Industries Ltd
15d Paul Matthews Road, Rosedale, Auckland.

Phone: +64 9 917-1791 (office hours)
Emergency Tel 0800 CHEMCALL (0800 243 622) (24 hours)
Web www.keyindustries.co.nz **Email** sales@keyindustries.co.nz

03/25

ZETaPY Natural Insecticide

READ LABEL COMPLETELY BEFORE USING

The maximum application rate of ZETaPY shall be 56 g a.i. (pyrethrum)/L/ha with a maximum of five applications per season.
ZETaPY shall not be applied onto or into water.
A suitably qualified person is required when mixing, loading or applying this substance.

Hazard Classifications: Respiratory sensitization Category 1. Skin sensitization Category 1. Specific target organ toxicity (repeated exposure) Category 2. Aquatic toxicity (acute/chronic) Category 1. Hazardous to terrestrial vertebrates. Hazardous to terrestrial invertebrates.

RECORD KEEPING: A person in charge of this substance must ensure that a written record is kept of each application or discharge if more than 3kg is applied or discharged withing 24 hours in a place where the substance is likely to enter air or water.

Refer to Hazardous Substances (Hazardous Property Controls 2017).

TOXICITY:

DANGER: May cause allergy or asthma symptoms or breathing difficulties if inhaled. Avoid breathing mist/spray.

May cause an allergic skin reaction. Avoid contact with skin and inhalation of spray mist.
May cause damage to organs through prolonged or repeated exposure. In case of inadequate ventilation, wear respiratory protection.
Do not eat, drink or smoke while using. Wash thoroughly before meals and after work.
Contaminated work clothing should not be allowed out of the workplace.

ECOTOXICITY: VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
DO NOT contaminate any water supply with chemical or empty container.
DO NOT apply directly into or onto water.
Take all reasonable steps to ensure that the substance does not cause any significant adverse effect to the environment beyond the application area.
DO NOT apply substance to plants if bees are foraging; or plants are in flower or part flower.

PERSONAL PROTECTION: When mixing or applying wear eye protection, face protection, chemical resistant gloves (e.g. nitrile or neoprene), chemical resistant boots, waterproof hat and cotton overalls buttoned to the neck and wrist. Wear a full face or half-faced respirator with an organic vapour cartridge filter.

DISPOSAL: Triple rinse empty container and add rinsate to spray tank. Do not burn empty container that has not been rinsed. Recycle triple rinsed containers through an approved recovery scheme e.g. Agrecovery. Otherwise, crush or puncture and bury in a suitably approved landfill. Dispose of unused product with a hazardous waste facility.

SPILLAGE: Exclude all bystanders, prevent material entering waterways and coming in contact with other products Wear appropriate protective clothing to clean up spills. Absorb spills with an inert (such as vermiculite, earth, sand or synthetic absorbent substance) material and place in waste containers. Dispose of waste with a hazardous waste facility.

STORAGE: Store in a cool dry place away from direct sunlight. Keep away from heat and ignition sources. Store in original containers. Storage must be generally in accordance with NZS8409.

PEEL HERE

FIRST AID: For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor.

If swallowed do NOT induce vomiting, rinse mouth and get to a doctor or hospital immediately.
If in eyes, flush eyes with water for at least 15 minutes and get medical advice. IF INHALED, move victim to fresh air immediately. If experiencing respiratory symptoms, get medical advice.
If breathing has stopped, begin artificial respiration. Use mouth-to-nose rather than mouth-to-mouth.
IF ON SKIN, remove contaminated clothing and wash skin thoroughly with plenty of soap and water.
If skin irritation or rash occurs: Get medical advice. Wash contaminated clothing before re-use.

NOTICE: Important: You **must** read the warning and conditions given on this label. If they are not acceptable, or if you are in doubt as to the proper handling of this product (including its transport, storage, use, disposal and requirements for certified handlers, then return the unopened product to the supplier at once.

Warning: This product is subject to controls and could be hazardous if handled incorrectly. The user is **responsible** for ensuring that the handling of this product is in accordance with the law (including the **Hazardous Substances and New Organisms Act 1996**) and with the directions provided.

Key Industries Limited declines all liability (whether in contract, tort (including but not limited to negligence), (or otherwise), to the maximum extent permitted by law in relation to the handling of this product in a manner which is contrary to the directions given or to any applicable Acts, Regulations or Guidelines.

Further information regarding the applicable Acts, Regulations and Guidelines for the proper handling of this product may be obtained by contacting EPA New Zealand (www.epa.govt.nz).
This product is warranted to contain the specified active ingredient within the accepted analytical tolerance when packed.

Registered pursuant to the ACVM Act 1997, No. P9044
See www.foodsafety.govt.nz for registration conditions

MPI Approved for use in dairy processing.
MPI Approved Type A (all animal products except dairy).
Approved pursuant to the HSNO Act 1996 No HSR100392
See www.epa.govt.nz for approval controls

MINISTRY FOR PRIMARY INDUSTRIES
NEW ZEALAND
17/02/2026

UN Number: UN3082, Environmentally Hazardous Substance, Liquid, NOS
DG Class: 9
Packing Group: III

AGRECOVERY

Batch Number.:

DOM:

03/25

MINISTRY FOR PRIMARY INDUSTRIES
NEW ZEALAND
17/02/2026

MIXING

Add **ZETaPY** to water at the recommended rate and mix well before spraying. Maintain agitation or agitate frequently while spraying. Use diluted spray mixtures within 24 hours.

COMPATIBILITY

Do not mix **ZETaPY** with lime sulphur, Bordeaux mixture or any other alkaline materials.

DIRECTIONS FOR USE

To ensure good control, complete coverage of the target area is necessary to the point of runoff.

RECOMMENDATIONS

Do not apply in direct sunlight or when temperatures exceed 32°C. ZETaPY is best applied just before dusk or early morning before sun is at strength. Spraying should begin when insects first appear. DO not wait until plants are heavily infested. Repeat as required to maintain effective control. Use with caution on young plants and on new growth as crop damage may result. For general insect control using ZETaPY at 1.2 L/ha will provide excellent knockdown and kill of insects. Consider increasing the rate per ha under extremely high insect populations or when treating insects with hard exoskeletons (e.g. bronze/grass grub beetles) in their mature, adult phases.

When first using **ZETaPY** always treat a few plants of each species to ensure crop safety before treating large areas.
Do NOT use on cherimoyas.

Crop	PEST	RATE
Avocados	Greenhouse Thrips	50ml / 100 litres
Citrus	Greenhouse Thrips	50ml / 100 litres
Ornamentals and vegetables	Thrips, white fly, caterpillars Aphids, earwigs, pear slug	50 ml / 100 litres 250 ml / 100 litres
Kiwifruit	Passion vine hopper, aphids and thrips	50ml - 250ml / 100 litres
Apricots, peaches	NZ Flower Thrips	50 – 100ml / 100 litres of water (1 – 2 litres per hectare)
Grapes	Bronze/grass grub beetles	500 ml in 300 litres water/ha

MINISTRY FOR PRIMARY INDUSTRIES
NEW ZEALAND
17/02/2026

MINISTRY FOR PRIMARY INDUSTRIES
NEW ZEALAND
17/02/2026

COMMENTS
Two weekly monitoring from January-April is essential to detect infestations early, especially as fruit surfaces touch. Two sprays applied 2-3 weeks apart are recommended. Spray foliage ensuring all surfaces covered. Do not over-wet.
Two weekly monitoring from January-April is essential to detect infestations early. Spray foliage ensuring all surfaces covered. Do not over-wet.
Spray plants until all surfaces covered. Avoid over-wetting. Repeat as necessary at 7 to 10 day intervals. Use with caution on young plants and new growth. For brassica crops, use ZETaPY only in the second window from February onwards based on crop monitoring. Alternate with a non-synthetic pyrethroid insecticide.
Spray plants until all surfaces covered. Avoid over-wetting. Use the high rate under extreme pest pressure or when coverage is difficult due to full canopy. Apply dusk/early evening when the Passion Vine Hopper is less mobile due to cooler temperatures. Repeat application as necessary at 10 -14 day intervals.
Spray plants until all surfaces covered. Avoid over-wetting. Best applied in the evening or early morning to prolong activity. Dilute water rates are recommended to gain maximum control in stem and crevice areas. Use the high rate under high pest pressure or when coverage is difficult due to full canopy. Apply 2-3 applications before harvest at 3-7 day intervals. In order to achieve optimum crop hygiene, application should be 1 day prior to each selective picking. 1 day pre-harvest interval to all markets.
Spray plants until all surfaces covered. Avoid over-wetting. Apply at dusk/early evening when beetle flights begin in the Spring. Ensure complete coverage of the vine foliage. A repeat application may be necessary. Monitor flights and leaf damage and re-spray as necessary.

IMPORTANT – RESISTANCE MANAGEMENT

Resistance to this pesticide could develop from excessive use. To minimise this risk use strictly in accordance with label instructions. Avoid using this pesticide exclusively all season, and avoid unnecessary spraying. Maintain good cultural control practices.

Piperonyl butoxide (PBO) should be added to **ZETaPY** under conditions of heavy insect pressure, or where resistance is suspected or when controlling insects with a hard exoskeleton (e.g. bronze/grass grub beetles) in their mature adult phase. Use at a mix ratio of 2 parts **ZETaPY** to 1 part PBO (SYNRG[R])

Prior approval should be obtained from the exporter to ensure that MRLs remain valid before PBO is added and applied with ZETaPY.

It is an offence to use this product on animals.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

WITHHOLDING PERIOD 1 day

Industrial and Urban Pest Control

For the control of crawling and flying insects in dairy food preparation areas, meat packing, pack houses, animal slaughtering premises, factories and residential housing.

Surface spraying Using a backpack sprayer, ULV Mister (cold fogger) or motorised knapsack.
Mix **ZETaPY** at 25ml per 10L water. Apply to insect harbourages and surfaces where insects are crawling.

Space spraying using ULV mister (cold fogger) or motorised knapsack.

Apply **ZETaPY** at 100mls/1000 m^3. Mix **ZETaPY** in sufficient water to obtain thorough coverage.

Apply at least 2.0L of mixed spray solution per 1000 m^3.

Thermal fogging with fogging agent. Mix 100mls **ZETaPY** plus 200mls fogging agent. Apply at least 200mls of spray solution per 1000 m^3.

MPI Approved for use in dairy processing.
MPI Approved Type A (all animal products except dairy).

Outdoor use: For short term control of mosquitoes and flies using **ULV mister or cold fogging application** equipment, apply **ZETaPY** at 500ml per ha in sufficient water to obtain coverage. The usual rate for ULV application is 30 - 50L per ha.

Outdoor use using **Thermal fogging equipment,** mix 150mls **ZETaPY** with 200mls fogging agent plus 500mls of water. Apply 3.5 L of mixture per ha.

Piperonyl butoxide (PBO) may be added to **ZETaPY** as for crop use. **Ensure approval is obtained for use in warehouses containing stored food produce to ensure that MRLs remain valid before PBO is added and applied with ZETaPY.**

MINISTER FOR PRIMARY INDUSTRIES
NEW ZEALAND
17/02/2026

03/25

ZETaPY Natural Insecticide

READ LABEL COMPLETELY BEFORE USING

The maximum application rate of ZETaPY shall be 56 g a.i. (pyrethrum)/L/ha with a maximum of five applications per season.
ZETaPY shall not be applied onto or into water.
A suitably qualified person is required when mixing, loading or applying this substance

Hazard Classifications: Respiratory sensitization Category 1. Skin sensitization Category 1. Specific target organ toxicity (repeated exposure) Category 2. Aquatic toxicity (acute/chronic) Category 1. Hazardous to terrestrial vertebrates. Hazardous to terrestrial invertebrates.

RECORD KEEPING: A person in charge of this substance must ensure that a written record is kept of each application or discharge if more than 3kg is applied or discharged withing 24 hours in a place where the substance is likely to enter air or water.
Refer to Hazardous Substances (Hazardous Property Controls 2017).

TOXICITY:

DANGER: May cause allergy or asthma symptoms or breathing difficulties if inhaled. Avoid breathing mist/spray.
May cause an allergic skin reaction. Avoid contact with skin and inhalation of spray mist. May cause damage to organs through prolonged or repeated exposure. In case of inadequate ventilation, wear respiratory protection.
Do not eat, drink or smoke while using. Wash thoroughly before meals and after work. Contaminated work clothing should not be allowed out of the workplace.

ECOTOXICITY: VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
DO NOT contaminate any water supply with chemical or empty container.
DO NOT apply directly into or onto water.
Take all reasonable steps to ensure that the substance does not cause any significant adverse effect to the environment beyond the application area.
DO NOT apply substance to plants if bees are foraging; or plants are in flower or part flower.

PERSONAL PROTECTION: When mixing or applying wear eye protection, face protection, chemical resistant gloves (e.g. nitrile or neoprene), chemical resistant boots, waterproof hat and cotton overalls buttoned to the neck and wrist. Wear a full face or half-faced respirator with an organic vapour cartridge filter.

DISPOSAL: Triple rinse empty container and add rinsate to spray tank. Do not burn empty container that has not been rinsed. Recycle triple rinsed containers through an approved recovery scheme e.g. Agrecovery. Otherwise, crush or shred and bury in a suitably approved landfill. Dispose of unused product with a hazardous waste facility.

SPILLAGE: Exclude all bystanders, prevent material entering waterways and coming in contact with other products Wear appropriate protective clothing to clean up spills. Absorb spills with an inert (such as vermiculite, earth, sand or synthetic absorbent substance) material and place in waste containers. Dispose of waste with a hazardous waste facility.

STORAGE: Store in a cool dry place away from direct sunlight. Keep away from heat and ignition sources. Store in original containers. Storage must be generally in accordance with NZS8409.

FIRST AID: For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor.
If swallowed do NOT induce vomiting, rinse mouth and get to a doctor or hospital immediately. If in eyes, flush eyes with water for at least 15 minutes and get medical advice. IF INHALED, move victim to fresh air immediately. If experiencing respiratory symptoms, get medical advice. If breathing has stopped, begin artificial respiration. Use mouth-to-nose rather than mouth-to-mouth. IF ON SKIN, remove contaminated clothing and wash skin thoroughly with plenty of soap and water. If skin irritation or rash occurs: Get medical advice. Wash contaminated clothing before re-use.

NOTICE: Important: You **must** read the warning and conditions given on this label. If they are not acceptable, or if you are in doubt as to the proper handling of this product (including its transport, storage, use, disposal and requirements for certified handlers, then return the unopened product to the supplier at once.

Warning: This product is subject to controls and could be hazardous if handled incorrectly. The user is **responsible** for ensuring that the handling of this product is in accordance with the law (including the **Hazardous Substances and New Organisms Act 1996**) and with the directions provided.
Key Industries Limited declines all liability (whether in contract, tort (including but not limited to negligence), (or otherwise), to the maximum extent permitted by law in relation to the handling of this product in a manner which is contrary to the directions given or to any applicable Acts, Regulations or Guidelines.

Further information regarding the applicable Acts, Regulations and Guidelines for the proper handling of this product may be obtained by contacting EPA New Zealand (www.epa.govt.nz).
This product is warranted to contain the specified active ingredient within the accepted analytical tolerance when packed.

Registered pursuant to the ACVM Act 1997, No. P9044
See www.foodsafety.govt.nz for registration conditions

MPI Approved for use in dairy processing.
MPI Approved Type A (all animal products except dairy).
Approved pursuant to the HSNO Act 1996 No HSR100392
See www.epa.govt.nz for approval controls

UN Number: UN3082, Environmentally Hazardous Substance, Liquid, NOS
DG Class: 9
Packing Group: III

PHIL STIC MULTIFOLD®

AGRECOVERY

03/25

MINISTRY FOR PRIMARY INDUSTRIES NEW ZEALAND 17/02/2026

Front Label

DANGER: KEEP OUT OF REACH OF CHILDREN
ECOTOXIC ● SHAKE WELL BEFORE USE

ZETaPY
Natural Insecticide

GENERAL INFORMATION
ZETaPY is a fast acting, natural insecticide. It controls a range of insect pests by contact action on fruit, vegetable or ornamental crops. Also for use in industrial and urban pest control.
ACTIVE INGREDIENT
Contains: 28g/litre pyrethrins in the form of an oil in water emulsion.

Barcode: 9415840822414 (1L)
9415840822421 (5L)

Tested & Proven in NZ and New Zealand Made logos

Registrant:
Key Industries Ltd
15D Paul Matthews Road
Rosedale, Auckland 0632.
Phone: +64 9917-1791 (office hours)
Emergency Tel 0800 CHEMCALL (0800 243 622) (24 hours)
Web www.keyindustries.co.nz Email sales@keyindustries.co.nz

Net Contents: 100 ml, 250 ml, 500 ml,
1 Litre, 5 litre, 10 litre, 20 litre, 200 litres

MINISTRY FOR PRIMARY INDUSTRIES
NEW ZEALAND
17/02/2026

Common Top

READ LABEL COMPLETELY BEFORE USING
The maximum application rate of ZETaPY shall be 56 g a.i. (pyrethrum)/L/ha with a maximum of five applications per season.
ZETaPY shall not be applied onto or into water.

A suitably qualified person is required when mixing, loading or applying this substance.

Hazard Classifications: Respiratory sensitization Category 1. Skin sensitization Category 1. Specific target organ toxicity (repeated exposure) Category 2. Acute toxicity(acute/chronic) Category 1. Hazardous to terrestrial vertebrates. Hazardous to terrestrial invertebrates.
RECORD KEEPING: A person in charge of this substance must ensure that a written record is kept of each application or discharge if more than 3kg is applied or discharged withing 24 hours in a place where the substance is likely to enter air or water.
Refer to Hazardous Substances (Hazardous Property Controls 2017).
TOXICITY:
DANGER: May cause allergy or asthma symptoms or breathing difficulties if inhaled.
WARNING: May cause an allergic skin reaction. Avoid contact with skin and inhalation of spray mist. May cause damage to organs through prolonged or repeated exposure.
In case of inadequate ventilation, wear respiratory protection.
Do not eat, drink or smoke while using. Wash thoroughly before meals and after work.
ECOTOXICITY:
VERY TOXIC TO AQUATIC LIFE WITH LONG LASTING EFFECTS.
DO NOT contaminate any water supply with chemical or empty container.
DO NOT apply directly into or onto water.
Take all reasonable steps to ensure that the substance does not cause any significant adverse effect to the environment beyond the application area.
DO NOT apply substance to plants if bees are foraging; or plants are in flower or part flower.
PERSONAL PROTECTION
When mixing or applying wear eye protection, face protection, chemical resistant gloves (e.g. nitrile or neoprene), chemical resistant boots, waterproof hat and cotton overalls buttoned to the neck and wrist. Wear a full face or half-faced respirator with an organic vapour cartridge filter.
DISPOSAL
Triple rinse empty container and add rinsate to spray tank. Do not burn empty container that has not been rinsed. Recycle triple rinsed containers through an approved recovery scheme e.g. Agrecovery. Otherwise, crush or puncture and bury in a suitably approved landfill.
SPILLAGE
Exclude all bystanders, prevent material entering waterways and coming in contact with other products Wear appropriate protective clothing to clean up spills. Absorb spills with an inert (such as vermiculite, earth, sand or synthetic absorbent substance) material and place in waste containers. Dispose of waste with an approved waste disposal company.
STORAGE
Store in a cool dry place away from direct sunlight. Keep away from heat and ignition sources. Store in original containers. Storage must be generally in accordance with NZS8409.
.

MINISTRY FOR PRIMARY INDUSTRIES
NEW ZEALAND
17/02/2026

FIRST AID

For advice contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor.

If swallowed do NOT induce vomiting, rinse mouth and get to a doctor or hospital immediately. If in eyes, flush eyes with water for at least 15 minutes and get medical advice. IF INHALED, move victim to fresh air immediately. If experiencing respiratory symptoms, get medical advice.

If breathing has stopped, begin artificial respiration. Use mouth-to-nose rather than mouth-to-mouth.

IF ON SKIN, remove contaminated clothing and wash skin thoroughly with plenty of soap and water. If skin irritation or rash occurs: Get medical advice. Wash contaminated clothing before re-use.

NOTICE

Important: You **must** read the warning and conditions given on this label. If they are not acceptable, or if you are in doubt as to the proper handling of this product (including its transport, storage, use, disposal and requirements for certified handlers, then return the unopened product to the supplier at once. **Warning:** This product is subject to controls and could be hazardous if handled incorrectly. The user is **responsible** for ensuring that the handling of this product is in accordance with the law (including the **Hazardous Substances and New Organisms Act 1996**) and with the directions provided. Key Industries Limited declines all liability (whether in contract, tort (including but not limited to negligence), (or otherwise), to the maximum extent permitted by law in relation to the handling of this product in a manner which is contrary to the directions given or to any applicable Acts, Regulations or Guidelines.

Further information regarding the applicable Acts, Regulations and Guidelines for the proper handling of this product may be obtained by contacting EPA New Zealand (www.epa.govt.nz). This product is warranted to contain the specified active ingredient within the accepted analytical tolerance when packed.

Registered pursuant to the ACVM Act 1997, No. P9044 **Batch Number:**
See www.foodsafety.govt.nz for registration conditions
MPI Approved for use in dairy processing.
MPI Approved Type A (all animal products except dairy).
Approved pursuant to the HSNO Act 1996 No HSR100392 **DOM:**
See www.epa.govt.nz for approval controls

UN Number: UN3082, Environmentally Hazardous Substance, Liquid, NOS
DG Class: 9
Packing Group: III

Agrecovery logo (update)

MINISTRY FOR PRIMARY INDUSTRIES
NEW ZEALAND
17/02/2026

Common Booklet

MIXING

Add **ZETaPY** to water at the recommended rate and mix well before spraying. Maintain agitation or agitate frequently while spraying. Use diluted spray mixtures within 24 hours.

COMPATIBILITY

Do not mix **ZETaPY** with lime sulphur, Bordeaux mixture or any other alkaline materials.

DIRECTIONS FOR USE

To ensure good control, complete coverage of the target area is necessary to the point of runoff.

RECOMMENDATIONS

Do not apply in direct sunlight or when temperatures exceed 32°C. ZETaPY is best applied just before dusk or early morning before sun is at strength. Spraying should begin when insects first appear. DO not wait until plants are heavily infested. Repeat as required to maintain effective control. Use with caution on young plants and on new growth as crop damage may result. For general insect control using ZETaPY at 1.2 L/ha will provide excellent knockdown and kill of insects. Consider increasing the rate per ha under extremely high insect populations or when treating insects with hard exoskeletons (e.g. bronze/grass grub beetles) in their mature, adult phases.

When first using **ZETaPY** always treat a few plants of each species to ensure crop safety before treating large areas.

Do NOT use on cherimoyas.

Crop	PEST	RATE	COMMENTS
Avocados	Greenhouse Thrips	50ml / 100 litres	Two weekly monitoring from January-April is essential to detect infestations early, especially as fruit surfaces touch. Two sprays applied 2-3 weeks apart are recommended. Spray foliage ensuing all surfaces covered. Do not over-wet.
Citrus	Greenhouse Thrips	50ml / 100 litres	Two weekly monitoring from January-April is essential to detect infestations early. Spray foliage ensuing all surfaces covered. Do not over-wet.
Ornamentals and vegetables	Thrips, white fly, caterpillars Aphids, earwigs, pear slug	50 ml / 100 litres 250 ml / 100 litres	Spray plants until all surfaces covered. Avoid over-wetting. Repeat as necessary at 7 to 10 day intervals. Use with caution on young plants and new growth. For brassica crops, use ZETaPY only in the second window from February onwards based on crop monitoring. Alternate with a non-synthetic pyrethroid insecticide.
Kiwifruit	Passion vine hopper, aphids and thrips	50ml - 250ml / 100 litres	Spray plants until all surfaces covered. Avoid over-wetting. Use the high rate under extreme pest pressure or when coverage is difficult due to full canopy. Apply dusk/early evening when the Passion Vine Hopper is less mobile due to cooler temperatures. Repeat application as necessary at 10 -14 day intervals.

MINISTRY FOR PRIMARY INDUSTRIES
NEW ZEALAND
17/02/2026

Apricots, peaches	NZ Flower Thrips	50 – 100ml / 100 litres of water (1 – 2 litres per hectare)	Spray plants until all surfaces covered. Avoid over-wetting. Best applied in the evening or early morning to prolong activity. Dilute water rates are recommended to gain maximum control in stem and crevice areas. Use the high rate under high pest pressure or when coverage is difficult due to full canopy. Apply 2-3 applications before harvest at 3-7 day intervals. In order to achieve optimum crop hygiene, application should be 1 day prior to each selective picking. 1 day pre-harvest interval to all markets.
Grapes	Bronze/grass grub beetles	500 ml in 300 litres water/ha	Spray plants until all surfaces covered. Avoid over-wetting. Apply at dusk/early evening when beetle flights begin in the Spring. Ensure complete coverage of the vine foliage. A repeat application may be necessary. Monitor flights and leaf damage and re-spray as necessary.

IMPORTANT – RESISTANCE MANAGEMENT
Resistance to this pesticide could develop from excessive use. To minimise this risk use strictly in accordance with label instructions. Avoid using this pesticide exclusively all season, and avoid unnecessary spraying. Maintain good cultural control practices.

Piperonyl butoxide (PBO) should be added to **ZETaPY** under conditions of heavy insect pressure, or where resistance is suspected or when controlling insects with a hard exoskeleton (e.g. bronze/grass grub beetles) in their mature adult phase. Use at a mix ratio of 2 parts **ZETaPY** to 1 part PBO (SYNRG^{R})

Prior approval should be obtained from the exporter to ensure that MRLs remain valid before PBO is added and applied with ZETaPY.

It is an offence to use this product on animals.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

WITHHOLDING PERIOD 1 day

Industrial Pest Control

Surface spraying Using a backpack sprayer, ULV Mister (cold fogger) or motorised knapsack. Mix ZETaPY at 25ml per 10L water. Apply to insect harbourages and surfaces where insects are crawling.

Space spraying using ULV mister (cold fogger) or motorised knapsack.
Apply **ZETaPY** at 100mls/1000 m^3. Mix **ZETaPY** in sufficient water to obtain thorough coverage. Apply at least 2.0L of mixed spray solution per 1000 m^3.

Thermal fogging with fogging agent.
Mix 100mls **ZETaPY** plus 200mls fogging agent. Apply at least 200mls of spray solution per 1000 m^3.

MPI Approved for use in dairy processing.
MPI Approved Type A (all animal products except dairy).

Outdoor use: For short term control of mosquitoes and flies using **ULV mister or cold fogging application** equipment, apply **ZETaPY** at 500ml per ha in sufficient water to obtain coverage. The usual rate for ULV application is 30 - 50L per ha.

MINISTRY FOR PRIMARY INDUSTRIES
NEW ZEALAND
17/02/2026

Outdoor use using **Thermal fogging equipment**, mix 150mls **ZETaPY** with 200mls fogging agent plus 500mls of water. Apply 3.5 L of mixture per ha.

Piperonyl butoxide (PBO) may be added to **ZETaPY** as for crop use**. Ensure approval is obtained for use in warehouses containing stored food produce to ensure that MRLs remain valid before PBO is added and applied with ZETaPY.**

MINISTRY FOR PRIMARY INDUSTRIES
NEW ZEALAND
17/02/2026