DANGER
KEEP OUT OF REACH OF CHILDREN

FLUTE®
Fungicide

For the control of Powdery Mildew in winter squash and grape vines.

Active ingredient
Contains 50 g/litre CYFLUFENAMID in the form of an oil in water emulsion.

GROUP	U6	FUNGICIDE

Net contents: 1, 5, 10 litres
Bar code to be inserted

MINISTRY FOR PRIMARY INDUSTRIES
NEW ZEALAND
23/09/2025

Public

PLEASE READ THE LABEL COMPLETELY BEFORE USE

This product MUST NOT be used for any purpose or in any manner contrary to the controls and conditions of registration.

Any person purchasing, handling or disposing of this product must be suitably qualified



DANGER

Causes skin irritation.
Causes serious eye irritation.
May be fatal if swallowed and enters airways.
May cause liver damage from repeated oral exposure at high doses.
Toxic to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS

PREVENTION

Wash hands thoroughly after handling.
Wear protective gloves, eye protection / face protection.
Do not breathe spray.
Do not apply directly into or onto water.
Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area.

RESPONSE

IF ON SKIN: Wash with plenty of water.
If skin irritation occurs: Get medical advice.
Take off contaminated clothing and wash it before reuse.
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
If eye irritation persists: Get medical advice.
IF SWALLOWED: Immediately call a POISON CENTER.
Do NOT induce vomiting.
Get medical advice if you feel unwell.
Collect spillage.
Records of use must be kept.

STORAGE

Store locked up in original container, tightly closed, away from foodstuffs.

DISPOSAL

Dispose of contents/container in accordance with local regulations.
Container disposal: Ensure the container is empty. Triple rinse empty container and add rinsate to the spray tank. Recycle empty container through Agrecovery (0800 247 326, www.agrecovery.co.nz). Otherwise crush and bury in a suitable landfill. DO NOT reuse this container for any other purpose.
Product disposal: Dispose of this product only by using according to the label, or at an approved landfill or other approved facility.

Public

FIRST AID
If medical advice is needed, have the product container or label at hand. If swallowed DO NOT induce vomiting. For advice, contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor immediately. If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. DO NOT scrub the skin. If splashed in eyes, wash out immediately with water. If inhaled move the victim to fresh air immediately. Begin artificial respiration if breathing has stopped.

SPILLAGE
Wear suitable protective clothing including face shield, impervious gloves and boots. Prevent the product or spilled material from entering water bodies. Absorb liquid spills with inert material such as earth or sand and place in waste containers. Wash area with water and absorb with further inert material. Dispose of safely.

SHELF LIFE
When stored appropriately this product should show no significant degradation for 2 years from the date of manufacture. Contact your supplier for further information about the use of any product that is older than this.

SAFETY DATA SHEET
If additional hazard or safety information is required, refer to the Safety Data Sheet. For a copy visit our website at **www.uplcorp.com/nz**.

EXCLUSION OF LIABILITY
Please read these conditions of supply before buying and using. If these conditions are unacceptable, return at once unopened.
To the extent permitted by law, buyers and/or users of the goods accept that neither the manufacturer, UPL New Zealand Limited as distributor, nor any other distributor have any liability or responsibility whatsoever for any loss, damage or injury whether in contract or tort, whether direct, indirect or consequential howsoever arising in connection with the supply of these goods.

Registered to:
UPL New Zealand Limited
PO Box 51584
Pakuranga 2040
Auckland
Phone: 0800 100 325
www.uplcorp.com/nz.

Registered pursuant to the ACVM Act 1997, No. P009077.
See www.foodsafety.govt.nz for registration conditions.
Approved pursuant to the HSNO Act 1996, Approval Code HSR100834.
See www.epa.govt.nz for approval controls.

MINISTRY FOR PRIMARY INDUSTRIES
NEW ZEALAND
23/09/2025

Date of Manufacture:
Batch No:

UN 3082
ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (CYFLUFENAMID)
MARINE POLLUTANT
PACKING GROUP III, HAZCHEM 2X



Public

GENERAL INFORMATION

FLUTE is an amide fungicide that has a novel mode of action against a wide range of Powdery Mildew strains. It is active against strains resistant to strobilurin and triazole fungicides. **FLUTE** is rainfast within 2 hours of application.

RESISTANCE MANAGEMENT

The mode of action of cyflufenamid is different to that of fungicides from other groups. There are no known cases of cross resistance to cyflufenamid in pathogens that have developed reduced sensitivity to other fungicides.

Disease control may be reduced if strains of pathogens less sensitive to cyflufenamid develop.

- Apply **FLUTE** at the start of foliar disease attack.
- **FLUTE** should be used as part of a programme that includes use of fungicides from an alternative group.
- Apply a maximum of 2 sprays per season.

DIRECTIONS FOR USE

CROP	DISEASE	RATE	COMMENTS
Winter Squash	Powdery Mildew	250 ml/ha	Apply before first sign of disease or when conditions are conducive to disease development. Where disease pressure remains or re-infection occurs, a further application of **FLUTE** can be made 10-14 days later. For resistance management do not apply **FLUTE** more than 2 times per season and use in a programme with fungicides from a different chemical group. Application should be made in sufficient water to obtain thorough coverage of the crop. Superior coverage can be obtained with DU-WETT super spreader in low to medium water volumes.
Grapes	Powdery Mildew	50 ml / 100 litres in 500 litres of water / ha. Apply a minimum of 250 ml/ha	Apply before first sign of disease or when conditions are conducive to disease development. Apply at 10-14 day intervals. Use the shorter interval under conditions favouring disease infection. Do not apply later than pre bunch closure. For resistance management do not apply **FLUTE** more than 2 times per season and use in a programme with fungicides with a different mode of action. Application should be made in sufficient water to obtain thorough coverage of the crop. Superior coverage can be obtained with DU-WETT super spreader in low to medium water volumes.

MIXING

Half fill the spray tank with clean water. Commence agitation. Add the recommended quantity of **FLUTE** to the spray tank. Complete filling and maintain agitation of the solution before and during spraying until the tank is empty.

APPLICATION

Dilute application should be made with a suitable adjuvant to improve coverage. ACTIWETT® or BOND XTRA® are recommended for medium to high volume spraying. Superior coverage can be obtained with DU-WETT super spreader in low to medium water volumes.

TIMING

For best results **FLUTE** should be applied before first sign of disease or when conditions are conducive to disease development. Where disease pressure remains or re-infection occurs, a further application of **FLUTE** can be made to the crop.

MINISTRY FOR PRIMARY INDUSTRIES
NEW ZEALAND
23/09/2025

WITHHOLDING PERIODS

Winter Squash: 14 days

Public

Grapes:	Pre Bunch Closure: Growth Stage EL 31- not less than 65 days before harvest.
Leaf plucking in vineyards:	Where leaf plucking with sheep is carried out in vineyards sprayed with this product, a 2 month slaughter withholding period must be observed after the sheep have been removed from the vineyard.

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

It is an offence to use this product on animals

COPYRIGHT

© Copyright UPL New Zealand Limited (2016), all rights reserved. All directions for use, recommendations, use rates, compatibilities and other technical information is proprietary to UPL New Zealand.

MINISTRY FOR PRIMARY INDUSTRIES
NEW ZEALAND
23/09/2025