DANGER • KEEP OUT OF REACH OF CHILDREN

Patriot®

Non-Selective Contact Herbicide

MINISTRY FOR PRIMARY INDUSTRIES NEW ZEALAND 23/04/2024

ACTIVE INGREDIENT: Contains 200g/litre glufosinate-ammonium in the form of a soluble concentrate

A non-selective contact herbicide for the control of a wide range of grasses, broad leaf weeds and clovers in a variety of crop land and non-crop land situations.

Registered to and distributed by:

agritrade®

1 Robin Mann Place
Christchurch Airport
PO Box 292, Christchurch 8140

Ph: 03 372 0890
www.pggwrightson.co.nz

AGRECOVERY
Rural Recycling Programme

GROUP 10 HERBICIDE

Net Contents: 1L

Read the label completely before use

EMERGENCY RESPONSE (ALL HOURS) 0800 CHEMCALL or 0800 243 622.
CONTACT PGG WRIGHTSON FREEPHONE 0800 10 22 76

Version 3 - March 2023

DANGER • KEEP OUT OF REACH OF CHILDREN

Patriot®

Non-Selective Contact Herbicide

MINISTRY FOR PRIMARY INDUSTRIES
NEW ZEALAND
23/04/2024

ACTIVE INGREDIENT: Contains 200g/litre glufosinate-ammonium in the form of a soluble concentrate.

A non-selective contact herbicide for the control of a wide range of grasses, broad leaf weeds and clovers in a variety of crop land and non-crop land situations.

Registered to and distributed by:

agritrade®

1 Robin Mann Place
Christchurch Airport
PO Box 292, Christchurch 8140

Ph: 03 372 0890
www.pggwrightson.co.nz

AGRECOVERY
Rural Recycling Programme

GROUP 10 HERBICIDE

Net Contents: 5L

Read the label completely before use

EMERGENCY RESPONSE (ALL HOURS) 0800 CHEMCALL or 0800 243 622.
CONTACT PGG WRIGHTSON FREEPHONE 0800 10 22 76

Version 3 - March 2023

DANGER • KEEP OUT OF REACH OF CHILDREN

Patriot®

Non-Selective Contact Herbicide

MINISTRY FOR PRIMARY INDUSTRIES
NEW ZEALAND
23/04/2024

ACTIVE INGREDIENT: Contains 200g/litre glufosinate-ammonium in the form of a soluble concentrate.

A non-selective contact herbicide for the control of a wide range of grasses, broad leaf weeds and clovers in a variety of crop land and non-crop land situations.

Registered to and distributed by:

agritrade®

1 Robin Mann Place
Christchurch Airport
PO Box 292, Christchurch 8140

Ph: 03 372 0890
www.pggwrightson.co.nz

AGRECOVERY
Rural Recycling Programme

GROUP 10 HERBICIDE

Net Contents: 10L

Read the label completely before use

EMERGENCY RESPONSE (ALL HOURS) 0800 CHEMCALL or 0800 243 622.
CONTACT PGG WRIGHTSON FREEPHONE 0800 10 22 76

Version 3 - March 2023

DANGER • KEEP OUT OF REACH OF CHILDREN

Patriot®

Non-Selective Contact Herbicide

MINISTRY FOR PRIMARY INDUSTRIES
NEW ZEALAND
23/04/2024

ACTIVE INGREDIENT: Contains 200g/litre glufosinate-ammonium in the form of a soluble concentrate.

A non-selective contact herbicide for the control of a wide range of grasses, broad leaf weeds and clovers in a variety of crop land and non-crop land situations.

Registered to and distributed by:

agritrade®

1 Robin Mann Place
Christchurch Airport
PO Box 292, Christchurch 8140

Ph: 03 372 0890
www.pggwrightson.co.nz

AGRECOVERY
Rural Recycling Programme

GROUP 10 HERBICIDE

Net Contents: 20L

Read the label completely before use

EMERGENCY RESPONSE (ALL HOURS) 0800 CHEMCALL or 0800 243 622.
CONTACT PGG WRIGHTSON FREEPHONE 0800 10 22 76

Version 3 - March 2023

DANGER • KEEP OUT OF REACH OF CHILDREN

Patriot®

Non-Selective Contact Herbicide

MINISTRY FOR PRIMARY INDUSTRIES
NEW ZEALAND
23/04/2024

ACTIVE INGREDIENT: Contains 200g/litre glufosinate-ammonium in the form of a soluble concentrate.

A non-selective contact herbicide for the control of a wide range of grasses, broad leaf weeds and clovers in a variety of crop land and non-crop land situations.

Registered to and distributed by:

agritrade®

1 Robin Mann Place
Christchurch Airport
PO Box 292, Christchurch 8140

Ph: 03 372 0890
www.pggwrightson.co.nz

AGRECOVERY
Rural Recycling Programme

GROUP 10 HERBICIDE

Net Contents: 110L

Read the label completely before use

EMERGENCY RESPONSE (ALL HOURS) 0800 CHEMCALL or 0800 243 622.
CONTACT PGG WRIGHTSON FREEPHONE 0800 10 22 76

Version 3 - March 2023

DANGER • KEEP OUT OF REACH OF CHILDREN

Patriot®

Non-Selective Contact Herbicide

MINISTRY FOR PRIMARY INDUSTRIES
NEW ZEALAND
23/04/2024

ACTIVE INGREDIENT: Contains 200g/litre glufosinate-ammonium in the form of a soluble concentrate.

A non-selective contact herbicide for the control of a wide range of grasses, broad leaf weeds and clovers in a variety of crop land and non-crop land situations.

Registered to and distributed by:

agritrade®

1 Robin Mann Place
Christchurch Airport
PO Box 292, Christchurch 8140

Ph: 03 372 0890
www.pggwrightson.co.nz

AGRECOVERY
Rural Recycling Programme

GROUP 10 HERBICIDE

Net Contents: 200L

Read the label completely before use

EMERGENCY RESPONSE (ALL HOURS) 0800 CHEMCALL or 0800 243 622.
CONTACT PGG WRIGHTSON FREEPHONE 0800 10 22 76

Version 3 - March 2023

PEEL HERE FOR DIRECTIONS FOR USE >

Hazard Classifications: Flammable liquid Category 4, Acute oral toxicity Category 4, Acute dermal toxicity Category 4, Acute inhalation toxicity Category 4, Eye irritation Category 2, Reproductive toxicity Category 2, Specific target organ toxicity (repeated exposure) Category 1, Hazardous to soil organisms, Hazardous to terrestrial vertebrates, Hazardous to the aquatic environment chronic Category 3

DANGER

Causes damage to kidneys and nervous system through prolonged or repeated exposure via any route.

WARNING

Harmful if swallowed, in contact with skin or inhaled.

Causes eye irritation.

Suspected of damaging fertility or the unborn child through repeated exposure at high doses.

COMBUSTIBLE LIQUID: Keep away form heat and hot surfaces. No Smoking.

ECOTOXIC

Harmful to aquatic life with long lasting effects. This substance must not be applied onto or into water.

Very toxic to soil organisms

Harmful to terrestrial vertebrates.

Take all reasonable steps to ensure that the substance does not cause any significant adverse effects to the environment beyond the application area.

HANDLING PRECAUTIONS - Do NOT handle this product until all safety precautions have been read and understood. Keep out of reach of children. Avoid inhalation of spray mist. Avoid contact with eyes and skin. Do not eat, drink or smoke while using. Use only outdoors in a well-ventilated area.

EQUIPMENT

Apply using accurately calibrated and maintained equipment in accordance with The New Zealand Standard for the Management of Agrichemicals (NZS 8409). Flush equipment thoroughly with clean water after use.

STORAGE

Store in the original container locked up in a cool well ventilated place, out of direct sunlight and away stockfeed or foodstuff. Keep away from flames and hot surfaces. When stored appropriately this product should show no significant degradation for 3 years from the date of manufacture. Contact your supplier. **In case of fire: Use foam, CO2 or dry chemical.**

FIRST AID - If exposed or concerned get medical advice/attention.

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. Contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor if you feel unwell.

IF INHALED: Remove patient to fresh air and maintain in a position comfortable for breathing. Contact the National Poisons Centre 0800 POISON (0800 764 766) or a doctor for advice if person feels unwell.

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists get medical advice/attention.

IF ON SKIN: Wash with plenty of soap and water. If skin irritation persists, get medical advice/attention. Wash contaminated clothing before reuse.

PROTECTIVE CLOTHING

When mixing or applying wear appropriate protective clothing including impervious gloves, chemical resistant boots, eye protection (goggles with side pieces or a face shield) and cotton overalls buttoned to the neck and wrist.

Remove protective clothing and wash hands, arms and face thoroughly with soap and water before meals and after work.

SPILLAGE

Exclude all bystanders from the vicinity of the spill and prevent material from entering waterways; bund if necessary. Wear appropriate protective clothing as in the Precautions box of this label to clean up spills. Absorb spillage with inert absorbent material, such as vermiculite, sand or clay, and place in waste containers. Wash contaminated area with water and detergent, absorb and add to waste for disposal. Dispose of the waste safely in an approved landfill.

DISPOSAL

PRODUCT: Dispose of product only by using in accordance with label directions, through the Agrecovery® Chemical Recovery service, or at an approved landfill.

CONTAINER: Triple rinse container and add residue to spray tank. Take empty container to an Agrecovery® collection site. If this is not possible bury in an approved landfill. Do not contaminate aquatic environment with product or empty container.

CONDITIONS OF SUPPLY - Read before buying and using.

If these conditions are unacceptable, return at once to the retailer unopened within seven days and the purchase price will be refunded in full.

This product conforms to the chemical description on the label. However to the full extent permitted by law, all warranties of any kind, expressed or implied, with respect to the fitness for any purpose (including crop yield/performance/injury, product effectiveness or any other consequence), condition, merchantable quality or any other matter, are expressly excluded. Buyers and/or users accept that PGG Wrightson Ltd and its distributors, are not liable in any way (including in negligence, tort and equity) to you for any loss, costs, loss of income, damage or injury whether direct, indirect or consequential, howsoever arising in connection with this product including without limitation storage, application, handling or use. PGG Wrightson Ltd's liability if any is limited solely to an amount not exceeding twice the purchase price of the product. To read PGG Wrightson Ltd's terms of trade that apply to PGG Wrightson transactions, visit www.pggwrightson.co.nz.

Batch No:

D.O.M.:

MINISTRY OF PRIMARY INDUSTRIES
NEW ZEALAND
23/04/2024

DIRECTIONS FOR USE

BEWARE: APPLY THIS PRODUCT CAREFULLY. SPRAY DRIFT MAY CAUSE SERIOUS DAMAGE TO OTHER DESIRABLE PLANTS.

RESISTANCE MANAGEMENT

Patriot contains the GROUP 10 herbicide, Glufosinate-ammonium, a glutamine synthetase inhibitor. Certain weeds may develop resistance to this herbicide through prolonged and repeated use. Herbicides of different groups should either be used alternately or mixed together to prevent the numbers of resistant individuals building up.

MIXING

Add the required amount of Patriot to a partly filled spray tank with the agitation system operating. Complete filling the tank with water and apply, maintaining agitation.

COMPATIBILITY

Patriot is compatible with most commonly used residual herbicides.

RAINFALL

Rainfall within 2 hours of application may wash Patriot off the foliage, and within 6 hours will reduce effectiveness to the degree that re-treatment may be necessary.

USING THE SPRAY

IMPORTANT: In order to select the appropriate nozzles for the required spray quality and to operate the equipment to minimise spray drift, this product must be applied in accordance with the New Zealand Standard for the Management of Agrichemicals (NZS8409).

WEED SUSCEPTIBILITY

The lower rates indicated are appropriate when weeds are young, succulent and actively growing, or when the weed population is sparse and good coverage and penetration is possible. Use the higher rates when weeds are mature or the population is dense.

NB: Patriot will not completely control mature weeds with well-developed tap roots or underground storage organs: some re-growth may occur following treatment.

RECOMMENDATIONS FOR USE

Use	Rate	Remarks
Berryfruit – Raspberries and Brambles Primocane control	500-750ml/100 litres applied through cone nozzles in sufficient water to ensure complete coverage of primocanes.	Apply as a directed high volume spray to primocanes not exceeding 25cm in length. Avoid drift onto foliage of fruiting canes. Use the high rate on vigorously growing crops. The addition of a non-ionic wetter at label rates is recommended. "Knockdown" takes approximately 10 days. Do not apply to plants before the first primocanes for the season have reached 15cm in height. Do not apply to plants under stress.
Orchard and vineyard weed control. Pipfruit, Kiwifruit, Stonefruit, Grapes and Citrus	Use a rate appropriate to the weeds present. If dilution rate is less than 1 litre/100 litres of water add a non-ionic wetter at label rates.	Apply in spring when the majority of the annual weeds have germinated. Residual herbicides may be applied in mixture for long-term weed control. Avoid contact with the foliage and immature bark of desirable plants.
Stale seedbed preparation particularly where clover is a problem weed.	3-5 litres/ha in 200-300 litres of water.	Apply to seedling weeds and clover in sufficient water to ensure complete coverage. May be applied up to one day before crop emergence.
Non-cropland. General weed control.	7.5-10 litres/ha in 300-500 litres of water or 100ml/10 litre knapsack.	Apply in a drenching spray to the point of run-off. May be mixed with residual herbicides for long-term weed control.

MINISTRY FOR PRIMARY INDUSTRIES
NEW ZEALAND
23/04/2024

INDICATED RATE RANGE FOR VARIOUS WEED SPECIES

3 – 5 litres/ha:

Annual Poa	Asparagus seedlings	Beaked Hawksbeard	Black Nightshade	Calandrinia
Chickweed	Cleavers	Clover seedlings	Cornbind	Daisy
Dandelion	Mouse-ear chickweed	Musky Storksbill	Redroot	Rough-stalked meadow grass
Scotch Thistle	Sow Thistle	Staggerweed	Summer grass	Spurrey
Stinking Mayweed	Subterranean clover	Wild turnip	Willow weed	Wireweed

5 – 7.5 litres/ha:

Bristle grass	Bur medick	Catsear	Chewing's Fescue	Clovers
Cut-leaved geranium	Docks	Fleabane	Parsley Piert	Prairie grass
Ryegrasses*	Sheep's sorrel	Storksbill	Twin cress	Yorkshire fog

7.5 – 10 Litres/ha:

Broom	Buttercups*	Couch	Crowfoot grass	Field pansy
Gorse	Hawksbeard	Kikuyu grass	Mallows	Paspalum
Tall Fescue	Wild strawberry	Willow herb	Yarrow	

10 Litres plus/ha:

Bracken	Indian doab	Meadow rice grass	Plantains	Rape
Rushes	Sedges			

MINISTRY FOR PRIMARY INDUSTRIES
NEW ZEALAND
23/04/2024

SHELF LIFE

When stored appropriately, this product should show no significant degradation for 3 years from the date of manufacture. Contact your supplier for further information about the use of any product that is older than this.

*Resistant Weeds: Hairy buttercup, some ryegrass strains.

WITHHOLDING PERIODS: 28 days for all crops

It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

ADDITIONAL INFORMATION

Patriot is absorbed into the foliage and green stems of actively growing plants. It is inactive in soil and is not translocated as an active herbicide, so thorough coverage of target weeds is essential for good results. Visual effects of treatment will become evident more rapidly under ideal growing conditions, generally within 3-10 days.

Do not spray in temperatures below 10°C. Avoid contact on green parts (including immature bark) of desirable plants, as damage may occur. Do not mow or cultivate after treatment until weeds start to die off.

Registered pursuant to the ACVM Act 1997, No. P9264

See www.foodsafety.govt.nz for registration conditions

Approved pursuant to the HSNO Act 1996, Approval No. HSR000152

See www.epa.govt.nz for controls