APE FREE
Alkyl Ethoxylate free

Biolchim
Concimi speciali

VISTASEAL™

PRUNING WOUND DRESSING

10 L

www.biolchim.com

MINISTRY FOR PRIMARY INDUSTRIES
NEW ZEALAND
8/05/2025

HSNO Classifications:

Repr. 2
Aquatic Chronic 3

WARNING: Suspected of damaging fertility or the unborn child. Harmful to aquatic life with long lasting effects.

PRECAUTIONS:
Keep out of reach of children. Avoid release to the environment. Read Label completely Before Use. When mixing or applying wear waterproof gloves. Do not eat, drink or smoke while using. Wash hands and face before meals and after work.

MANUFACTURER:
Biolchim NZ Ltd
PO Box 5451
Mt Maunganui - 3150
Tel. +64272720799

195mm wide

100mm deep

YOUR PROOF

Job: 333825
Name: 01 VISTASEAL 10L FRONT
Client: Biolchim New Zealand Ltd
Date: 16-04-2021

CHECK A PANTONE BOOK FOR TRUE COLOUR REPRESENTATION

☐ OK to proceed
☐ Further proof required

sign: _____ date: _____

No responsibility is taken for errors not noted on this proof
EXAMINE THIS ART VERY CAREFULLY AND RETURN THE SIGNED PROOF TO US FOR THE JOB TO PROCEED

PHIL STIC®
Philstic Labels Limited
Email: prepress@philstic.co.nz
Phone: +64 9 970 1430
Fax: +64 9 630 0957

DIELINE
PANTONE 715 C
PANTONE 292 C
Black

VISTASEAL™ is a tough, durable pruning wound protectant and grafting matrix for all horticultural crops

Contains: 10 g/litre tebuconazole in the form of a suspension.

FIRST AID: If exposed or concerned: Get medical advice/ Attention.

Group 3 Fungicide **VISTASEAL™** is a tough, durable long lasting pruning wound sealant containing a protective fungicide for the control and protection of pruning wounds from infection of European Canker in pip fruit, Silver Leaf in pip and summer fruit, Eutypa Dieback, Botryosphaeria Dieback and Petri Disease in grapes.

VISTASEAL™ can also be used to seal and protect grafts and pruning wounds in grapes, kiwifruit, ornamental trees and pip and summer fruit.

Registered pursuant to the ACVM Act 1997, No P9652 See www.foodsafety.govt.nz for registration conditions.

Approved pursuant to HSNO Act 1996, No. HSR000519 See www.epa.govt.nz for approval conditions.

Do not store in freezing conditions as product will harden.

STORAGE:
Store in original container tightly closed and in a locked dry, cool, well ventilated area, away from foodstuffs. Avoid storage under cold/frost conditions. Do not store in freezing conditions as product will harden.

SPILLS AND DISPOSAL:
Deal with all spillages immediately. If contamination of drains, streams, watercourses, etc. is unavoidable, warn the local water authority.

Disposal: Dispose of this product only at an approved land-fill. **Container Disposal:** Triple rinse container and bury in suitable landfill.

READ LABEL CAREFULLY AND FOLLOW ALL INSTRUCTIONS. DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD.

DIRECTIONS FOR USE:
Stir thoroughly before use. Do not dilute VISTASEAL™ with water as the wound seal integrity will be reduced.

Application:
Healthy Wood: Apply VISTASEAL™ directly after the cut is made. Do not apply on to bleeding or wet wounds or onto or into water. Take all reasonable steps to ensure that VISTASEAL™ is applied to the target area and not to the landscape so it does not cause any significant adverse effects to the environment beyond the application area.

Infected Wood: All infected, stained wood must be removed and cut out, or alternatively and if possible the branch should be cut back to
healthy tissue before applying VISTASEAL™

Protection of Grafts: Apply VISTASEAL™ after grafting and before or after taping. Do not allow access to unprotected wounds and apply before taping if the union is not perfect, otherwise VISTASEAL™ may penetrate the union and prevent the graft from taking. Where large wounds have been made check and repaint if cracking appears after the sealant has dried.

Brushes should be washed out in water after use.VISTASEAL™ should only be applied to plants during the dormant period.

It is an offence to use this product on animals.
It is an offence for users of this product to cause residues exceeding the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

Resistance Management: VISTASEAL™ contains tebuconazole, a group 3 fungicide with a demethylation inhibitor mode of action. Resistance to VISTASEAL™ and related products could develop in some disease situations from repeated use of the product. To minimize this risk, use strictly in accordance with label instructions.

CONDITIONS OF SALE & NOTICE TO BUYER: This product conforms to the chemical description on the label and is reasonably fit for purposes stated on the label when used in accordance with directions. No acceptance is given for liability or responsibility for any loss, damage or injury whether direct or indirect arising in connection with these goods, including their storage, application, handling or use. All such risks shall be assumed by the buyer. To the extent permitted at law, no warranties of merchantable qual-ity or fitness for a particular purpose nor any other express or implied warranty except as stated above.

Date of Manufacture: see cap or tank

Batch No: see cap or tank

Registered to:
Level 2, 80 Parton Road, Papamoa Beach
Tauranga – 3118 - New Zealand
Phone: 0800 246 482

EMERGENCY RESPONSE
New Zealand National
Poisons Centre
Dial 0800 764 766

[redacted]

195mm wide

100mm deep

MINISTRY FOR PRIMARY INDUSTRIES
NEW ZEALAND
8/05/2025

YOUR PROOF

Job: 333826
Name: 01 VISTASEAL 10L BACK
Client: Biolchim New Zealand Ltd
Date: 19-04-2021

CHECK A PANTONE BOOK FOR TRUE COLOUR REPRESENTATION

☐ OK to proceed
☐ Further proof required

sign: _____ date: _____

No responsibility is taken for errors not noted on this proof
EXAMINE THIS ART VERY CAREFULLY AND RETURN THE SIGNED PROOF TO US FOR THE JOB TO PROCEED

PHILSTIC®
Philstic Labels Limited
Email: prepress@philstic.co.nz
Phone: +64 9 970 1430
Fax: +64 9 630 0957

☐ DIELINE
☐ PANTONE 292 C
☐ Black

HSNO Classifications:
Repr. 2
Aquatic Chronic 3

WARNING: Suspected of damaging fertility or the unborn child. Harmful to aquatic life with long lasting effects.
PRECAUTIONS: Keep out of reach of children. Avoid release to the environment. Read Label completely Before Use. When mixing or applying wear waterproof gloves. Do not eat, drink or smoke while using. Wash hands and face before meals and after work.

APE FREE
Alkyl Ethoxylate free

Biolchim
Concimi speciali

VISTASEAL™

PRUNING WOUND DRESSING

2 L

www.biolchim.com

MANUFACTURER:
Biolchim NZ Ltd
PO Box 5451 - Mt Maunganui - 3150
Tel. +64272720799

MINISTRY FOR PRIMARY INDUSTRIES
NEW ZEALAND
8/05/2025

140mm wide

170mm deep

Job: 333824
YOUR PROOF
Name: 01 VISTASEAL 2L FRONT
Client: Biolchim New Zealand Ltd
Date: 16-04-2021

CHECK A PANTONE BOOK FOR TRUE COLOUR REPRESENTATION

OK to proceed 16/04/2021
Further proof required
sign: date

No responsibility is taken for errors not noted on this proof.
EXAMINE THIS ART VERY CAREFULLY AND RETURN THE SIGNED PROOF TO US FOR THE JOB TO PROCEED

Philstic Labels Limited
Email: prepress@philstic.co.nz
Phone: +64 9 970 1430
Fax: +64 9 630 0957

DIELINE
PANTONE 715 C
PANTONE 292 C
Black

VISTASEAL™

VISTASEAL™ is a tough, durable pruning wound protectant and grafting matrix for all horticultural crops

Contains: 10 g/litre tebuconazole in the form of a suspension

FIRST AID: If exposed or concerned: Get medical advice/Attention.

Group 3 Fungicide: VISTASEAL™ is a tough, durable long lasting pruning wound sealant containing a protective fungicide for the control and protection of pruning wounds from infection of European Canker in pip fruit, Silver Leaf in pip and summer fruit, Eutypa Dieback, Botryosphaeria Dieback and Petri Disease in grapes.

VISTASEAL™ can also be used to seal and protect grafts and pruning wounds in grapes, kiwifruit, ornamental trees and pip and summer fruit.

Registered pursuant to the ACVM Act 1997, No P9652
See www.foodsafety.govt.nz for registration conditions.

Approved pursuant to HSNO Act 1996, No. HSR000519
See www.epa.govt.nz for approval conditions.

Do not store in freezing conditions as product will harden.

STORAGE:
Store in original container tightly closed and in a locked dry, cool, well ventilated area, away from foodstuffs. Avoid storage under cold/frost conditions. Do not store in freezing conditions as product will harden.

SPILLS AND DISPOSAL:

Deal with all spillages immediately. If contamination of drains, streams, watercourses, etc. is unavoidable, warn the local water authority.

Disposal: Dispose of this product only at an approved landfill.

Container Disposal: Triple rinse container and bury in suitable landfill.

Contains: 10 g/liter tebuconazole in the form of a suspension

READ LABEL CAREFULLY AND FOLLOW ALL INSTRUCTIONS. DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD.

DIRECTIONS FOR USE:

Stir thoroughly before use. Do not dilute VISTASEAL™ with water as the wound seal integrity will be reduced.

Application:

Healthy Wood: Apply VISTASEAL™ directly after the cut is made. Do not apply on to bleeding or wet wounds or onto or into water. Take all reasonable steps to ensure that VISTASEAL™ is applied to the target area and not to the landscape so it does not cause any significant adverse effects to the environment beyond the application area.

Infected Wood: All infected, stained wood must be removed and cut out, or alternatively and if possible the branch should be cut back to healthy tissue before applying VISTASEAL™. Protection of Grafts: Apply VISTASEAL™after grafting and before or after taping. Do not allow access to unprotected wounds and apply before taping if the union is not perfect, otherwise VISTASEALTM may penetrate the union and prevent the graft from taking. Where large wounds have been made check and repaint if cracking appears after the sealant has dried. Brushes should be washed out in water after use. VISTASEAL™ should only be applied to plants during the dormant period.

It is an offence to use this product on animals. It is an offence for users of this product to cause residues exceeding

the relevant MRL in the Food Notice: Maximum Residue Levels for Agricultural Compounds.

Resistance Management: VISTASEAL™ contains tebuconazole, a group 3 fungicide with a demethylation inhibitor mode of action. Resistance to VISTASEAL™ and related products could develop in some disease situations from repeated use of the product. To minimize this risk, use strictly in accordance with label instructions.

CONDITIONS OF SALE & NOTICE TO BUYER: This product conforms to the chemical description on the label and is reasonably fit for purposes stated on the label when used in accordance with directions. No acceptance is given for liability or responsibility for any loss, damage or injury whether direct or indirect arising in connection with these goods, including their storage, application, handling or use. All such risks shall be assumed by the buyer. To the extent permitted at law, no warranties of merchantable quality or fitness for a particular purpose nor any other express or implied warranty except as stated above.

Date of Manufacture: see cap or tank

Batch No: see cap or tank

Registered to:
Level 2, 80 Parton Road,
Papamoa Beach
Tauranga – 3118 -
New Zealand
Phone: 0800 246 482

EMERGENCY RESPONSE:
New Zealand National Poisons Centre
Dial 0800 764 766

9 421906 197037

Philstic Labels Ltd accepts no legal responsibility for errors in text printed on our labels that falls under the recommended sizing guideline of 2mm.

140mm wide

170mm deep

YOUR PROOF

Job:
Name:
Client:
Date:

CHECK A PANTONE BOOK FOR TRUE COLOUR REPRESENTATION

☐ OK to proceed
☐ Further proof required

Type text here

sign: date:

No responsibility is taken for errors not noted on this proof

EXAMINE THIS ART VERY CAREFULLY AND RETURN THE SIGNED PROOF TO US FOR THE JOB TO PROCEED

PHILSTIC®
Philstic Labels Limited
Email: prepress@philstic.co.nz
Phone: +64 9 970 1430
Fax: +64 9 630 0957

MINISTRY FOR PRIMARY INDUSTRIES
NEW ZEALAND
8/05/2025