

CentCompras — Admin & Superuser Reference Guide

Site administration · Version 1.0 · For the **site superuser** / head office

Companion to the staff manuals: [Item Console](#) · [Purchase Orders](#) · [Goods receipt & stock](#) · [Branches & Requisição interna](#) · [Edge cases & limits](#) · [Manager catalog](#) · [Request threads](#) · [Company Voice](#).

This guide covers the **administrative** work: logging in to Django `/admin/`, creating users, assigning roles and permissions, and managing branches and branch users. It is **not** about the day-to-day consoles — those are the 01-04 and 07 manuals.

1. Who can use `/admin/` ?

The Django admin at `/admin/` is **superuser-only**.

Account kind	<code>/admin/</code> ?	Website consoles?
Superuser (<code>is_superuser</code>)	[OK]	[OK] (has every permission)
Staff (<code>is_staff</code> but not superuser)	[NO]	[NO]
Warehouse staff (warehouse group)	[NO]	[OK]
Branch staff (branch membership)	[NO]	[OK] (<code>/branch/...</code>)

Warehouse staff land on `/` after login. Branch-only staff land on `/branch/` (branch dashboard). That dashboard lists every branch tool (catalog, requisição, threads, receipts, Company Voice). On each `/manage/...` console page, the **CentCompras** label above the page title links back to `/` (warehouse dashboard). On branch pages, **CentCompras** links back to `/branch/`. **Sign out** is a small link on the **Settings** title row (gear, top-right). **Help** is the blue `?` icon next to the gear (placeholder).

Two rules to remember:

- The `/admin/` login check is `is_active and is_superuser` — a "staff" flag alone is not enough.
- A **superuser** also passes every website permission check, so it can drive the warehouse consoles too. In practice, keep the superuser for administration and give day-to-day staff a **warehouse group** instead.

Do not hand a superuser login to a branch user, and do not add branch staff to `/admin/`. Head office (superuser) is the only party that manages users and branches.

2. Logging in & creating the superuser

2.1 Logging in

1. Go to `https://<your-domain>/admin/` (dev: `http://127.0.0.1:8015/admin/`).
2. Enter your **email + password**.
3. You land on the Django admin index.

Log out with the **Log out** link at the top-right.

2.2 Creating the first superuser

There is no sign-up page. Create the superuser from the server command line:

```
source .venv/bin/activate
python manage.py createsuperuser
```

It prompts for **email** and **password** (there is **no username** field — login is by email). The dev seed (`./scripts/seed_dev_data.sh`) creates warehouse and branch users but **does not** create a superuser.

3. The User record — what each field means

Open `/admin/` → **Users**. A user has:

Field	Meaning
Email	The login identifier (unique). There is no username.
Password	Hashed; you can set/reset it here.
First / Last name	Optional display names.
Timezone	IANA name (default <code>Europe/Lisbon</code>). Invalid names are rejected on save. Dates render in this user's timezone.
Warehouse grade	1–3 for warehouse staff (see §4). Ignored for warehouse admins and branch users.
is_active	Untick to disable the account (they get "Account is inactive" and are signed out).
is_staff	"Django admin login". Only superusers should have this (see §1 — staff alone can't log into <code>/admin/</code>).
is_superuser	Full access to <code>/admin/</code> and every permission.
Groups	Django groups (the three warehouse groups — see §5).
User permissions	Per-user permissions. Leave empty — use groups.

4. Warehouse users — create + role + grade

A **warehouse user** works on the website (/manage/...). To create one:

1. /admin/ → **Users** → **Add user**.
2. Enter **email** + **password** (leave `is_staff` / `is_superuser` **off**).
3. Set **timezone** and **warehouse grade**.
4. In **Groups**, add the user to **exactly one** warehouse group: - `warehouse_admins` - `warehouse_managers` - `warehouse_data_operators`
5. Save.

4.1 The three warehouse roles

Group	Catalogue	Purchase orders	Stock	Approve
Admin (<code>warehouse_admins</code>)	full (view/add/change/delete)	any	receipt, issue, adjust	any amount
Manager (<code>warehouse_managers</code>)	mutate (no delete)	create/submit	receipt, issue, short-close (g2+)	grade 2+ within caps
Operator (<code>warehouse_data_operators</code>)	view-only (g1) / mutate (g2)	read	receipt, issue (g2)	never

4.2 Grades

The **grade** is the fine-grained lever inside a group:

Group	Valid grades	Effect
<code>warehouse_admins</code>	always 1	ignored — admins are unlimited
<code>warehouse_managers</code>	1-3	grade 1 = no approve; grade 2+ = approve (within caps); grade 3 = higher caps
<code>warehouse_data_operators</code>	1-2	grade 1 = read-only; grade 2 = mutate the closed circuit

The approval caps themselves live at /manage/approval-limits/ (warehouse admin), not in /admin/. Defaults: manager grade 2 = self €100 / others €5,000; grade 3 = self €500 / others €50,000.

4.3 Two important cautions

- **One group per user.** The system's own tooling (`assign_warehouse_group` , used by the seed) enforces this — it removes the user from any other warehouse group and **resets the grade to 1**. If you hand-add a user to several warehouse groups in /admin/, the code resolves it by order: **admins** → **managers** → **operators**, first match wins. Keep it to one group.
- **Grade resets.** Assigning a group (via the code path) resets grade to **1**; set the grade after assigning the group.

4.4 Seeded dev users (reference)

`./scripts/seed_dev_data.sh` creates (all password `devpass123`):

Email	Group	Grade
<code>warehouse.admin@centcompras.dev</code>	admins	1
<code>warehouse.manager@centcompras.dev</code>	managers	1
<code>warehouse.manager2@centcompras.dev</code>	managers	2
<code>warehouse.manager3@centcompras.dev</code>	managers	3
<code>warehouse.operator@centcompras.dev</code>	operators	1
<code>warehouse.operator2@centcompras.dev</code>	operators	2

5. Warehouse groups & permissions (code-owned)

The three warehouse groups are **managed in code**, not by hand.

- On every `migrate`, the app runs `sync_warehouse_groups()` and **replaces** each group's permissions with the code-defined set.
- **Any permission you add by hand in `/admin/` is wiped on the next migrate.** Do not grant extras on these three groups.

Rule of thumb: you do **not** edit warehouse-group permissions. You only decide which group a user belongs to (and their grade). The group already carries the right permissions.

6. Branch users & memberships

A **branch user** works on `/branch/...`. They have **no warehouse group**, and instead get a `BranchMembership` (which branch + which role).

6.1 Create a branch user

1. `/admin/` → **Users** → **Add user** — email + password, `is_staff/is_superuser` **off**, and **no** warehouse group.
2. `/admin/` → **Branch memberships** → **Add** — pick the **User**, the **Branch**, and the **Role**.
3. Save.

6.2 Branch roles

Role	Can do
Operator	Browse catalogue, raise/edit/submit/cancel-draft, confirm arrivals
Manager	+ approve (within caps), reject, cancel-approved, branch short-close
Admin	+ unlimited approve, adjust branch stock

6.3 Membership rules

- **One role per user per branch** — `(user, branch)` is unique.

- A user **may belong to several branches** (different roles allowed). They'll get a **branch picker** after login.
- **Warehouse and branch are separate.** A user with both a warehouse group and a branch membership lands on the warehouse dashboard after login (warehouse wins) but can still reach `/branch/...` by URL.
- **Head office creates branch users and memberships** in `/admin/` (lock 10). Branch staff never create logins, and never see `/admin/`.

Tip: Seed reference: North has `branch.operator.north`, `branch.manager.north`, `branch.admin.north`; South has `branch.operator.south`, `branch.manager.south`; `branch.dual` is a member of both (to exercise the picker). Password `devpass123`.

7. Managing branches

Open `/admin/` → **Branches** (Branches).

Field	Meaning
Name	Unique, case-insensitive
is_active	Untick to deactivate the branch

- **Deactivating a branch** blocks new work (no new requests, lines, submit, or approve), but **in-flight** requests can still be issued, received, and closed — stock in transit isn't stuck.
- There is no "delete branch" — deactivate it. History is preserved.

8. Approval limits (where they live)

Approval caps are **not** set in `/admin/` — they have their own website consoles (warehouse admin only):

What	Console	Model
Warehouse PO caps (per grade)	<code>/manage/approval-limits/</code>	<code>ApprovalLimit</code> (group + grade → self/others)
Branch manager caps (global)	<code>/manage/branch-approval-limits/</code>	<code>BranchApprovalLimit</code> (role <code>manager</code> → self/others)

Amounts are EUR, VAT included. Only warehouse admins can edit.

Group	Grade	Approve others	Self-approve	
warehouse_managers 2		5000.00	100.00	<button>Save</button>
warehouse_managers 3		50000.00	500.00	<button>Save</button>

In `/admin/` these tables are **read-only**. Defaults are auto-created on migrate and never overwrite your edits.

9. What is read-only in `/admin/`

Most business tables in `/admin/` are **read-only on purpose** — day-to-day changes go through the website consoles and the app's service layer (which also writes the audit trail). In `/admin/` you can view but not add/change/delete:

Model	Where to actually change it
Items, families, suppliers, supplier prices, VAT	<code>/manage/items/</code>
Purchase orders	<code>/manage/purchase-orders/</code>
Approval limits	<code>/manage/approval-limits/</code>
Goods receipts, stock movements	<code>/manage/goods-receipts/</code>
Internal requests, goods issues	<code>/manage/internal-requests/</code> + <code>/branch/...</code>
Branch receipts, branch stock	<code>/branch/receipts/</code>
Request threads	<code>/branch/threads/</code> + <code>/manage/threads/</code> (admin is inspect-only)
Company Voice	<code>/company-voice/</code> (admin is inspect-only; no hard delete)
Change logs (all <code>*ChangeLog</code>)	Read-only everywhere (audit)

The **only** tables you normally edit in `/admin/` are: **Users**, **Groups** (membership only, see §5), **Branches**, and **Branch memberships**.

Warehouse staff also have a **read-only** stock + prices overview at `/manage/catalog/` — see [Manager catalog](#). Edits still go through `/manage/items/` and `/manage/goods-receipts/`.

10. Timezone, dates & locale

- **Dates** are DD/MM/YYYY, 24-hour time, shown in each user's **timezone** (default `Europe/Lisbon`). Stored in UTC.
- Set a user's timezone on the **User** form (IANA name, e.g. `Europe/Lisbon`, `Asia/Singapore`). Invalid names are rejected.

11. Password reset & deactivation

- **No self-service password reset exists.** To reset, open the user in `/admin/` → **Password** → set a new one. Tell them to sign out and back in.
- **Deactivate** a user by unticking **is_active**. They are signed out automatically and see "Account is inactive" on the next request. Re-tick to restore.

12. Authentication & permissions (incl. Google OAuth)

Two distinct things, managed separately:

	Authentication (who you are)	Authorization (what you may do)
Dev	Email + password (local)	warehouse group + grade / branch role (local — \$4-\$6)
Production	Google OAuth	still local — Google never assigns roles

12.1 When you create a user

Decide the type first, then create the record accordingly:

If they will...	Create	Also set
Administer the site	Superuser (<code>createsuperuser</code>)	—
Work in the warehouse	User + warehouse group + grade	\$4
Work at a branch	User (no group) + BranchMembership	\$6

The **email** you enter becomes their login. In production this **must equal the Google account they sign in with** (see below).

12.2 Signing in — dev vs production (Google OAuth)

- **Development:** users sign in with **email + password** at `/accounts/login/`.
- **Production (Phase 7):** users sign in with **Google OAuth** — their Google account, e.g. `xpt-user@gmail.com` — for **increased security** (strong Google authentication, no app-stored passwords). Dev already has login-only Google OAuth; production rollout is Phase 7.

12.3 How OAuth and permissions interact

1. The user signs in with Google; Google returns the account's **email**.
2. CentCompras looks up the **User** whose **email equals that address** and signs them into that record.

3. Their **permissions come from that local record** — the warehouse group + grade, or the branch membership + role — **never from Google**.

Consequences:

- **Create the User first, with the same email.** Onboard: head office creates the account (email + group/role) in `/admin/`, then the person signs in via OAuth and is matched to it.
- **Google does not assign roles.** OAuth only proves who you are; §4–§6 still decide what you can do.
- **Use a company email, not personal Gmail** (a locked plan decision). The address must equal the `User.email` on record.
- **No auto-provisioning.** If the Google email matches no `User`, the person gets **no access** — head office must create the account first.

12.4 Permissions management (summary)

Everything in §4–§6 is unchanged by OAuth. Permissions live in **groups** (warehouse) and **memberships** (branch), are set in `/admin/`, and are synced by code (§5). OAuth only changes the sign-in step.

13. FAQ

Q1. I created a staff user but they can't open `/admin/` — why? `/admin/` requires `is_superuser`, not just `is_staff`. Make them a superuser, or (better) give them a warehouse/branch role and send them to the website consoles.

Q2. Can a branch user log into `/admin/`? No — never. Branch staff get a `BranchMembership`, not a superuser login.

Q3. I added an extra permission to a warehouse group and it disappeared — why? Warehouse groups are **code-owned** and re-synced on migrate; hand-added permissions are wiped. Change a user's group or grade instead, not the group's permissions.

Q4. A user is in two warehouse groups — what happens? Avoid it. If it happens, the code picks the first in order: **admins** → **managers** → **operators**. Assign exactly one group.

Q5. How do I give someone "approve" rights? Warehouse: put them in `warehouse_managers` and set grade **2+** (grade 3 for higher caps). Branch: give them the **manager** role on that branch.

Q6. How do I let a branch user correct branch stock? The branch **admin** role can `adjust_branch_stock` (on `/branch/receipts/`), with a reason. Operators and managers cannot.

Q7. Can I delete a branch? No — **deactivate** it (unset `is_active`). History is kept and in-flight requests still finish.

Q8. Where do I set the approval caps? Not in `/admin/`. Warehouse PO caps → `/manage/approval-limits/`; branch manager caps → `/manage/branch-approval-limits/`. Warehouse admin only.

Q9. Why does the User form ask for a timezone? Every user has a timezone so server-rendered dates are correct for them. Default is `Europe/Lisbon`; only valid IANA names are accepted.

Q10. The seed didn't create a superuser — how do I get one? Run `python manage.py createsuperuser` (email + password). The seed deliberately creates only warehouse + branch users.