## **Generated Documentation**



### Contents

Package Ip Application Procedural Elements	. 2
<u> View.php</u>	
Zfdebug.php	. 3
Package Ip Application Classes	4
Class Ip Application Resource View	
Var \$ localOptions	
Var \$ view	
Method init	. 5
Method setupCss	
Method setupHeadOptions	
Method setupJs	. 5
Class Ip Application Resource Zfdebug	
Var \$ localOptions	
<u>Var \$ view</u>	
Method init	
Package Ip Controller Procedural Elements	. 9
Action.php	
Abstract.php	. 10
AddSystemError.php	. 11
GetDb.php	. 12
GetLog.php	
Abstract.php	. 14
Package Ip Controller Classes	
Class Ip Controller Action	15
Method call	
Class Ip Controller Action Helper Abstract	
Method getResource	. 16
Class Ip Controller Action Helper AddSystemError	. 16
Var \$ sessionNamespace	. 17
Method direct	
Class Ip Controller Action Helper AddSystemSuccess	
<u>Var \$ sessionNamespace</u>	. 18
Method direct	. 18
Class Ip Controller Action Helper AddSystemWarning	. 19
<u>Var \$_sessionNamespace</u>	
Method direct	
Class Ip Controller Action Helper GetCache	
Method direct	
Class Ip Controller Action Helper GetConfig	
Method direct	
Class Ip Controller Action Helper GetDb	
Method direct	. 22

Class Ip Controller Action Helper GetLocale	
Method direct	22
Class Ip Controller Action Helper GetLog	23
Method direct	
Class Ip Controller Plugin Abstract	
Method getCache	
Method getConfig	
Class Ip Controller Plugin RouterSetup  Method routeStartup	
· · · · · · · · · · · · · · · · · · ·	
Package Ip_Exception Procedural Elements	
Exception.php	
Package Ip Exception Classes	28
Class Ip Exception	
Package default Procedural Elements	30
AddSystemSuccess.php	
AddSystemWarning.php	
GetCache.php	
GetConfig.php	
GetLocale.php	
DisplayUserMenu.php	
GetConfig.php	
Package default Classes	
Class Ip View Helper DisplayUserMenu	37
Method displayUserMenu	3/
Class Ip View Helper GetConfig	
Package Ip_Form Procedural Elements	
Form.php	
Package Ip_Form Classes	
Class Ip Form	
Constructor construct	•
Method getConfig	
Package Ip Log Procedural Elements	
<u>Log.php</u>	
Package Ip_Log Classes	
Class Ip Log	
Method factory	
Method log	
Package Ip View Procedural Elements	
<u>View.php</u>	
Package Ip View Classes	49
Class Ip View	
Constructor construct	
Abstract.php	
<u>DisplayMenu.php</u> DisplayMessages.php	51 52
DISDIAMMESSAGES DOD	コノ

	<u>ormatDate.php</u>	53
	<u>ormatDateTime.php</u>	54
9	lass Ip View Helper Abstract	54
	Method getConfig	
	<u>llass Ip View Helper DisplayMenu</u>	55
	Method displayMenu	
	lass Ip View Helper DisplayMessages	55
	<u>Var \$ sessionNamespace</u>	
	Method displayMessages	56
	lass Ip View Helper FormatDate	56
	Method formatDate	57
	lass Ip View Helper FormatDateTime	57
	Method formatDateTime	57
Appe	<u>ndices</u>	58
	ppendix A - Class Trees	
	<u>lp_Form</u>	
	default	
	<u>lp Log</u>	
	Ip Controller	
	lp Application	
	lp Exception	
	lp View	



# Package Ip\_Application Procedural Elements

### View.php

### Zend\_Application\_Resource\_View override

- Package lp\_Application
- Sub-Package Ip\_Application\_Resource
- Author Dev 17 < dev@ip-formation.com>
- Version 1.0 2010-10-10
- **Version** Release : 1.0.1 (2011-02-28)
- Copyright Copyright (c) 2011 DEV 17
- License New BSD License

### Zfdebug.php

### Zend Application Resource Zfdebug

- Package Ip\_Application
- **Sub-Package** Ip\_Application\_Resource
- Author Dev 17 < < dev@ip-formation.com>
- Version 1.0 2010-10-10
- **Version** Release : 1.0.1 (2011-02-28)
- Copyright Copyright (c) 2011 DEV 17
- License New BSD License

### Package Ip\_Application Classes

# Class Ip\_Application\_Resource\_View

Zend\_Application\_Resource\_View override

- Package Ip\_Application
- Sub-Package Ip\_Application\_Resource
- Author Dev 17 < <u>dev@ip-formation.com</u>>
- Version 1.0 2010-10-10
- Version Release: 1.0.1 (2011-02-28)
- Copyright Copyright (c) 2011 DEV 17
- **See** Zend\_Application\_Resource\_ResourceAbstract
- License New BSD License

#### Ip\_Application\_Resource\_View::\$\_localOptions

array|Zend\_Config = [line 48]

### **Config options**

Access protected

Ip\_Application\_Resource\_View::\$\_view

Zend View = [line 55]

Access protected	
oid function Ip_Application_Resource_View::init() [line 64]	
Access public	
null function Ip_Application_Resource_View::_setupCss() [line 90]  Setup css stylesheet in headStyle stack	
Access protected	
null function Ip_Application_Resource_View::_setupHeadOptions() [line 107]  Setup head block	
Access protected	
null function Ip_Application_Resource_View::_setupJs() [line 99]  Setup js scripts in headStyle stack	
Access protected	

Zend\_View container.

### Class Ip\_Application\_Resource\_Zfdebug

[line 39]

### Zend\_Application\_Resource\_Zfdebug

- Package Ip\_Application
- Sub-Package Ip\_Application\_Resource
- Author Dev 17 < <a href="mailto:dev@ip-formation.com">dev@ip-formation.com</a>>
- Version 1.0 2010-10-10
- **Version** Release : 1.0.1 (2011-02-28)
- Copyright Copyright (c) 2011 DEV 17
- **See** Zend\_Application\_Resource\_ResourceAbstract
- License New BSD License

#### Ip\_Application\_Resource\_Zfdebug::\$\_localOptions

array|Zend\_Config = [line 47]

### **Config options**

Access protected

#### Ip\_Application\_Resource\_Zfdebug::\$\_view

Zend\_View = [line 54]

Zend\_View container.

Access protected

void function Ip_Application_Resource_Zfdebug::init() [line 62]				
Access public				
Generated by phpDocumentor v1.4.3 http://www.phpdoc.org - http://pear.php.net/package/PhpDocumentor - http://www.shpdoc.org -	sourceforge.net/projects/phndpcu			



### Package Ip\_Controller Procedural Elements

### Action.php

#### **LICENSE**

- Package lp\_Controller
- **Sub-Package** lp\_Controller\_Action
- Author Dev 17 < <a href="mailto:dev@ip-formation.com">dev@ip-formation.com</a>>
- Version 1.0 2010-10-10
- **Version** Release : 1.0.1 (2011-02-28)
- Copyright Copyright (c) 2011 DEV 17
- License New BSD License

### Abstract.php

### lp\_Controller\_Action\_Helper\_Abstract

- Package lp\_Controller
- Sub-Package lp\_Controller\_Action
- Author Dev 17 < < dev@ip-formation.com>
- **Version** 1.0 2010-10-10
- **Version** Release : 1.0.1 (2011-02-28)
- Copyright Copyright (c) 2011 DEV 17
- License New BSD License

### AddSystemError.php

### Ip\_Controller\_Action\_Helper\_AddSystemError

- Package lp\_Controller
- **Sub-Package** lp\_Controller\_Action
- Author Dev 17 < <a href="mailto:dev@ip-formation.com">dev@ip-formation.com</a>>
- **Version** 1.0 2010-10-10
- Version Release : 1.0.1 (2011-02-28)
- Copyright Copyright (c) 2011 DEV 17
- License New BSD License

### GetDb.php

### Ip Controller Action Helper GetDb

- Package lp\_Controller
- Sub-Package lp\_Controller\_Action
- Author Dev 17 < <a href="mailto:dev@ip-formation.com">dev@ip-formation.com</a>>
- **Version** 1.0 2010-10-10
- **Version** Release : 1.0.1 (2011-02-28)
- Copyright Copyright (c) 2011 DEV 17
- License New BSD License

### GetLog.php

### Ip\_Controller\_Action\_Helper\_GetLog

- Package Ip\_Controller
- Sub-Package lp\_Controller\_Action
- Author Dev 17 < < dev@ip-formation.com>
- Version 1.0 2010-10-10
- **Version** Release : 1.0.1 (2011-02-28)
- Copyright Copyright (c) 2011 DEV 17
- License New BSD License

### Abstract.php

### Ip\_Controller\_Action\_Plugin\_Abstract

- Package lp\_Controller
- Sub-Package lp\_Controller\_Action
- Author Dev 17 < < dev@ip-formation.com>
- **Version** 1.0 2010-10-10
- **Version** Release : 1.0.1 (2011-02-28)
- Copyright Copyright (c) 2011 DEV 17
- License New BSD License

### Package Ip\_Controller Classes

# Class Ip\_Controller\_Action

- Package lp\_Controller
- Sub-Package Ip\_Controller\_Action
- Author Dev 17 < < dev@ip-formation.com>
- **Version** 1.0 2010-10-10
- Version Release : 1.0.1 (2011-02-28)
- Copyright Copyright (c) 2011 DEV 17
- License New BSD License

void function Ip\_Controller\_Action::\_\_call(\$method, \$args) [line 49]
Function Parameters:

- string \$method
- array \$args

Surcharge : intercepte les appels aux méthodes de classe non définies Tente d'appeler le helper d'action du meme nom

- Throws Zend Controller Action Exception si une méthode est indéfinie
- Access public

# Class Ip\_Controller\_Action\_Helper\_Abstract

Ip\_Controller\_Action\_Helper\_Abstract

- Package lp\_Controller
- Sub-Package lp\_Controller\_Action
- Author Dev 17 < <a href="mailto:dev@ip-formation.com">dev@ip-formation.com</a>>
- **Version** 1.0 2010-10-10
- Version Release : 1.0.1 (2011-02-28)
- Copyright Copyright (c) 2011 DEV 17
- See Zend\_Controller\_Action\_Helper\_Abstract
- Abstract Element
- License New BSD License

Zend\_Application\_Resource|null function Ip\_Controller\_Action\_Helper\_Abstract::\_getResource(\$resourceName) [line 47]

Function Parameters:

string \$resourceName

Get a front controller resource by name

Access protected

Class Ip\_Controller\_Action\_Helper\_AddSystemError

 $Ip\_Controller\_Action\_Helper\_AddSystemError$ 

- Package Ip\_Controller
- Sub-Package lp\_Controller\_Action
- Author Dev 17 < dev@ip-formation.com>
- **Version** 1.0 2010-10-10
- **Version** Release : 1.0.1 (2011-02-28)
- Copyright Copyright (c) 2011 DEV 17
- License New BSD License

#### Ip\_Controller\_Action\_Helper\_AddSystemError::\$\_sessionNamespace

string = 'Ip\_System\_Messages' [line 44]

### **Session namespace**

• Access protected

void function Ip\_Controller\_Action\_Helper\_AddSystemError::direct(\$message, [\$httpStatusCode = 404]) [line 50]
Function Parameters:

- string \$message
- \$httpStatusCode

#### Stores a system message in session

• Access public

# Class Ip\_Controller\_Action\_Helper\_AddSystemSuccess

\* \* @category Ip \* @package Ip\_Controller \* @subpackage Ip\_Controller\_Action \* @desc Ip\_Controller\_Action\_Helper\_AddSystemSuccess \* @license http://framework.zend.com/license/new-bsd New BSD License \* @version 1.0 2010-10-10 \* @author Dev 17 <dev@ip-formation.com> \* @copyright Copyright (c) 2011 DEV 17 \* @version Release : 1.0.1 (2011-02-28)

- Package lp\_Controller
- Sub-Package Ip Controller Action
- Author Dev 17 < <a href="mailto:dev@ip-formation.com">dev@ip-formation.com</a>>
- Version 1.0 2010-10-10
- **Version** Release : 1.0.1 (2011-02-28)
- Copyright Copyright (c) 2011 DEV 17

#### Ip\_Controller\_Action\_Helper\_AddSystemSuccess::\$\_sessionNamespace

mixed = 'lp\_System\_Messages' [line 1]

- \* Session namespace \* @var string
  - Access protected

void function Ip\_Controller\_Action\_Helper\_AddSystemSuccess::direct(\$message) [line 1]
Function Parameters:

- \$message
- \* Stores a system message in session \* \* @param string \$message \* @return void
  - Access public

# Class Ip\_Controller\_Action\_Helper\_AddSystemWarning

\* \* @category Ip \* @package Ip\_Controller \* @subpackage Ip\_Controller\_Action \* @desc Ip\_Controller\_Action\_Helper\_AddSystemWarning \* @license http://framework.zend.com/license/new-bsd New BSD License \* @version 1.0 2010-10-10 \* @author Dev 17 <dev@ip-formation.com> \* @copyright Copyright (c) 2011 DEV 17 \* @version Release : 1.0.1 (2011-02-28)

- Package Ip Controller
- Sub-Package Ip\_Controller\_Action
- Author Dev 17 < <a href="mailto:dev@ip-formation.com">dev@ip-formation.com</a>>
- Version 1.0 2010-10-10
- **Version** Release : 1.0.1 (2011-02-28)
- Copyright Copyright (c) 2011 DEV 17

#### Ip\_Controller\_Action\_Helper\_AddSystemWarning::\$\_sessionNamespace

mixed = 'lp\_System\_Messages' [line 1]

- \* Session namespace \* @var string
  - Access protected

void function Ip\_Controller\_Action\_Helper\_AddSystemWarning::direct(\$message) [line 1]
Function Parameters:

- \$message
- \* Stores a system message in session \* @param string \$message \* @return void

Access public

# Class Ip\_Controller\_Action\_Helper\_GetCache

\* \* @category Ip \* @package Ip\_Controller \* @subpackage Ip\_Controller\_Action \* @desc Ip\_Controller\_Action\_Helper\_GetCache \* @license http://framework.zend.com/license/new-bsd New BSD License \* @version 1.0 2010-10-10 \* @author Dev 17 <dev@ip-formation.com> \* @copyright Copyright (c) 2011 DEV 17 \* @version Release : 1.0.1 (2011-02-28)

- Package lp\_Controller
- Sub-Package Ip Controller Action
- Author Dev 17 < < dev@ip-formation.com>
- Version 1.0 2010-10-10
- **Version** Release : 1.0.1 (2011-02-28)
- Copyright Copyright (c) 2011 DEV 17

void function Ip\_Controller\_Action\_Helper\_GetCache::direct() [line 1]

- \* Gets the frontcore cachemanager \* @return Zend\_Cache|null
  - Access public

Class Ip\_Controller\_Action\_Helper\_GetConfig

[line 1]

\* \* @category Ip \* @package Ip\_Controller \* @subpackage Ip\_Controller\_Action \* @desc Ip\_Controller\_Action\_Helper\_GetConfig \* @license http://framework.zend.com/license/new-bsd New BSD License \* @version 1.0 2010-10-10 \* @author Dev 17 <dev@ip-formation.com> \* @copyright Copyright (c) 2011 DEV 17 \* @version Release : 1.0.1 (2011-02-28)

- Package lp\_Controller
- Sub-Package Ip\_Controller\_Action
- Author Dev 17 < dev@ip-formation.com>
- Version 1.0 2010-10-10
- **Version** Release : 1.0.1 (2011-02-28)
- Copyright Copyright (c) 2011 DEV 17

void function Ip\_Controller\_Action\_Helper\_GetConfig::direct() [line 1]

\* Returns config options \* @return Zend\_Config|null

• Access public

# Class Ip\_Controller\_Action\_Helper\_GetDb

Ip\_Controller\_Action\_Helper\_GetDb

- Package Ip\_Controller
- Sub-Package Ip\_Controller\_Action
- Author Dev 17 < <a href="mailto:dev@ip-formation.com">dev@ip-formation.com</a>>
- Version 1.0 2010-10-10
- **Version** Release : 1.0.1 (2011-02-28)
- Copyright Copyright (c) 2011 DEV 17
- License New BSD License

Zend\_Db|null function lp\_Controller\_Action\_Helper\_GetDb::direct() [line 45] accesses Zend Db ressource

• Access public

# Class Ip\_Controller\_Action\_Helper\_GetLocale

\* \* @category Ip \* @package Ip\_Controller \* @subpackage Ip\_Controller\_Action \* @desc Ip\_Controller\_Action\_Helper\_GetLocale \* @license http://framework.zend.com/license/new-bsd New BSD License \* @version 1.0 2010-10-10 \* @author Dev 17 <dev@ip-formation.com> \* @copyright Copyright (c) 2011 DEV 17 \* @version Release : 1.0.1 (2011-02-28)

- Package Ip\_Controller
- Sub-Package lp\_Controller\_Action
- Author Dev 17 < dev@ip-formation.com>
- Version 1.0 2010-10-10
- Version Release : 1.0.1 (2011-02-28)
- Copyright Copyright (c) 2011 DEV 17

void function Ip\_Controller\_Action\_Helper\_GetLocale::direct() [line 1]

- \* accesses Zend\_Locale ressource \* @return Zend\_Locale|null
  - Access public

### Class Ip\_Controller\_Action\_Helper\_GetLog

[line 39]

Ip\_Controller\_Action\_Helper\_GetLog

- Package Ip Controller
- Sub-Package lp\_Controller\_ActionAuthor Dev 17 < dev@ip-formation.com>
- Version 1.0 2010-10-10
- **Version** Release : 1.0.1 (2011-02-28)
- Copyright Copyright (c) 2011 DEV 17
- License New BSD License

Zend\_Log|null function Ip\_Controller\_Action\_Helper\_GetLog::direct() [line 46] accesses Zend\_Log ressource

Access public

### Class Ip\_Controller\_Plugin\_Abstract

[line 39]

**Ip Controller Action Plugin Abstract** 

- Package lp\_Controller
- Sub-Package lp\_Controller\_Action
- Author Dev 17 < dev@ip-formation.com>
- Version 1.0 2010-10-10
- **Version** Release : 1.0.1 (2011-02-28)

- Copyright Copyright (c) 2011 DEV 17
- License New BSD License

Zend\_Cache|null function lp\_Controller\_Plugin\_Abstract::getCache() [line 56]
Accesses the frontcore cache

Access public

Zend\_Config|null function lp\_Controller\_Plugin\_Abstract::\_getConfig() [line 46]
Accesses the config options

Access protected

# Class Ip\_Controller\_Plugin\_RouterSetup

#### Loads routes defined in routes.ini

- Package Ip\_Controller
- Sub-Package Plugin
- Author Dev 17 < dev@ip-formation.com>
- Version 1.0 2010-10-10
- Copyright Copyright (c) 2011 DEV 17

• License New BSD License

void function Ip\_Controller\_Plugin\_RouterSetup::routeStartup(\$request) [line 23]
Function Parameters:

- Zend\_Controller\_Request\_Abstract \$request
  - Access public



### Package Ip\_Exception Procedural Elements

### Exception.php

#### **LICENSE**

- Package Ip\_Exception
- Author Dev 17 < dev@ip-formation.com>
- **Version** 1.0 2010-10-10
- Version Release : 1.0.1 (2011-02-28)
- Copyright Copyright (c) 2011 DEV 17
- License New BSD License

### Package Ip\_Exception Classes

# Class Ip\_Exception [line 35]

- Package Ip\_Exception
- Author Dev 17 < <u>dev@ip-formation.com</u>>
- **Version** 1.0 2010-10-10
- **Version** Release : 1.0.1 (2011-02-28)
- Copyright Copyright (c) 2011 DEV 17
- See Zend\_Exception
- License New BSD License



### Package default Procedural Elements

### AddSystemSuccess.php

\* \* LICENSE \* \* This source file is subject to the new BSD license that is bundled \* with this package in the file LICENSE.txt. \* It is also available through the world-wideweb at this URL: \* http://framework.zend.com/license/new-bsd \* If you did not receive a copy of the license and are unable to \* obtain it through the world-wideweb, please send an email \* to license@zend.com so we can send you a copy immediately. \* \* @category lp \* @package Ip Controller \* @subpackage Ip Controller Action \* @desc Ip Controller Action Helper AddSystemSuccess \* @license http://framework.zend.com/license/new-bsd New BSD License \* @version 1.0 2010-10-10 \* @author Dev 17 <dev@ip-formation.com> \* @copyright Copyright (c) 2011 DEV 17 \* @version Release: 1.0.1 (2011-02-28)

Package default

AddSystemWarning.php

\* \* LICENSE \* \* This source file is subject to the new BSD license that is bundled \* with this package in the file LICENSE.txt. \* It is also available through the world-wideweb at this URL: \* http://framework.zend.com/license/new-bsd \* If you did not receive a copy of the license and are unable to \* obtain it through the world-wideweb, please send an email \* to license@zend.com so we can send you a copy Ip \* @package immediately. \* \* @category lp\_Controller \* @subpackage Ip Controller\_Action \* @desc Ip\_Controller\_Action\_Helper\_AddSystemWarning http://framework.zend.com/license/new-bsd New BSD License \* @version 1.0 2010-10-10 \* @author Dev 17 <dev@ip-formation.com> \* @copyright Copyright (c) 2011 DEV 17 \* @version Release : 1.0.1 (2011-02-28)

• Package default

### GetCache.php

\* \* LICENSE \* \* This source file is subject to the new BSD license that is bundled \* with this package in the file LICENSE.txt. \* It is also available through the world-wideweb at this URL: \* http://framework.zend.com/license/new-bsd \* If you did not receive a copy of the license and are unable to \* obtain it through the world-wideweb, please send an email \* to license@zend.com so we can send you a copy immediately. \* \* @category lp \* @package lp\_Controller \* @subpackage Ip Controller Action \* @desc Ip\_Controller\_Action\_Helper\_GetCache http://framework.zend.com/license/new-bsd @license New BSD License \* @version 1.0 2010-10-10 \* @author Dev 17 <dev@ip-formation.com> \* @copyright Copyright (c) 2011 DEV 17 \* @version Release : 1.0.1 (2011-02-28)

Package default

## GetConfig.php

\* \* LICENSE \* \* This source file is subject to the new BSD license that is bundled \* with this package in the file LICENSE.txt. \* It is also available through the world-wideweb at this URL: \* http://framework.zend.com/license/new-bsd \* If you did not receive a copy of the license and are unable to \* obtain it through the world-wideweb, please send an email \* to license@zend.com so we can send you a copy immediately. \* \* @category lp \* @package lp\_Controller \* @subpackage Ip Controller Action \* @desc Ip\_Controller\_Action\_Helper\_GetConfig http://framework.zend.com/license/new-bsd @license New BSD License \* @version 1.0 2010-10-10 \* @author Dev 17 <dev@ip-formation.com> \* @copyright Copyright (c) 2011 DEV 17 \* @version Release : 1.0.1 (2011-02-28)

Package default

### GetLocale.php

\* \* LICENSE \* \* This source file is subject to the new BSD license that is bundled \* with this package in the file LICENSE.txt. \* It is also available through the world-wideweb at this URL: \* http://framework.zend.com/license/new-bsd \* If you did not receive a copy of the license and are unable to \* obtain it through the world-wideweb, please send an email \* to license@zend.com so we can send you a copy immediately. \* \* @category lp \* @package lp\_Controller \* @subpackage Ip Controller Action \* @desc Ip\_Controller\_Action\_Helper\_GetLocale http://framework.zend.com/license/new-bsd @license New BSD License \* @version 1.0 2010-10-10 \* @author Dev 17 <dev@ip-formation.com> \* @copyright Copyright (c) 2011 DEV 17 \* @version Release : 1.0.1 (2011-02-28)

Package default

### DisplayUserMenu.php

\* \* LICENSE \* \* This source file is subject to the new BSD license that is bundled \* with this package in the file LICENSE.txt. \* It is also available through the world-wideweb at this URL: \* http://framework.zend.com/license/new-bsd \* If you did not receive a copy of the license and are unable to \* obtain it through the world-wideweb, please send an email \* to license@zend.com so we can send you a copy immediately. \* \* @category lp \* @package Ip View \* @subpackage Ip\_View\_Helper\_DisplayUserMenu \* @license Ip\_View\_Helper \* @desc http://framework.zend.com/license/new-bsd New BSD License \* @version 2010-10-10 \* @author Dev 17 <dev@ip-formation.com> \* @copyright Copyright (c) 2011 DEV 17 \* @version Release: 1.0.1 (2011-02-28)

• Package default

## GetConfig.php

\* \* LICENSE \* \* This source file is subject to the new BSD license that is bundled \* with this package in the file LICENSE.txt. \* It is also available through the world-wideweb at this URL: \* http://framework.zend.com/license/new-bsd \* If you did not receive a copy of the license and are unable to \* obtain it through the world-wideweb, please send an email \* to license@zend.com so we can send you a copy lp \* @package immediately. \* \* @category Ip View \* @subpackage Ip\_View\_Helper\_GetConfig \* @license Ip View Helper \* @desc http://framework.zend.com/license/new-bsd New BSD License \* @version 1.0 2010-10-10 \* @author Dev 17 <dev@ip-formation.com> \* @copyright Copyright (c) 2011 DEV 17 \* @version Release: 1.0.1 (2011-02-28)

Package default

## Package default Classes

# Class Ip\_View\_Helper\_DisplayUserMenu

\* @category Ip \* @package Ip\_View \* @subpackage Ip\_View\_Helper \* @desc Ip\_View\_Helper\_DisplayUserMenu \* @license http://framework.zend.com/license/new-bsd New BSD License \* @version 1.0 2010-10-10 \* @author Dev 17 <dev@ip-formation.com> \* @copyright Copyright (c) 2011 DEV 17 \* @version Release : 1.0.1 (2011-02-28) \* @see Zend\_View\_Helper\_Abstract

• Package default

void function Ip\_View\_Helper\_DisplayUserMenu::displayUserMenu(\$view) [line 1]
Function Parameters:

- \$view
- \* displayMenu \* @var string \$name \* @var Zend\_View object \$view \* @return string

Class Ip\_View\_Helper\_GetConfig

[line 1]

\* @ category Ip \* @ package Ip\_View \* @ subpackage Ip\_View\_Helper \* @ desc Ip\_View\_Helper\_GetConfig \* @license New BSD License \* @version bsd <dev@ip-formation.com> \* @copyright @version Release: 1.0.1 (2011-02-28)

http://framework.zend.com/license/new-1.0 2010-10-10 \* @author **Dev 17** Copyright (c) 2011 DEV 17

• Package default

void function Ip\_View\_Helper\_GetConfig::getConfig() [line 1]

\* @return Zend\_Config|null \* Returne application Zend\_Config object

Access public



## Package Ip\_Form Procedural Elements

## Form.php

#### **LICENSE**

- Package lp\_Form
- Author Dev 17 < <a href="mailto:dev@ip-formation.com">dev@ip-formation.com</a>>
- **Version** 1.0 2010-10-10
- **Version** Release : 1.0.1 (2011-02-28)
- Copyright Copyright (c) 2011 DEV 17
- License New BSD License

## Package Ip\_Form Classes

# Class Ip\_Form

- Package lp\_Form
- Author Dev 17 < < dev@ip-formation.com>
- Version 1.0 2010-10-10
- **Version** Release : 1.0.1 (2011-02-28)
- Copyright Copyright (c) 2011 DEV 17
  See Zend\_Form
- License New BSD License

Constructor *null* function Ip\_Form::\_\_construct([\$options = null]) [line 43] Function Parameters:

mixed \$options

#### Constructor

Access public

Zend\_Config|null function Ip\_Form::\_getConfig() [line 53]

Zend\_Config object accessor

•	Access protected



## Package Ip\_Log Procedural Elements

## Log.php

#### **LICENSE**

- Package lp\_Log
- Author Dev 17 < <u>dev@ip-formation.com</u>>
- **Version** 1.0 2010-10-10
- **Version** Release : 1.0.1 (2011-02-28)
- Copyright Copyright (c) 2011 DEV 17
- License New BSD License

## Package Ip\_Log Classes

# Class Ip\_Log

- Package lp\_Log
- Author Dev 17 < < dev@ip-formation.com>
- Version 1.0 2010-10-10
- **Version** Release : 1.0.1 (2011-02-28)
- Copyright Copyright (c) 2011 DEV 17See Zend\_Log
- License New BSD License

Zend\_Log function Ip\_Log::factory([\$config = array()]) [line 112] Function Parameters:

array|Zend\_Config \$config Array or instance of Zend\_Config

#### Factory to construct the logger and one or more writers based on the configuration array

- Static
- Access public

void function Ip\_Log::log(\$message, \$priority, [\$writerId = null], [\$extras = null]) [line 47]

#### Function Parameters:

- string \$message Message to log
- *integer* **\$priority** Priority of message
- integer **\$writerId** Specific writer id as defined in config
- mixed **\$extras** Extra information to log in event

#### Log a message at a priority

- Throws Zend\_Log\_Exception
- Access public



## Package Ip\_View Procedural Elements

## View.php

#### **LICENSE**

- Package lp\_View
- Author Dev 17 < <u>dev@ip-formation.com</u>>
- **Version** 1.0 2010-10-10
- **Version** Release : 1.0.1 (2011-02-28)
- Copyright Copyright (c) 2011 DEV 17
- License New BSD License

# Package Ip\_View Classes

# Class Ip\_View [line 35]

- Package Ip\_View
- Author Dev 17 < <a href="mailto:dev@ip-formation.com">dev@ip-formation.com</a>>
- Version 1.0 2010-10-10
- **Version** Release : 1.0.1 (2011-02-28)
- Copyright Copyright (c) 2011 DEV 17
  See Zend\_View
- License New BSD License

Constructor *void* function Ip\_View::\_\_construct(\$options) [line 37] Function Parameters:

- \$options
  - Access public

## Abstract.php

#### **Ip View Helper Abstract**

- Package lp\_View
- Sub-Package Ip\_View\_Helper
- Author Dev 17 < < dev@ip-formation.com>
- **Version** 1.0 2010-10-10
- **Version** Release : 1.0.1 (2011-02-28)
- Copyright Copyright (c) 2011 DEV 17
- License New BSD License

## DisplayMenu.php

#### Ip\_View\_Helper\_DisplayMenu

- Package lp\_View
- Sub-Package Ip\_View\_Helper
- Author Dev 17 < < dev@ip-formation.com>
- Version 1.0 2010-10-10
- Version Release : 1.0.1 (2011-02-28)
- Copyright Copyright (c) 2011 DEV 17
- License New BSD License

## DisplayMessages.php

#### Ip\_View\_Helper\_DisplayMessages

- Package lp\_View
- Sub-Package lp\_View\_Helper
- Author Dev 17 < < dev@ip-formation.com>
- **Version** 1.0 2010-10-10
- Version Release : 1.0.1 (2011-02-28)
   Copyright Copyright (c) 2011 DEV 17
- License New BSD License

## FormatDate.php

#### Ip View Helper FormatDate

- Package lp\_View
- Sub-Package lp\_View\_Helper
- Author Dev 17 < < dev@ip-formation.com>
- **Version** 1.0 2010-10-10
- Version Release : 1.0.1 (2011-02-28)
   Copyright Copyright (c) 2011 DEV 17
- License New BSD License

### FormatDateTime.php

#### Ip\_View\_Helper\_FormatDateTime

This source file is subject to the new BSD license that is bundled with this package in the file LICENSE.txt. It is also available through the world-wide-web at this URL: http://framework.zend.com/license/new-bsd If you did not receive a copy of the license and are unable to obtain it through the world-wide-web, please send an email to license@zend.com so we can send you a copy immediately.

- Package lp\_View
- Sub-Package lp\_View\_Helper
- Author Dev 17 < < dev@ip-formation.com>
- **Version** 1.0 2010-10-10
- Version Release : 1.0.1 (2011-02-28)
- Copyright Copyright (c) 2011 DEV 17License New BSD License

# Class Ip\_View\_Helper\_Abstract

Ip\_View\_Helper\_Abstract

- Package Ip View
- Sub-Package lp\_View\_Helper
- Author Dev 17 < dev@ip-formation.com>
- Version 1.0 2010-10-10
- **Version** Release : 1.0.1 (2011-02-28)
- Copyright Copyright (c) 2011 DEV 17
- License New BSD License

Zend\_Config function Ip\_View\_Helper\_Abstract::\_getConfig() [line 46]

Accesses config param

Access protected

# Class Ip\_View\_Helper\_DisplayMenu

Ip\_View\_Helper\_DisplayMenu

- Package Ip\_View
- Sub-Package lp\_View\_Helper
- Author Dev 17 < <a href="mailto:dev@ip-formation.com">dev@ip-formation.com</a>>
- **Version** 1.0 2010-10-10
- **Version** Release : 1.0.1 (2011-02-28)
- Copyright Copyright (c) 2011 DEV 17
- License New BSD License

string function Ip\_View\_Helper\_DisplayMenu::displayMenu(\$name, \$view) [line 48] Function Parameters:

- \$name
- \$view

displayMenu

Class Ip\_View\_Helper\_DisplayMessages

Ip\_View\_Helper\_DisplayMessages

- Package Ip\_View
- Sub-Package Ip\_View\_Helper
- Author Dev 17 < <a href="mailto:dev@ip-formation.com">dev@ip-formation.com</a>>
- **Version** 1.0 2010-10-10
- **Version** Release : 1.0.1 (2011-02-28)
- Copyright Copyright (c) 2011 DEV 17
- License New BSD License

#### Ip\_View\_Helper\_DisplayMessages::\$\_sessionNamespace

string = 'Ip\_System\_Messages' [line 45]

#### **Session namespace**

Access protected

string function Ip\_View\_Helper\_DisplayMessages::displayMessages() [line 51] displayMessages

# Class Ip\_View\_Helper\_FormatDate

Ip\_View\_Helper\_FormatDate

- Package lp\_View
- Sub-Package Ip View Helper
- Author Dev 17 < <a href="mailto:dev@ip-formation.com">dev@ip-formation.com</a>>
- **Version** 1.0 2010-10-10
- **Version** Release : 1.0.1 (2011-02-28)
- Copyright Copyright (c) 2011 DEV 17
- License New BSD License

string function Ip\_View\_Helper\_FormatDate::formatDate(\$timestamp, [\$format = '%d/%m/%Y']) [line 46] Function Parameters:

- \$timestamp
- \$format

#### **formatDate**

# Class Ip\_View\_Helper\_FormatDateTime

Ip\_View\_Helper\_FormatDateTime

- Package lp\_View
- Sub-Package lp\_View\_Helper
- Author Dev 17 < <a href="mailto:dev@ip-formation.com">dev@ip-formation.com</a>>
- Version 1.0 2010-10-10
- **Version** Release : 1.0.1 (2011-02-28)
- Copyright Copyright (c) 2011 DEV 17
- License New BSD License

 $string function Ip\_View\_Helper\_FormatDateTime::formatDateTime($timestamp, [$format = '%d/%m/%Y ~ Å %Hh%M']) [line 45]$ 

Function Parameters:

- \$timestamp
- \$format

#### formatDateTime

# **Appendices**

## Appendix A - Class Trees

### Package Ip\_Form

## Ip\_Form

- Zend\_Form
  - Ip\_Form

### Package default

## Ip\_View\_Helper\_DisplayUserMenu

- Zend\_View\_Helper\_Abstract
  - Ip View Helper DisplayUserMenu

## Ip\_View\_Helper\_GetConfig

- Zend\_View\_Helper\_Abstract
  - Ip View Helper GetConfig

### Package Ip\_Log

## Ip\_Log

- Zend\_Log
  - Ip Log

### Package Ip\_Controller

## Ip\_Controller\_Action

- Zend\_Controller\_Action
  - Ip Controller Action

## Ip\_Controller\_Action\_Helper\_Abstract

- Ip Controller Action Helper Abstract
  - Ip Controller Action Helper AddSystemError
  - Ip Controller Action Helper AddSystemSuccess
  - Ip Controller Action Helper AddSystemWarning
  - Ip Controller Action Helper GetCache
  - Ip Controller Action Helper GetConfig
  - Ip Controller Action Helper GetDb
  - Ip Controller Action Helper GetLocale
  - Ip Controller Action Helper GetLog

## Ip\_Controller\_Plugin\_Abstract

- Ip Controller Plugin Abstract
  - Ip Controller Plugin RouterSetup

### Package Ip\_Application

## Ip\_Application\_Resource\_View

- Zend\_Application\_Resource\_ResourceAbstract
  - Ip Application Resource View

## Ip\_Application\_Resource\_Zfdebug

- Zend\_Application\_Resource\_ResourceAbstract
  - Ip Application Resource Zfdebug

## Package Ip\_Exception

## Ip\_Exception

- Zend\_Exception
  - Ip Exception

## Package Ip\_View

## Ip\_View

- Zend\_View
  - Ip View

## Ip\_View\_Helper\_Abstract

- Zend\_View\_Helper\_Abstract
  - Ip View Helper Abstract

## Ip\_View\_Helper\_DisplayMenu

- Zend\_View\_Helper\_Abstract
  - Ip View Helper DisplayMenu

## Ip\_View\_Helper\_DisplayMessages

- Zend\_View\_Helper\_Abstract
  - Ip View Helper DisplayMessages

## Ip\_View\_Helper\_FormatDate

- Zend\_View\_Helper\_Abstract
  - <u>Ip View Helper FormatDate</u>

## Ip\_View\_Helper\_FormatDateTime

- Zend\_View\_Helper\_Abstract
  - Ip View Helper FormatDateTime

## Index

A	
* *LICENSE * * This source file is subject to the new BSD license that is bundled package in the file LICENSE.txt. * It is also available through the world-wide-web at * http://framework.zend.com/license/new-bsd * If you did not receive a copy of the license @ zend.com so we can send you a copy immediately. * * @ category   Ip * Ip_Controller * @ subpackage   Ip_Controller_Action * @ desc   Ip_Controller_Action_Helper_AddSystemWarning * @ license   Ip_Controller_Action_Helper_AddSystemWarning * @ copyright Copyright (c) 201   10 * @ author Dev 17 < dev@ip-formation.com> * @ copyright Copyright (c) 201   17 * @ version Release : 1.0.1 (2011-02-28)    Abstract.php  AddSystemSuccess.php  * * LICENSE * * This source file is subject to the new BSD license that is bundled package in the file LICENSE.txt. * It is also available through the world-wide-web at * http://framework.zend.com/license/new-bsd * If you did not receive a copy of the license @ zend.com so we can send you a copy immediately. * * @ category   Ip * In   Ip_Controller * @ subpackage   Ip_Controller_Action * @ desc   Ip_Controller_Action_Helper_AddSystemSuccess * @ license   http://framework.zend.com/license/new-bsd   New BSD License * @ version   1.0.2   10 * @ author Dev 17 < dev@ip-formation.com> * @ copyright Copyright (c) 201   17 * @ version Release : 1.0.1 (2011-02-28)   Abstract.php   AddSystemError.php   AddSystemError.php	this URL: cense and @package 2010-10- 1 DEV . 50 . 30 * with this this URL: cense and @package 2010-10- 1 DEV . 14 . 10
Action.php  LICENSE  C  constructor lp View:: construct()	
Constructor Ip Form:: construct() Constructor  D DisplayMessages.php	
DisplayMenu.php  * * LICENSE * * This source file is subject to the new BSD license that is bundled package in the file LICENSE.txt. * It is also available through the world-wide-web at	. 51 . 35 * with this

* http://framework.zend.com/license/new-bsd * If you did not receive a copy of the license and
are unable to * obtain it through the world-wide-web, please send an email * to
license@zend.com so we can send you a copy immediately. * * @category Ip * @package
Ip_View * @subpackage Ip_View_Helper * @desc
@license http://framework.zend.com/license/new-bsd New BSD License * @version 1.0
2010-10-10 * @author Dev 17 <dev@ip-formation.com> * @copyright Copyright (c)</dev@ip-formation.com>
2011 DEV 17 * @version Release : 1.0.1 (2011-02-28)

E		
Exception.ph Ll	hp	
F		
	<u>Time.php</u>	
	<u>.php</u>	
	ICENSE	
G		
pa * I ar lic Ip_ lp_ bs	*LICENSE * * This source file is subject to the new BSD license that is bundled * with ackage in the file LICENSE.txt. * It is also available through the world-wide-web at this U http://framework.zend.com/license/new-bsd * If you did not receive a copy of the license re unable to * obtain it through the world-wide-web, please send an email * to cense@zend.com so we can send you a copy immediately. * * @category Ip * @pace_controller * @subpackage Ip_Controller_Action * @desc_controller_Action_Helper_GetLocale * @license http://framework.zend.com/license/sed New BSD License * @version 1.0 2010-10-10 * @author Dev 17 <dev@ip-ormation.com> * @copyright Copyright (c) 2011 DEV 17 * @version Release : 1.0.1 2011-02-28)</dev@ip-ormation.com>	RL: and kage new-
GetConfig.pl  * pa * I ar lic Ip 10	*LICENSE * * This source file is subject to the new BSD license that is bundled * with ackage in the file LICENSE.txt. * It is also available through the world-wide-web at this U http://framework.zend.com/license/new-bsd * If you did not receive a copy of the license re unable to * obtain it through the world-wide-web, please send an email * to cense@zend.com so we can send you a copy immediately. * * @category Ip * @pac.o_View * @subpackage Ip_View_Helper * @desc	RL: and kage cense -10-
* pa * I ar lic	hp	RL: and

b. fc	p_Controller_Action_Helper_GetConfig * @license http://framework.zend.com/lice osd New BSD License * @version 1.0 2010-10-10 * @author Dev 17 <dev@ iormation.com&gt; * @copyright Copyright (c) 2011 DEV 17 * @version Release : 2011-02-28)</dev@ 	∂ip-
GetCache.p		32
: p. * a. lid lp lp b.	* * LICENSE * * This source file is subject to the new BSD license that is bundled * package in the file LICENSE.txt. * It is also available through the world-wide-web at the http://framework.zend.com/license/new-bsd * If you did not receive a copy of the license unable to * obtain it through the world-wide-web, please send an email * to license@zend.com so we can send you a copy immediately. * * @category Ip * @category I	with this his URL: ense and package nse/new- pip-
GetLog.php	2	13
GetDb.php		12
	<u>elper DisplayUserMenu::displayUserMenu()</u>	37
*	* displayMenu	urn string
	<u>elper DisplayUserMenu</u>	37
	@category Ip * @package	
	p_View_Helper_DisplayUserMenu * @license http://framework.zend.com/license/r	new-bsd
	New BSD License * @version 1.0 2010-10-10 * @author Dev 17 <dev@ip-< td=""><td>101</td></dev@ip-<>	101
	formation.com> * @copyright Copyright (c) 2011 DEV 17 * @version Release :	1.0.1
	'2011-02-28) *	20
ip_view_rie	* * @category Ip * @package	30 SC
	p_View_Helper_GetConfig * @license http://framework.zend.com/license/new-bso	
	BSD License * @version     1.0 2010-10-10 * @author	71011
	formation.com> * @copyright Copyright (c) 2011 DEV 17 * @version Release :	1.0.1
	(2011-02-28)	
Ip View He	<u>elper_GetConfig::getConfig()</u>	38
*	*Returne application Zend_Config object * @return Zend_Config null	
	<u>getConfig()</u>	41
	Zend_Config object accessor	
<u>lp_Form</u>		41
	<u>on</u>	
	er_Plugin_RouterSetup::routeStartup()	
	er Action Helper GetLog::direct()	23
	accesses Zend_Log ressource	00
	er Action Helper GetLog	
	<u>er_Plugin_Abstract</u>	
	Accesses the frontcore cache	24
	er Plugin RouterSetup	24
	er Plugin Abstract:: getConfig()	
	Accesses the config options	<u>-</u> -1
		45
•	<u> </u>	
<pre>ip_Log::tact</pre>	<del>::Ory()</del>	40

Factory to construct the logger and one or more writers			
<u>Ip View Helper DisplayMessages::displayMessages()</u>		56	
displayMessages			
<u>Ip View Helper DisplayMessages::\$ sessionNamespace</u>		56	
Session namespace			
<u>lp View Helper FormatDate</u>		56	
<u>Ip View Helper FormatDate::formatDate()</u>			
formatDate			
<u>Ip View Helper FormatDateTime::formatDateTime()</u>		57	
formatDateTime		01	
Ip View Helper FormatDateTime		57	
Ip View Helper DisplayMessages			
<u>Ip View Helper DisplayMenu::displayMenu()</u>	• • •	55	
displayMenu		40	
<u>lp View</u>			
<u>lp_Log::log()</u>		45	
Log a message at a priority			
<u>Ip View Helper Abstract</u>		54	
<u>Ip View Helper Abstract:: getConfig()</u>		54	
Accesses config param			
<u>lp_View_Helper_DisplayMenu</u>		55	
Ip Controller Action Helper GetLocale::direct()			
* accesses Zend_Locale ressource * @return Zend_Locale null			
<u>Ip Controller Action Helper GetLocale</u>		22	
* * @category Ip * @package   Ip_Controller * @subpackage   Ip_Controller *	troller	<b></b> Δction * @	desc
	u Onei_	Action @	uesu
Ip_Controller_Action_Helper_GetLocale * @license	ion 1	0 2010 10	1
http://framework.zend.com/license/new-bsd New BSD License * @vers			<b>)_</b>
http://framework.zend.com/license/new-bsd New BSD License * @vers 10 * @author Dev 17 <dev@ip-formation.com> * @copyright Copyrig</dev@ip-formation.com>			)_
http://framework.zend.com/license/new-bsd New BSD License * @vers 10 * @author Dev 17 <dev@ip-formation.com> * @copyright Copyrig 17 * @version Release : 1.0.1 (2011-02-28)</dev@ip-formation.com>	ght (c) i	2011 DEV	) <u> </u>
http://framework.zend.com/license/new-bsd New BSD License * @vers 10 * @author Dev 17 <dev@ip-formation.com> * @copyright Copyrig 17 * @version Release : 1.0.1 (2011-02-28)  Ip Application Resource Zfdebug::init()</dev@ip-formation.com>	ght (c)	2011 DEV 7	<b>-</b>
http://framework.zend.com/license/new-bsd New BSD License * @vers 10 * @author Dev 17 <dev@ip-formation.com> * @copyright Copyrig 17 * @version Release : 1.0.1 (2011-02-28)  Ip Application Resource Zfdebug::init()</dev@ip-formation.com>	ght (c)	2011 DEV 7	-
http://framework.zend.com/license/new-bsd New BSD License * @vers 10 * @author Dev 17 <dev@ip-formation.com> * @copyright Copyrig 17 * @version Release : 1.0.1 (2011-02-28)  Ip Application Resource Zfdebug::init() Ip Application Resource Zfdebug::\$ view  Zend_View container.</dev@ip-formation.com>	ght (c) :	2011 DEV 7 6	<b>-</b>
http://framework.zend.com/license/new-bsd New BSD License * @vers 10 * @author Dev 17 <dev@ip-formation.com> * @copyright Copyrig 17 * @version Release : 1.0.1 (2011-02-28)  Ip Application Resource Zfdebug::init()</dev@ip-formation.com>	ght (c) :	2011 DEV 7 6	<b> -</b>
http://framework.zend.com/license/new-bsd New BSD License * @vers 10 * @author Dev 17 <dev@ip-formation.com> * @copyright Copyrig 17 * @version Release : 1.0.1 (2011-02-28)  Ip Application Resource Zfdebug::init() Ip Application Resource Zfdebug::\$ view  Zend_View container.</dev@ip-formation.com>	ght (c) 2	2011 DEV 7 6 15	<b>-</b>
http://framework.zend.com/license/new-bsd New BSD License * @vers 10 * @author Dev 17 <dev@ip-formation.com> * @copyright Copyright 17 * @version Release : 1.0.1 (2011-02-28)  Ip_Application_Resource_Zfdebug::init()</dev@ip-formation.com>	ght (c) 2	2011 DEV 7 6 15	-
http://framework.zend.com/license/new-bsd New BSD License * @vers 10 * @author Dev 17 <dev@ip-formation.com> * @copyright Copyrig 17 * @version Release : 1.0.1 (2011-02-28)  Ip Application Resource Zfdebug::init()  Ip Application Resource Zfdebug::\$ view</dev@ip-formation.com>	ght (c) 2	2011 DEV 7 6 15	-
http://framework.zend.com/license/new-bsd New BSD License * @vers 10 * @author Dev 17 <dev@ip-formation.com> * @copyright Copyrig 17 * @version Release : 1.0.1 (2011-02-28)  Ip Application Resource Zfdebug::init()  Ip Application Resource Zfdebug::\$ view</dev@ip-formation.com>	ght (c) :	2011 DEV 7 6 15 15	-
http://framework.zend.com/license/new-bsd New BSD License * @vers 10 * @author Dev 17 <dev@ip-formation.com> * @copyright Copyright 17 * @version Release : 1.0.1 (2011-02-28)  Ip_Application_Resource_Zfdebug::init()  Ip_Application_Resource_Zfdebug::\$ view</dev@ip-formation.com>	ght (c) :	2011 DEV 7 6 15 15	-
http://framework.zend.com/license/new-bsd New BSD License * @vers 10 * @author Dev 17 <dev@ip-formation.com> * @copyright Copyright 17 * @version Release : 1.0.1 (2011-02-28)  Ip_Application_Resource_Zfdebug::init()  Ip_Application_Resource_Zfdebug::\$ view</dev@ip-formation.com>	ght (c) :	2011 DEV 7 6 15 15	-
http://framework.zend.com/license/new-bsd New BSD License * @vers 10 * @author Dev 17 <dev@ip-formation.com> * @copyright Copyright 17 * @version Release : 1.0.1 (2011-02-28)  Ip_Application_Resource_Zfdebug::init()  Ip_Application_Resource_Zfdebug::\$ view</dev@ip-formation.com>	ght (c) :	2011 DEV 7 6 15 16 16	-
http://framework.zend.com/license/new-bsd New BSD License * @vers 10 * @author Dev 17 <dev@ip-formation.com> * @copyright Copyrig 17 * @version Release : 1.0.1 (2011-02-28)  Ip Application Resource Zfdebug::init()  Ip Application Resource Zfdebug::\$ view</dev@ip-formation.com>	ght (c) :	2011 DEV 7 6 15 16 16	-
http://framework.zend.com/license/new-bsd New BSD License * @vers 10 * @author Dev 17 <dev@ip-formation.com> * @copyright Copyright 17 * @version Release : 1.0.1 (2011-02-28)  Ip Application Resource Zfdebug::init()  Ip Application Resource Zfdebug::\$ view</dev@ip-formation.com>	ght (c) 2	2011 DEV 7 6 15 16 16 6	-
http://framework.zend.com/license/new-bsd New BSD License * @vers 10 * @author Dev 17 <dev@ip-formation.com> * @copyright Copyright 17 * @version Release : 1.0.1 (2011-02-28)  Ip Application Resource Zfdebug::init()  Ip Application Resource Zfdebug::\$ view</dev@ip-formation.com>	ght (c) :	2011 DEV 7 6 15 16 16 6	
http://framework.zend.com/license/new-bsd New BSD License * @vers 10 * @author Dev 17 <dev@ip-formation.com> * @copyright Copyright 17 * @version Release : 1.0.1 (2011-02-28)  Ip_Application_Resource_Zfdebug::init()  Ip_Application_Resource_Zfdebug::\$ view</dev@ip-formation.com>	ght (c) :	2011 DEV 7 6 15 16 16 6	-
http://framework.zend.com/license/new-bsd New BSD License * @vers 10 * @author Dev 17 <dev@ip-formation.com> * @copyright Copyright 17 * @version Release : 1.0.1 (2011-02-28)  Ip_Application_Resource_Zfdebug::init() Ip_Application_Resource_Zfdebug::\$ view</dev@ip-formation.com>	ght (c) :	2011 DEV 7 6 15 16 16 6 6 4	
http://framework.zend.com/license/new-bsd New BSD License * @vers 10 * @author Dev 17 <dev@ip-formation.com> * @copyright Copyright 17 * @version Release : 1.0.1 (2011-02-28)  Ip_Application_Resource_Zfdebug::init()  Ip_Application_Resource_Zfdebug::\$ view</dev@ip-formation.com>	ght (c) :	2011 DEV 7 6 15 16 16 6 6 4	
http://framework.zend.com/license/new-bsd New BSD License * @vers 10 * @author Dev 17 <dev@ip-formation.com> * @copyright Copyright 17 * @version Release : 1.0.1 (2011-02-28)  Ip_Application_Resource_Zfdebug::init() Ip_Application_Resource_Zfdebug::\$ view</dev@ip-formation.com>	ght (c) :	2011 DEV 7 6 15 16 16 6 6 4	-
http://framework.zend.com/license/new-bsd New BSD License * @vers 10 * @author Dev 17 <dev@ip-formation.com> * @copyright Copyright 17 * @version Release : 1.0.1 (2011-02-28)  Ip Application Resource Zfdebug::init()  Ip Application Resource Zfdebug::\$ view      Zend_View container.  Ip Controller Action  Ip Controller Action:: call()      Surcharge : intercepte les appels aux mĀ@thodes de classe non dĀ@finies Tente d'appeler le helper d'action du meme nom  Ip Controller Action Helper Abstract:: getResource()      Get a front controller resource by name  Ip Controller Action Helper Abstract  Ip Application Resource Zfdebug::\$ localOptions      Config options  Ip Application Resource View::\$ view      Zend_View container.  Ip Application Resource View::\$ localOptions</dev@ip-formation.com>	ght (c) :	2011 DEV 7 6 15 16 16 6 6 4	-
http://framework.zend.com/license/new-bsd New BSD License * @vers 10 * @author Dev 17 <dev@ip-formation.com> * @copyright Copyright 17 * @version Release : 1.0.1 (2011-02-28)  Ip Application Resource Zfdebug::init()  Ip Application Resource Zfdebug::\$ view</dev@ip-formation.com>	ght (c) :	2011 DEV 7 6 15 16 16 6 6 4 4	
http://framework.zend.com/license/new-bsd New BSD License * @vers 10 * @author Dev 17 <dev@ip-formation.com> * @copyright Copyright 17 * @version Release : 1.0.1 (2011-02-28)  Ip Application Resource Zfdebug::init()  Ip Application Resource Zfdebug::\$ view</dev@ip-formation.com>	ght (c) :	2011 DEV 7 6 15 16 16 6 6 4 4	
http://framework.zend.com/license/new-bsd New BSD License * @vers 10 * @author Dev 17 <dev@ip-formation.com> * @copyright Copyright 17 * @version Release : 1.0.1 (2011-02-28)  Ip Application Resource Zfdebug::init()  Ip Application Resource Zfdebug::\$ view</dev@ip-formation.com>	ght (c) :	2011 DEV7615161666445	
http://framework.zend.com/license/new-bsd New BSD License * @vers 10 * @author Dev 17 <dev@ip-formation.com> * @copyright Copyright 17 * @version Release: 1.0.1 (2011-02-28)  Ip Application Resource Zfdebug::init()  Ip Application Resource Zfdebug::\$ view</dev@ip-formation.com>	ght (c) :	2011 DEV7615161666445	
http://framework.zend.com/license/new-bsd New BSD License * @vers 10 * @author Dev 17 <dev@ip-formation.com> * @copyright Copyright 17 * @version Release: 1.0.1 (2011-02-28)  Ip Application Resource Zfdebug::init() Ip Application Resource Zfdebug::s view  Zend_View container.  Ip Controller Action Ip Controller Action:: call()  Surcharge: intercepte les appels aux mÃ@thodes de classe non dÃ@finies Tente d'appeler le helper d'action du meme nom  Ip Controller Action Helper Abstract:: getResource()  Get a front controller resource by name  Ip Controller Action Helper Abstract Ip Application Resource Zfdebug::\$ localOptions  Config options  Ip Application Resource View::\$ view  Zend_View container.  Ip Application Resource View::\$ localOptions  Config options  Ip Application Resource View::\$ setupCss()  Setup css stylesheet in headStyle stack  Ip Application Resource View:: setupJs()  Setup js scripts in headStyle stack</dev@ip-formation.com>	ght (c) :	2011 DEV 7 6 15 16 16 6 6 4 5 5 5	
http://framework.zend.com/license/new-bsd New BSD License * @vers 10 * @author Dev 17 <dev@ip-formation.com> * @copyright Copyright 17 * @version Release: 1.0.1 (2011-02-28)  Ip Application Resource Zfdebug::init()  Ip Application Resource Zfdebug::\$ view</dev@ip-formation.com>	ght (c) :	2011 DEV 7 6 15 16 16 6 6 4 5 5 5	

<u>Ip Controller Action Helper AddSystemError</u>
<u>Ip Controller Action Helper AddSystemError::\$ sessionNamespace</u> 17
Session namespace
<u>Ip Controller Action Helper GetCache::direct()</u>
* Gets the frontcore cachemanager * @return Zend_Cache null
<u>Ip Controller Action Helper GetCache</u>
* * @category Ip * @package Ip_Controller * @subpackage Ip_Controller_Action * @desc
Ip_Controller_Action_Helper_GetCache * @license
http://framework.zend.com/license/new-bsd New BSD License * @version 1.0 2010-10-
10 * @author Dev 17 <dev@ip-formation.com> * @copyright Copyright (c) 2011 DEV</dev@ip-formation.com>
17 * @version Release : 1.0.1 (2011-02-28)
<u>Ip Controller Action Helper GetConfig</u>
* * @category Ip * @package
Ip_Controller_Action_Helper_GetConfig * @license
http://framework.zend.com/license/new-bsd New BSD License * @version 1.0 2010-10-
10 * @author Dev 17 <dev@ip-formation.com> * @copyright Copyright (c) 2011 DEV</dev@ip-formation.com>
17 * @version Release : 1.0.1 (2011-02-28)
<u>Ip Controller Action Helper GetConfig::direct()</u>
* Returns config options * @return Zend_Config null
Ip Controller Action Helper GetDb::direct()
accesses Zend Db ressource
<u>Ip Controller Action Helper GetDb</u>
Ip Controller Action Helper AddSystemWarning::direct()
* Stores a system message in session * @param string \$message * @return void
Ip Controller Action Helper AddSystemWarning::\$ sessionNamespace
* Session namespace * @var string
Ip Controller Action Helper AddSystemSuccess
* * @category Ip * @package Ip_Controller * @subpackage Ip_Controller_Action * @desc
Ip_Controller_Action_Helper_AddSystemSuccess * @license
http://framework.zend.com/license/new-bsd New BSD License * @version 1.0 2010-10-
10 * @author Dev 17 <dev@ip-formation.com> * @copyright Copyright (c) 2011 DEV</dev@ip-formation.com>
17 * @version Release : 1.0.1 (2011-02-28)
<u>Ip Controller Action Helper AddSystemError::direct()</u>
Stores a system message in session
Ip Controller Action Helper AddSystemSuccess::\$ sessionNamespace
* Session namespace * @var string
Ip Controller Action Helper AddSystemSuccess::direct()
* Stores a system message in session * * @param string \$message * @return void
<u>Ip Controller Action Helper AddSystemWarning</u>
Ip_Controller_Action_Helper_AddSystemWarning * @license
http://framework.zend.com/license/new-bsd New BSD License * @version 1.0 2010-10-
10 * @author Dev 17 <dev@ip-formation.com> * @copyright Copyright (c) 2011 DEV</dev@ip-formation.com>
17 * @version Release : 1.0.1 (2011-02-28)
Ip Application Resource View
The production recognition with the second s
L Log.php

V	
<u>View.php</u>	48
View.php	2
<u> •••••••</u> •••••••••••••••••••••••••••••	2
Z	
7fdebug php	3