

Kasungu District Hospital Neotree Admission

Search



Key	Label	Type	
MA	Possible Meconium Aspiration	diagnosis	
NSep	Suspected neonatal sepsis	diagnosis	
DF	Difficulty Feeding	diagnosis	
Dhyd	Dehydration	diagnosis	
CHD	Congenital Heart Disease	diagnosis	
An	Anaemia	diagnosis	
Cong	Congenital Abnormality	diagnosis	
PnBch	Pneumonia / Bronchiolitis	diagnosis	
TTN	Transient Tachypnoea of Newborn (TTN)	diagnosis	
UH	Umbilical Hernia	diagnosis	
Mgts	Meningitis	diagnosis	
AG	Ambiguous Genetalia	diagnosis	
UMS	Untreated Maternal Syphilis	diagnosis	
AbObs	Abdominal obstruction	diagnosis	
BT	Birth Trauma	diagnosis	
Apn	Apnoea of prematurity	diagnosis	
BA	Birth Asphyxia	diagnosis	
Conv	Convulsions	diagnosis	

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



	2499g)		
VLBW	Very Low Birth Weight (1000-1499g)	diagnosis	↗
ExLBW	Extremely Low Birth Weight (<1000g)	diagnosis	↗
HBW	High Birth Weight (>4000g at birth)	diagnosis	↗
MiHypo	Mild Hypothermia	diagnosis	↗
ModHypo	Moderate Hypothermia	diagnosis	↗
SHypo	Severe Hypothermia	diagnosis	↗
Hyperth	Hyperthermia	diagnosis	↗
Prem	Premature (32-36 weeks)	diagnosis	↗
VPrem	Very Premature (28-31 weeks)	diagnosis	↗
ExPrem	Extremely Premature (<28 weeks)	diagnosis	↗
HypogSy	Hypoglycaemia (symptomatic)	diagnosis	↗
HypogAs	Hypoglycaemia (NOT symptomatic)	diagnosis	↗
RiHypog	At Risk of Hypoglycaemia	diagnosis	↗
HIVU	HIV Unknown	diagnosis	↗
HIVLR	HIV Low Risk	diagnosis	↗
HIVHR	HIV High Risk	diagnosis	↗
MJ	Physiological Jaundice	diagnosis	↗
DJ	Pathological Jaundice	diagnosis	↗
PJaundice	Prolonged Jaundice	diagnosis	↗
HIE	Hypoxic Ischaemic Encephalopathy	diagnosis	↗
sHIE	Suspected Hypoxic Ischaemic Encephalopathy	diagnosis	↗

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



Distress

TermRD	Term baby with Respiratory Distress	diagnosis	
GSchis	Gastroschisis	diagnosis	
Omph	Omphalocele	diagnosis	
CleftRD	Cleft lip and/or palate with RD	diagnosis	
CleftLip	Cleft lip	diagnosis	
CleftLipPalate	Cleft lip and/or palate	diagnosis	
Myelo	Myelomeningocele	diagnosis	
CDH	Congenital dislocation of the hip (CDH)	diagnosis	
MoTalipes	Moderate Talipes (club foot)	diagnosis	
MiTalipes	Mild Talipes (club foot)	diagnosis	
Risk	Risk factors for sepsis (Not symptomatic)	diagnosis	
BabyCryTriage	Baby Crying	yesno	
FurtherTriage	Further Triage	single_select	
DangerSigns	Danger signs	multi_select	
DangerSigns2	Danger Signs 2	multi_select	
RR	Respiratory Rate (bpm)	timer	
ManualHR	Manual Heart Rate (beats per minute)	timer	
HypoSymptoms	Symptomatic?	yesno	
AdmReason	Presenting complaint	multi_select	
AdmReaSurgCond	Reason for admission / presenting complaint - Surgical Conditions	multi_select	

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



AdmissionCongenitalAnom	presenting complaint - Congenital Anomalies	multi_select	
Gender	Sex	single_select	
SuckReflex	Suck Reflex	single_select	
Palate	Palate	single_select	
Fontanelle	Fontanelle	single_select	
HeadShape	Head Shape	single_select	
Dysmorphic	Dysmorphic?	yesno	
Tone	Tone	single_select	
Spine	Spine	single_select	
Activity	Activity	single_select	
SignsRD	Signs of Respiratory Distress	multi_select	
WOB	Work of breathing	single_select	
Stethoscope	Stethoscope	yesno	
ChestAusc	Chest auscultation	multi_select	
Murmur	Heart sounds	single_select	
Colour	Colour	multi_select	
CRT	Capillary Refill time (CRT)	single_select	
Femorals	Femoral pulses	single_select	
SignsDehydrations	Signs of Dehydration	multi_select	
Abdomen	Abdomen	multi_select	
GSCvsOM	Which abdominal wall defect?	single_select	
Umbilicus	Umbilicus	multi_select	
Genitalia	Genitalia	single_select	
Anus2	Anus	single_select	
MSKproblems	Musculoskeletal problems	multi_select	

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



Skin	Skin	multi_select	↗
FeverSR	Fever	yesno	↗
FeverOns	Fever started	single_select	↗
RespSR	Respiratory symptoms	multi_select	↗
RespOns	Breathing problems started	single_select	↗
Vomiting	Vomiting?	multi_select	↗
GastOns	Gastro problems started	single_select	↗
FeedsAdm	Feeds received	multi_select	↗
SRNeuroOther	Other Neuro symptoms?	multi_select	↗
NeorOns	Neuro problems started	single_select	↗
MaritalStat	Marital status	single_select	↗
Ethnicity	Ethnicity	single_select	↗
Tribe	Mother's Tribe	single_select	↗
Religion	Mother's religion	single_select	↗
MatHIVtest	Mother had HIV test?	yesno	↗
NVPgiven	NVP given to baby?	yesno	↗
HepBYN	Has the mother had a Hepatitis B test?	single_select	↗
ANVDRL	Syphilis test?	single_select	↗
PregConditions	Medical conditions in pregnancy	multi_select	↗
STDsOther	Medical conditions in pregnancy	multi_select	↗
IPT	IPT	single_select	↗
ProbsLab	Problems in Labour	multi_select	↗
RFsepsis	Risk Factors for Sepsis	multi_select	↗
CSreason	Reason for CS	multi_select	↗

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



MecThickThin	Thick / Thin	single_select	
Resus	Resuscitation given	multi_select	
EDLIZSummaryTableScore	Sepsis Factors	mwi_edliz_summary_table	
Plan	Management plan	multi_select	
RefDia	Referral Diagnoses	multi_select	
Outcome	Admission Outcome	single_select	
Meconium at delivery	Meconium at delivery	diagnosis_symptom_risk	
Mec stained umbilicus	Mec stained umbilicus	diagnosis_symptom_risk	
Grunting or severe recessions	Grunting or severe recessions	diagnosis_symptom_sign	
Tachynoea > 80	Tachynoea > 80	diagnosis_symptom_sign	
History of fast or laboured breathing	History of fast or laboured breathing	diagnosis_symptom_sign	
History of noisy breathing	History of noisy breathing	diagnosis_symptom_sign	
Saturations in air < 90	Saturations in air < 90	diagnosis_symptom_sign	
Saturations in oxygen < 90	Saturations in oxygen < 90	diagnosis_symptom_sign	
Any severity of work of breathing	Any severity of work of breathing	diagnosis_symptom_sign	
Bilateral crackles or wheeze	Bilateral crackles or wheeze	diagnosis_symptom_sign	
Passed Mec in liquor	Passed Mec in liquor	diagnosis_symptom_risk	
Needs help breast feeding	Needs help breast feeding	diagnosis_symptom_sign	
Needs cup or spoon feeding	Needs cup or spoon feeding	diagnosis_symptom_sign	
Refusing all feeds: needs NG	Refusing all feeds: needs NG	diagnosis_symptom_sign	
Requires IV fluids	Requires IV fluids	diagnosis_symptom_sign	
Absent suck	Absent suck	diagnosis_symptom_sign	
Prolonged skin pinch	Prolonged skin pinch	diagnosis_symptom_sign	

You're in **view** mode [Switch to development mode](#)

v628

david.delorenzo



Sunken eyes	Sunken eyes	diagnosis_symptom_sign	↗
Fontanelle Sunken	Fontanelle Sunken	diagnosis_symptom_sign	↗
White colour	White colour	diagnosis_symptom_sign	↗
No Mat FeFo	No Mat FeFo	diagnosis_symptom_sign	↗
Admitted with NTD	Admitted with NTD	diagnosis_symptom_sign	↗
Admitted with other congenital abnormality	Admitted with other congenital abnormality	diagnosis_symptom_sign	↗
Spinal NTD	Spinal NTD	diagnosis_symptom_sign	↗
Abdominal wall defect	Abdominal wall defect	diagnosis_symptom_sign	↗
Abnormal umbilicus	Abnormal umbilicus	diagnosis_symptom_sign	↗
Imperforate anus	Imperforate anus	diagnosis_symptom_sign	↗
Musculoskeletal deformity e.g. talipes	Musculoskeletal deformity e.g. talipes	diagnosis_symptom_sign	↗
Head Shape	Head Shape	diagnosis_symptom_sign	↗
Tachypnoea > 80	Tachypnoea > 80	diagnosis_symptom_sign	↗
History of cough	History of cough	diagnosis_symptom_sign	↗
Any severity of WOB	Any severity of WOB	diagnosis_symptom_sign	↗
Sats in air < 90	Sats in air < 90	diagnosis_symptom_sign	↗
Sats in oxygen < 90	Sats in oxygen < 90	diagnosis_symptom_sign	↗
Any chest signs	Any chest signs	diagnosis_symptom_sign	↗
Saturations in O2 < 90	Saturations in O2 < 90	diagnosis_symptom_sign	↗
Fever	Fever	diagnosis_symptom_sign	↗
Admitted with fever	Admitted with fever	diagnosis_symptom_sign	↗
History of fever	History of fever	diagnosis_symptom_sign	↗
Pustules all over body	Pustules all over body	diagnosis_symptom_sign	↗
Big Boil	Big Boil	diagnosis_symptom_sign	↗

You're in **view** mode [Switch to development mode](#)

v628

david.delorenzo



Bulging fontanelle	Bulging fontanelle	diagnosis_symptom_sign	↗
History of Apnoea	History of Apnoea	diagnosis_symptom_sign	↗
Pallor	Pallor	diagnosis_symptom_sign	↗
Lethargy	Lethargy	diagnosis_symptom_sign	↗
Irritability	Irritability	diagnosis_symptom_sign	↗
Tachy without fever or crying	Tachy without fever or crying	diagnosis_symptom_sign	↗
Manual tachy without fever	Manual tachy without fever	diagnosis_symptom_sign	↗
Jaundice (<24hrs)	Jaundice (<24hrs)	diagnosis_symptom_sign	↗
weak or absent suck	weak or absent suck	diagnosis_symptom_sign	↗
Distended abdomen	Distended abdomen	diagnosis_symptom_sign	↗
Any full risk factor for sepsis	Any full risk factor for sepsis	diagnosis_symptom_risk	↗
Born before arrival	Born before arrival	diagnosis_symptom_risk	↗
Convulsions	Convulsions	diagnosis_symptom_sign	↗
Bilious vomiting	Bilious vomiting	diagnosis_symptom_sign	↗
Poor feeding or vomiting	Poor feeding or vomiting	diagnosis_symptom_sign	↗
Increased tone	Increased tone	diagnosis_symptom_sign	↗
Activity irritable	Activity irritable	diagnosis_symptom_sign	↗
Activity Lethargic	Activity Lethargic	diagnosis_symptom_sign	↗
Not Passed Meconium in 1st 24 hrs	Not Passed Meconium in 1st 24 hrs	diagnosis_symptom_sign	↗
Vomiting all feeds	Vomiting all feeds	diagnosis_symptom_sign	↗
Vomiting with blood	Vomiting with blood	diagnosis_symptom_sign	↗
Bowels not open	Bowels not open	diagnosis_symptom_sign	↗
Abdominal distension	Abdominal distension	diagnosis_symptom_sign	↗
History of blue episodes	History of blue episodes	diagnosis_symptom_sign	↗

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



Prolonged 2nd stage	Prolonged 2nd stage	diagnosis_symptom_risk	↗
Mode of delivery Vacuum/EmCS/Breech vaginal	Mode of delivery Vacuum/EmCS/Breech vaginal	diagnosis_symptom_risk	↗
Apgar at 5 min < 7	Apgar at 5 min < 7	diagnosis_symptom_risk	↗
Resus: > 10 mins or (BVM > 5 mins) or any CPR	Resus: > 10 mins or (BVM > 5 mins) or any CPR	diagnosis_symptom_risk	↗
Absent suck reflex & Gestation 34 weeks or more	Absent suck reflex & Gestation 34 weeks or more	diagnosis_symptom_sign	↗
Hypotonia	Hypotonia	diagnosis_symptom_sign	↗
Activity irritable or lethargic or Coma	Activity irritable or lethargic or Coma	diagnosis_symptom_sign	↗
Birth Trauma	Birth Trauma	diagnosis_symptom_risk	↗
Convulsions in Danger Signs	Convulsions in Danger Signs	diagnosis_symptom_sign	↗
History of convulsions	History of convulsions	diagnosis_symptom_sign	↗
Activity is convulsing	Activity is convulsing	diagnosis_symptom_sign	↗
Presented with convulsions	Presented with convulsions	diagnosis_symptom_sign	↗
Maternal Fever in Labour	Maternal Fever in Labour	diagnosis_symptom_risk	↗
Offensive Liquor	Offensive Liquor	diagnosis_symptom_risk	↗
PROM > 18 hrs	PROM > 18 hrs	diagnosis_symptom_risk	↗
Temp > 37.4	Temp > 37.4	diagnosis_symptom_sign	↗
Apnoea	Apnoea	diagnosis_symptom_sign	↗
Severe WOB	Severe WOB	diagnosis_symptom_sign	↗
Moderate WOB	Moderate WOB	diagnosis_symptom_sign	↗
Reason for admission - Fever	Reason for admission - Fever	diagnosis_symptom_sign	↗
Other symptoms - Fever	Other symptoms - Fever	diagnosis_symptom_sign	↗
Tachypnoea > 59 in all ages except < 2hrs old	Tachypnoea > 59 in all ages except < 2hrs old	diagnosis_symptom_sign	↗

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



Mild WOB	Mild WOB	diagnosis_symptom_sign	↗
Tachycardia without fever or crying	Tachycardia without fever or crying	diagnosis_symptom_sign	↗
Poor feeding	Poor feeding	diagnosis_symptom_sign	↗
Weak Suck & Gestation > 33 weeks	Weak Suck & Gestation > 33 weeks	diagnosis_symptom_sign	↗
Irritable	Irritable	diagnosis_symptom_sign	↗
Prematurity 32-36	Prematurity 32-36	diagnosis_symptom_risk	↗
Jaundice < 24 hrs	Jaundice < 24 hrs	diagnosis_symptom_sign	↗
Very or extremely prem (<32 wks)	Very or extremely prem (<32 wks)	diagnosis_symptom_risk	↗
RR > 80 in < 2 hrs	RR > 80 in < 2 hrs	diagnosis_symptom_sign	↗
RR 60-80 < 2hrs	RR 60-80 < 2hrs	diagnosis_symptom_sign	↗
NotBr	NOT BREATHING!	option	↗
Gasp	GASPING or irregular breathing	option	↗
HRLow	Normal breathing but HR < 100	option	↗
Floppy	VERY FLOPPY (normal breathing & HR)	option	↗
Stable	Stable	option	↗
Grun	Grunting or severe chest indrawings	option	↗
Cyan	Central cyanosis	option	↗
Convulsions	Convulsions or twitching	option	↗
Norm	NONE	option	↗
Cold	Trunk feels cold	option	↗
PrCRT	Capillary Refill Time more than 3 seconds	option	↗

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



SatsMonAvailable	Oxygen Sats Monitor Available & Working?	dropdown	
SatsAir	Oxygen Sats in Air (%)	number	
HR	Heart Rate (bpm)	number	
SatsO2	Saturations in Oxygen	number	
Temperature	Temperature (deg's C)	number	
BSmonYN	Are you able to measure blood sugar?	dropdown	
BSUnit	Blood Sugar Measurement Unit	dropdown	
BloodSugarmmol	Blood Sugar (mmol/L) (2.5 - 4.5)	number	
BloodSugarmg	Blood Sugar (mg/dL) (45 - 81)	number	
AdmissionWeight	Admission Weight (g)	number	
BirthWeight	Birth Weight (g)	number	
OFC	Head Circumf. (cm)	number	
AD	Abdominal distension	option	
BA	Birth Asphyxia/HIE	option	
CONV	Convulsions	option	
CH	Cord Haemorrhage	option	
ED	Eye Discharge	option	
DIB	Difficulty in breathing	option	
DEHY	Dehydration	option	
DIH	Diarrhoea	option	
DST	Down Syndrome/Trisomy 21	option	
DU	Dumped baby	option	
Omph	Exomphalos / Omphalocele	option	

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



Sucking

FEV	Fever	option	↗
GSchis	Gastroschisis	option	↗
HIVX	HIV exposed	option	↗
HYPO	Hypothermia	option	↗
HYP	Hypoxia	option	↗
IA	Imperforated Anus	option	↗
IC	Irritable Crying	option	↗
ICS	Infected Cord Stump	option	↗
IUGR	IUGR	option	↗
J	Jaundice	option	↗
Apg	Low Apgars	option	↗
LBW	Low birth weight	option	↗
Mac	Macrosomia (Large baby)	option	↗
MYSB	Myelomeningocele / Spina Bifida	option	↗
NTD	Neural tube defect / spina bifida	option	↗
NPS	Not Passing Stool	option	↗
NPU	Not Passing Urine	option	↗
OT	Oral Thrush	option	↗
PS	Pale Skin	option	↗
Mec	Possible meconium aspiration	option	↗
Prem	Prematurity	option	↗
PremRD	Prematurity with Respiratory Distress	option	↗
TermRD	Term baby with Respiratory Distress	option	↗

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



NSep	Suspected neonatal sepsis	option	↗
Safe	Safe keeping	option	↗
SR	Skin Rash	option	↗
SPn	Severe Pneumonia	option	↗
SSS	Staphylococcal Scalding Skin Syndrome (SSS)	option	↗
SEB	Syphilis Exposed Baby	option	↗
TR13	Trisomy 13	option	↗
VOM	Vomiting every feeds	option	↗
WL	Weight Loss	option	↗
Cong	Other congenital abnormality	option	↗
OS	Other Surgical Conditions	option	↗
O	Other	option	↗
AdmReasonOth	If other what?	text	↗
AB	Abscess	option	↗
ANMA	Anorectal Malformation	option	↗
BO	Bowel Obstruction	option	↗
CLP	Cleft lip and palate	option	↗
CY	Cyst	option	↗
ENC	Encephalocele	option	↗
EXP	Exomphalos/Omphalocele	option	↗
FR	Fractures	option	↗
GAS	Gastroschisis	option	↗
HE	Hernia	option	↗
HRS	Hirschsprungs	option	↗
HYDR	Hydrocephalus	option	↗

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



MIC	Microcephaly	option	↗
SB	Spinal Bifida	option	↗
TAP	Tallipes	option	↗
UNTE	Undistended Testicles	option	↗
OthAdmReasSurgCond	If other what?	text	↗
MYSB	Myelomeningocele / Spina Bifida	option	↗
HIRD	Hirschsprungs Disease	option	↗
CNA	Congenital Neck Anomaly	option	↗
AdmReasonOthCongAnom	If other what?	text	↗
NUID	NEOTREE ID	text	↗
DateTimeAdmission	Date/time admission	datetime	↗
Readmission	Readmission?	dropdown	↗
MotherFirstName	Mother's First Name	text	↗
MotherSurname	Mother's Surname	text	↗
BabyFirstName	Baby's First Name	text	↗
BabySurname	Baby's Surname	text	↗
M	Male	option	↗
F	Female	option	↗
NS	Not Sure	option	↗
DOBYN	Do you know the Date of Birth?	dropdown	↗
DOBTOB	Date and Time of birth	datetime	↗
Age	Age (Days & Hours)	period	↗
AgeEstimate	Age Category Estimate	dropdown	↗
TypeBirth	Type of Birth	dropdown	↗

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



(weeks.days)

MethodEstGest	Method of estimating gestation	dropdown	
Strong	Present and strong	option	
Weak	Present but weak	option	
Absent	Absent +/- bites	option	
Palate	Palate and lip intact (normal)	option	
Cleft	Cleft palate	option	
Lip	Cleft lip	option	
LipPalate	Cleft lip and palate	option	
Full	Flat, Not Tense (normal)	option	
Sunk	Sunken	option	
Bulg	Bulging/Tense	option	
Norm	Normal	option	
Mold	Molding	option	
Hydro	Hydrocephalus	option	
Swell	Swelling or signs of birth trauma	option	
Cap	Caput	option	
Micro	Obvious microcephaly	option	
Norm	Normal tone, movement in all limbs	option	
High	Increased tone = Hypertonia (stiff)	option	
Low	Reduced tone = Hypotonia (floppy)	option	
Flac	Flaccid (completely floppy)	option	
OAbn	Other spinal abnormality	option	

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



(normal)

Irrit	Irritable, hyperalert or inconsolable	option	↗
Leth	Lethargic, quiet, decreased activity	option	↗
Convulsions	Seizures, convulsions, or twitchings	option	↗
Coma	Coma (unresponsive)	option	↗
SuckTh	Suck reflex	dropdown	↗
FontTh	Fontanelle	dropdown	↗
ToneTh	Tone	dropdown	↗
LOCTh	Level of Conciousness	dropdown	↗
FitsTh	Fits, Seizures or convulsions	dropdown	↗
RespTh	Respiration	dropdown	↗
PostTh	Posture	dropdown	↗
MoroTh	Moro reflex	dropdown	↗
GraspTh	Grasp reflex	dropdown	↗
ThompScore	Thompson score (add the above)	number	↗
NFL	Nasal Flaring	option	↗
CHI	Chest in-drawings	option	↗
HN	Head Nodding	option	↗
GR	Grunting	option	↗
TT	Tracheal Tug	option	↗
ST	Stridor	option	↗
Mild	Mild	option	↗
Mod	Moderate	option	↗
Sev	Severe	option	↗

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



UeqAE	Unequal air entry	option	↗
UniCr	Unilateral crackles	option	↗
UniWh	Unilateral wheeze	option	↗
BilatCr	Bilateral crackles/wheeze	option	↗
Strid	Stridor	option	↗
No	Normal heart sounds	option	↗
Yes	Murmur or extra sounds	option	↗
NotCon	I am not confident auscultating for murmurs	option	↗
Pink	Pink	option	↗
Blue	Blue	option	↗
White	White (Pale)	option	↗
Yell	Yellow	option	↗
Norm	Less than 3 seconds	option	↗
Prol	3 or more seconds	option	↗
Present	Palpable	option	↗
Absent	Weak or absent	option	↗
NotCon	I am not confident feeling the femoral pulses	option	↗
Diff	Difficult to feel	option	↗
PSP	Prolonged skin pinch	option	↗
DMM	Dry Mucous Membranes	option	↗
SE	Sunken Eyes	option	↗
Norm	Soft and normal	option	↗
Dist	Distended	option	↗
Defect	Abdominal wall defect	option	↗

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



AbdMas	Abdominal Mass	option	
GSCH	Gastroschisis	option	
OMPH	Omphalocele / Exomphalos	option	
Norm	Healthy & clean	option	
Bl	Bleeding	option	
Inf	Red skin all around umbilicus	option	
Mec	Meconium stained	option	
H	Umbilical Hernia	option	
Abn	Abnormal looking	option	
M	Normal Male genitalia	option	
F	Normal Female genitalia	option	
AM	Abnormal Male genitalia	option	
AF	Abnormal Female genitalia	option	
Amb	Ambiguous Genitalia (not sure)	option	
Pat	Patent (normal)	option	
Imp	Imperforate	option	
Abn	Abnormal	option	
YColour	Is the baby yellow?	dropdown	
Jaundice	Jaundice	dropdown	
BTUL	Birth injury (upper limbs) e.g Erb's palsy	option	
BTLL	Birth injury (lower limbs) e.g fracture	option	
MSKD	Musculoskeletal deformities e.g talipes	option	
Legs	Legs are of different lengths	option	

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



BOIL	Big Boil / Abscess	option	↗
Folds	Uneven skin folds on thighs	option	↗
Mong	Mongolian blue spot	option	↗
Rash	Other skin rash	option	↗
L24	Less than 24hrs ago	option	↗
1t2d	1 - 2 days	option	↗
2t3d	2 -3 days	option	↗
M3d	more than 3 days	option	↗
UNK	Unknown	option	↗
DIB	Fast or laboured breathing	option	↗
NBr	Noisy Breathing	option	↗
Cough	Cough	option	↗
Apn	Apnoea	option	↗
BE	Blue episodes	option	↗
Gasp	Gasping	option	↗
Poss	Small milky possets after feeds (normal)	option	↗
Yes	Vomiting all feeds	option	↗
YesBl	Vomiting with blood	option	↗
YesGr	Vomiting bright green	option	↗
2t3d	2 - 3 days	option	↗
NFY	Has not had a breast feed yet	option	↗
BF	Breast feeding normally	option	↗
BFH	Needs help breast feeding	option	↗
CUPEBM	Cup/ Spoon feeds with breast milk	option	↗

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



Formula

NGEBM	NG feeds with EBM	option	↗
NGFORM	NG feeds with formula	option	↗
IVF	Intravenous fluids	option	↗
PassedMec	Meconium?	dropdown	↗
StoolsInfant	Stools?	dropdown	↗
PUNewborn	Passing urine? (newborn)	dropdown	↗
PUIntant	Passing urine? (infant)	dropdown	↗
Convulsions	Convulsions	option	↗
CL	Crying less than usual	option	↗
CrM	Crying more than usual	option	↗
FI	Floppy	option	↗
St	Stiff neck or limbs	option	↗
M3	More than 3 days	option	↗
InOrOut	Admitted from within KDH?	dropdown	↗
AdmittedFrom	Where in KDH were they admitted from?	dropdown	↗
ReferredFrom2	Referred from?	dropdown	↗
ReferredFrom	Name of referring Facility	dropdown	↗
OtherReferralFacility	Name of Facility	text	↗
BirthPlaceSame	Birth and admission place same?	dropdown	↗
PlaceBirth	Place of Birth	dropdown	↗
BirthFacility	Name of Birth Facility	dropdown	↗
OtherBirthFacility	Birth Facility (other)	text	↗
MotherEduLevel	Mother's level of Education	dropdown	↗
MotherAddressTA	Mother's TA	text	↗

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



MatPhysAddressDistrict	Mother's District	dropdown	
MothLM	Mother's Closest Landmark	text	
MothCell	Mother's Cell phone Number	number	
MatAgeYrs	Age of Mother (yrs)	number	
Grav	Gravidity (number of pregnancies incl this pregnancy)	number	
PAR	Maternal Parity	number	
LChild	Children still alive	number	
MAR	Married	option	
DIV	Divorced	option	
WID	Widowed	option	
S	Single	option	
M	Malawian	option	
MO	Mozambican	option	
B	Botswana	option	
BU	Burundian	option	
CA	Central African	option	
ET	Ethiopian	option	
ER	Eritrean	option	
K	Kenyan	option	
R	Rwandan	option	
SL	Sierra Leonean	option	
S	Somali	option	
SA	South African	option	
T	Tanzanian	option	

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



ZAM	Zambian	option	↗
ZIM	Zimbabwe	option	↗
EthnicityOther	If other, what is your ethnicity?	text	↗
Ch	Chewa	option	↗
CH	Chinyanja	option	↗
Lo	Lomwe	option	↗
M	Mang'anja	option	↗
Ng	Ngoni	option	↗
NY	Nyanja	option	↗
S	Sena	option	↗
Tu	Tumbuka	option	↗
To	Tonga	option	↗
Ya	Yao (Mchawa)	option	↗
TribeOther	If other, which tribe?	text	↗
A	Anglican (Christian protestant)	option	↗
AOG	Assemblies of god	option	↗
Ba	Baptist (Christian Protestant)	option	↗
CCAP	Church of Central Africa (CCAP)	option	↗
CFC	Calvary Family Church	option	↗
COC	Church of Christ	option	↗
CP	Other Christian Protestant	option	↗
BB	Bible Believers	option	↗
RC	Roman Catholic (Christian)	option	↗
ECC	Enlightened Christian Catholic (ECC)	option	↗

You're in **view** mode [Switch to development mode](#)

v628

david.delorenzo



P	Presbyterian	option	
SDA	Seventh Day Adventist (SDA)	option	
JW	Jehover's Witness	option	
LW	Living Waters	option	
Z	Zion	option	
AG	Agnostic	option	
ATH	Atheist	option	
AC	African Church	option	
ReligionOther	If other, which religion?	text	
DateHIVtest	When was this test?	date	
TestThisPreg	Was the test during this pregnancy?	dropdown	
HIVtestResult	What was the Result?	dropdown	
HAART	Mother on HAART?	dropdown	
LengthHAART	Mother on HAART since when?	dropdown	
Y	Yes	option	
N	No	option	
HepBdate	Is Date of Hepatitis B same as Date of HIV Test?	dropdown	
HepBdate	Hepatitis B Test Date	date	
HepBRes	Hepatitis B Test Result	dropdown	
U	Not Sure	option	
DateVDRLSameHIV	Is Date of VDRL same as date of HIV test?	dropdown	
ANVDRLDate	Date of VDRL	date	
ANVDRLResult	Result of VDRL	dropdown	

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



Syphilis antenatally:

HTN	Pregnancy Induced Hypertension	option	
DM	Diabetes	option	
MAL	Malaria	option	
STD	Sexually Transmitted Disease (other than HIV/syphilis)	option	
HD	Heart disease	option	
THY	Thyroid disease / goitre	option	
AN	Anaemia	option	
TU	Tuberculosis	option	
OTH	Other	option	
U	Unknown	option	
GS	Genital shingles (Herpes Simplex)	option	
HP	Human papillomavirus (Genital warts)	option	
HEP	Hepatitis B	option	
CHL	Chlamydia	option	
GON	Gonorrhea	option	
TRI	Trichomoniasis (Trich)	option	
TypeSTD	What was this STD?	text	
AntenatalCare	Number of antenatal care contacts?	number	
GestBooking	State Gestation of 1st Booking	number	
Iron	Iron (Ferrous Sulphate) received?	dropdown	
Folate	Folate (Folic Acid) received?	dropdown	

You're in **view** mode [Switch to development mode](#)

v628

david.delorenzo



received:

TTVdoses	Number of Tetanus Vaccine (TTV) received	number	
IPT0	No SP doses	option	
IPT1	1 SP dose	option	
IPT2	2 SP doses	option	
IPT3	3 SP doses	option	
IPT4	4 SP doses	option	
IPT5+	5 or more SP doses	option	
IPTU	Not sure	option	
ANSteroids	Were antenatal steroids given?	dropdown	
ANSterCrse	When were the steroids given?	dropdown	
Conv	Convulsions / Eclampsia	option	
Olig	Oligohydramnios	option	
Pre	Pre-eclampsia	option	
Poly	Polyhydramnios	option	
SVB	Significant Vaginal Bleeding (APH - Antipartum Haemorrhage)	option	
DurationLab	Labour duration (Hrs)	number	
ROM	Did the membranes rupture naturally or by a HCW?	dropdown	
ROMLength	How long between ROM and birth?	dropdown	
PROM	PROM more than 18 hrs	option	
MF	Maternal fever in labour	option	
OL	Offensive Liquor	option	
Pr2nd	Prolonged second stage	option	

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



Prem	Prematurity < 37 weeks	option	
Presentation	Presentation	dropdown	
ModeDelivery	Mode of Delivery	dropdown	
FD	Foetal Distress	option	
Pres	Malpresentation (e.g. breech)	option	
Scar	Previous scar(s)	option	
E	Eclampsia	option	
PE	Pre-Eclampsia	option	
Fi	Fibroids	option	
Fund	Big Fundus	option	
Mult	Multiple gestation	option	
Pr	Prolonged labour	option	
Post	Post Term	option	
CPD	Cephalopelvic Disproportion	option	
APH	Antepartum Haemorrhage	option	
CSReasonOth	If other what?	text	
Yes	Yes	option	
No	No	option	
Thick	Thick	option	
Thin	Thin	option	
CryBirth	Did the baby cry straight after birth?	dropdown	
Apgar1	Apgar Score at 1 min	number	
Apgar5	Apgar Score at 5 min	number	
Apgar10	Apgar Score at 10 min	number	
Stim	Stimulation	option	

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



O2	Oxygen	option	
BVM	Bag Valve Mask Ventilation (BVM)	option	
CPR	Cardio Pulmonary Resuscitation (CPR)	option	
LengthResusKnown	Length of resuscitation known?	dropdown	
DurCPR	Duration of CPR in minutes	number	
CPROut	Outcome of CPR	dropdown	
VitK	IM vit K given at birth?	dropdown	
VitKN	Why hasn't the baby received vitamin K?	dropdown	
TEO	TEO given at birth?	dropdown	
Chlor	Chlorhexidine on umbilicus at birth?	dropdown	
ARF1	Fever >38 in mother	option	
ARF2	Rupture of membranes >18h	option	
ARF3	Offensive Liquor	option	
ARF4	Suspected or confirmed sepsis in a twin"	option	
SSS1	Temperature <35.5 or >37.5	option	
SSS2	Bulging Fontanelle	option	
SSS6	chest indrawing	option	
SSS8	Umbilical redness extending to the periumbilical skin or umbilicus draining pus	option	
SSS9	reduced movement of limbs	option	
SSS10	Many skin pustules/big boil (abscess)	option	

You're in **view** mode [Switch to development mode](#)

v628

david.delorenzo



SSS1	movement and irritability in these parts are handled	option	
SM1	Drowsiness	option	
SM2	Lethargy/unconscious	option	
SM3	Persistent irritability	option	
SM4	High pitched cry	option	
SM5	Convulsions	option	
SM6	Apnoeic episode	option	
SDS1	Cold hands and feet	option	
SDS2	Capillary refill time > 3 seconds	option	
SDS3	Fast and weak pulse	option	
ARFNONE	NONE	option	
SSSNONE	NONE	option	
SMNONE	NONE	option	
SDSNONE	NONE	option	
AB	Abscess	diagnosis	
BO	Bowel Obstruction	diagnosis	
DUM	Dumped Baby	diagnosis	
Oth	Other	diagnosis	
RefKCH	Referral to Kamuzu Central Hospital	option	
Warm	Wrapped	option	
Incub	Incubator	option	
KMC	KMC	option	
Res	Resuscitaire	option	
BVM	BVM Ventilation	option	

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



CPAP	CPAP	option	↗
BF	Breast feeds	option	↗
CupEBM	Cup feeds (EBM)	option	↗
NGT	NGT feeds (EBM)	option	↗
OGT	OGT feeds (EBM) e.g. if on CPAP	option	↗
CupForm	CUP feeds (Formula)	option	↗
TubeForm	NGT / OGT (Formula)	option	↗
Gluc	Check glucose	option	↗
FBC	Send FBC	option	↗
Bili	Check Bilirubin	option	↗
VitK	Vitamin K	option	↗
TEO	TEO	option	↗
CHLX	Chlorhexidine (for cord care)	option	↗
ABX	X penicillin & gentamicin	option	↗
CEF	Ceftriaxone	option	↗
AMIN	Aminophylline	option	↗
NVP	Nevirapine	option	↗
DEX	IV 10% Dextrose	option	↗
TSP	Tepid Sponging (expose baby)	option	↗
ROBS	Regular observations	option	↗
HRisk	Admit to High Risk	option	↗
LRisk	Admit to Low Risk	option	↗
ISOL	Admit to Isolation	option	↗
PH	Phototherapy	option	↗
PlanOth	If other what?	text	↗

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



NeuroSurg	Neurological/ Spinal Surgery	option	
AbdoSurg	Abdominal Surgery	option	
ANurs	Admit to Neonatal Nursery	option	
RefKCH	Referred to KCH	option	
DDA	Died During Admission	option	
OutcomeOTH	Other outcome	text	
Med1	Medication 1 (+ dosage)	text	
Med2	Medication 2 (+ dosage)	text	
Med3	Medication 3 (+ dosage)	text	
Med4	Medication 4 (+ dosage)	text	
HCWSig	Electronic Signature	dropdown	
HCWID	Health Care Worker/ Student ID	text	
Cadre	Type of Health Care Worker	dropdown	
EndScriptDatetime	Datetime of completion	datetime	
Mol	mmol/L	option	
Mg	mg/dL	option	
FNB	Fresh Newborn (< 2 hours old)	option	
NB24	Newborn (2 - 23 hrs old)	option	
NB48	Newborn (1 day - 1 day 23 hrs old)	option	
INF72	Infant (2 days - 2 days 23 hrs old)	option	
INF	Infant (> 3 days old)	option	
Tw1	1st Twin	option	
Tw2	2nd Twin	option	
Tr1	1st Triplet	option	

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



Tr3	3rd Triplet	option	↗
Q1	1st Quadruplet	option	↗
Q2	2nd Quadruplet	option	↗
Q3	3rd Quadruplet	option	↗
Q4	4th Quadruplet	option	↗
FundHt	Fundal height	option	↗
LMP	Last Normal Menstrual Period (LNMP)	option	↗
USS	Ultrasound Scan	option	↗
MatSc	Maturity score	option	↗
0	Normal = 0	option	↗
1	Poor = 1	option	↗
2	Absent +/- bites = 2	option	↗
1	Full not tense = 1	option	↗
2	Bulging & tense = 2	option	↗
1	Hypertonia = 1	option	↗
2	Hypotonia = 2	option	↗
3	Flaccid = 3	option	↗
1	Hyperalert stare = 1	option	↗
2	Lethargic = 2	option	↗
3	Coma = 3	option	↗
0	None = 0	option	↗
1	<3 Per day = 1	option	↗
2	>2 Per day = 2	option	↗
1	Hyperventilation (RR>60) = 1	option	↗
2	Brief Apnea = 2	option	↗

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



1	Fisting & Cycling = 1	option	↗
2	Strong distal Flexion = 2	option	↗
3	Decerebrate = 3	option	↗
1	Partial = 1	option	↗
2	Absent = 2	option	↗
2	Absent =2	option	↗
MJ	Mild Jaundice	option	↗
DJ	Deep Jaundice	option	↗
MecLiq	Meconium present at delivery	option	↗
Mec24	Passed meconium in 1st 24 hrs	option	↗
NoMec	No meconium in 1st 24 hrs	option	↗
Norm	Opening bowels normally	option	↗
BNO	Bowels not opening	option	↗
Diarr	Has diarrhoea and passing large water stools	option	↗
BIDi	Bloody Diarrhoea	option	↗
Yes	Has passed urine in 1st 24 hrs	option	↗
No	Has not passed urine	option	↗
Unk	Not sure	option	↗
Norm	Passing urine normally	option	↗
NoPU	Not passing urine	option	↗
In	Within KDH	option	↗
Out	Outside KDH	option	↗
LW	Labour ward (LW)	option	↗
PNW	Post Natal Ward (PNW)	option	↗

You're in **view** mode Switch to **development** mode

v628		david.delorenzo		
FW	Female Ward	option		
H	Home	option		
F	Other facility	option		
AncF	Anchor Farm	option		
Bua	Bua	option		
Cha	Chambwe	option		
Chm	Chamwabvi	option		
Chi	Chilanga	option		
Chn	Chinyama	option		
Chu	Chulu	option		
Gog	Gogode	option		
Kak	Kakwale	option		
Kal	Kaluluma	option		
Kam	Kamboni	option		
Kap	Kapelula	option		
Kai	Kapichira	option		
Kay	Kapyanga	option		
Kaw	Kawamba	option		
Kho	Khola	option		
Lin	Linyangwa	option		
Liv	Livwezi	option		
Lod	Lodjwa	option		
Mdu	Mdunga	option		
Mkh	Mkhota	option		
Mny	Mnyanja	option		

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



Mtu	Mtunthama	option	↗
Mzi	Mziza	option	↗
New	Newa	option	↗
Nkh	Nkhamenya	option	↗
Ofe	Ofesi	option	↗
San	Santhe	option	↗
Sim	Simlemba	option	↗
StA	St Andrew's	option	↗
StD	St Dennis	option	↗
StF	St Faith	option	↗
Wim	Wimbe	option	↗
Hosp	Hospital	option	↗
HC	Health Centre	option	↗
TBA	Traditional Birth Attendant (TBA)	option	↗
BBA	Born on the way to hospital (in transit)	option	↗
Home	Home	option	↗
Kdh	Kasungu District Hospital	option	↗
Prim	Primary	option	↗
Sec	Secondary	option	↗
Tert	Tertiary	option	↗
LL	Lilongwe	option	↗
B	Balaka	option	↗
BL	Blantyre	option	↗
BLC	Blantyre City	option	↗

You're in **view** mode Switch to **development** mode

v628		david.delorenzo		
CHR	Chiradzulu	option		
CHP	Chitipa	option		
DE	Dedza	option		
DO	Dowa	option		
KR	Karonga	option		
KS	Kasungu	option		
LK	Likoma	option		
MC	Machinga	option		
MG	Mangochi	option		
MCH	Mchinji	option		
MU	Mulanje	option		
MW	Mwanza	option		
MB	Mzimba	option		
MZ	Mzuzu City	option		
NE	Neno	option		
NKB	Nkata bay	option		
NKK	Nkhotakota	option		
NS	Nsanje	option		
NCU	Ntcheu	option		
NCI	Ntchisi	option		
PH	Phalombe	option		
RU	Rumphi	option		
SA	Salima	option		
TH	Thyolo	option		
Z	Zomba	option		

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



N	Before this pregnancy	option	↗
A	After delivery	option	↗
R	Reactive	option	↗
NR	Non Reactive	option	↗
1stTrim	1st Trimester or earlier	option	↗
2ndTrim	2nd Trimester	option	↗
3rdTrim	3rd Trimester more than 1 month before delivery	option	↗
Late	Less than 1 month before delivery	option	↗
P	Positive	option	↗
N	Negative	option	↗
U	UNKOWN	option	↗
FC14	Full course given in last 14 days	option	↗
PC14	Partial course given in last 14 days	option	↗
FCG14	Full course given more than 14 days ago	option	↗
Nat	Spontaneous	option	↗
Clin	Artificial	option	↗
NOPROM	Less than 18 hours	option	↗
PROM	More than 18 hours	option	↗
Vertex	Vertex	option	↗
Brow	Brow	option	↗
Breech	Breech	option	↗
Face	Face	option	↗

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



	(SVD)		
2	Vacuum extraction	option	↗
3	Forceps extraction	option	↗
4	Elective Ceasarian Section (ELCS)	option	↗
5	Emergency Ceasarian Section (EMCS)	option	↗
6	Breech extraction (vaginal)	option	↗
7	Induced Vaginal Delivery	option	↗
Kn	Known	option	↗
Six	HR Remained below 60 so CPR stopped	option	↗
Hun	HR Remained below 100 so CPR stopped	option	↗
Suc	HR came above 100 and baby improved CPR stopped	option	↗
Resp	HR came above 100 gasping respirations only BVM cont	option	↗
U	Unavailable	option	↗
R	Refused	option	↗
CaBa	Carien Banda	option	↗
DaNy	Davie Flemmings Nyirenda	option	↗
DoCh	Dorica Chisasula	option	↗
EnTh	Enala Theu	option	↗
HaCh	Hannock Chingondo	option	↗
FaNt	Faith Nthala	option	↗
JoMw	John Mwafulirwa	option	↗
LiMu	Dr Linily Musa	option	↗
MaFr	Mark Frazer	option	↗

You're in **view** mode [Switch to development mode](#)

v628

david.delorenzo



NeMa	Nellie Mandah	option	↗
OIMk	Olive Mkoma	option	↗
PhNa	Philomena Nambuzi	option	↗
RuMa	Ruth Mases	option	↗
TiMw	Tiwonge Mwale	option	↗
WeMp	Wezzie Mphande	option	↗
ViGa	Victoria Gausi	option	↗
WiCh	Winfred Chunda	option	↗
OTH	Other/ Student	option	↗
N	Nurse	option	↗
MWO	Midwife Officer	option	↗
NMT	NMT - Nurse Midwife Technician	option	↗
NS	Nursing Student	option	↗
MedSt	Medical Student	option	↗
COS	DCM Student	option	↗
COIn	Intern CO	option	↗
MOI	Intern MO	option	↗
CO	CO - Clinical Officer	option	↗
MO	MO - Medical Officer	option	↗
CHN	Community Health Nurse	option	↗
GP	GP - General Practitioner	option	↗
PaeReg	Paediatric Registrar	option	↗
NeoReg	Neonatal Registrar	option	↗
MedReg	Medical Registrar	option	↗
PaeCon	Paediatric Consultant	option	↗

You're in **view** mode Switch to **development** mode

v628		david.delorenzo	
Paed	Paediatrician	option	