

Neotree Admission

Search



Key	Label	Type	
MA	Possible Meconium Aspiration	diagnosis	
NSep	Suspected neonatal sepsis	diagnosis	
DF	Difficulty Feeding	diagnosis	
Dhyd	Dehydration	diagnosis	
CHD	Congenital Heart Disease	diagnosis	
An	Anaemia	diagnosis	
Cong	Congenital Abnormality	diagnosis	
PnBch	Pneumonia / Bronchiolitis	diagnosis	
TTN	Transient Tachypnoea of Newborn (TTN)	diagnosis	
UH	Umbilical Hernia	diagnosis	
Mgts	Meningitis	diagnosis	
AG	Ambiguous Genetalia	diagnosis	
UMS	Untreated Maternal Syphilis	diagnosis	
AbObs	Abdominal obstruction	diagnosis	
Risk	Risk factors for sepsis (Not symptomatic)	diagnosis	
BT	Birth Trauma	diagnosis	
Apn	Apnoea of prematurity	diagnosis	
BA	Birth Asphyxia	diagnosis	

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



LBW	Low Birth Weight (1500-2499g)	diagnosis	↗
VLBW	Very Low Birth Weight (1000-1499g)	diagnosis	↗
ExLBW	Extremely Low Birth Weight (<1000g)	diagnosis	↗
HBW	High Birth Weight (>4000g at birth)	diagnosis	↗
MiHypo	Mild Hypothermia	diagnosis	↗
ModHypo	Moderate Hypothermia	diagnosis	↗
SHypo	Severe Hypothermia	diagnosis	↗
Hyperth	Hyperthermia	diagnosis	↗
Prem	Premature (32-36 weeks)	diagnosis	↗
VPrem	Very Premature (28-31 weeks)	diagnosis	↗
ExPrem	Extremely Premature (<28 weeks)	diagnosis	↗
HypogSy	Hypoglycaemia (symptomatic)	diagnosis	↗
HypogAs	Hypoglycaemia (NOT symptomatic)	diagnosis	↗
RiHypog	At Risk of Hypoglycaemia	diagnosis	↗
HIVU	HIV Unknown	diagnosis	↗
HIVLR	HIV Low Risk	diagnosis	↗
HIVHR	HIV High Risk	diagnosis	↗
MJ	Physiological Jaundice	diagnosis	↗
DJ	Pathological Jaundice	diagnosis	↗
PJaundice	Prolonged Jaundice	diagnosis	↗
HIE	Hypoxic Ischaemic Encephalopathy	diagnosis	↗

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



Encephalopathy

PremRD	Prematurity with Respiratory Distress	diagnosis	↗
TermRD	Term baby with Respiratory Distress	diagnosis	↗
GSchis	Gastroschisis	diagnosis	↗
Omph	Omphalocele	diagnosis	↗
CleftRD	Cleft lip and/or palate with RD	diagnosis	↗
CleftLip	Cleft lip	diagnosis	↗
CleftLipPalate	Cleft lip and/or palate	diagnosis	↗
Myelo	Myelomeningocele	diagnosis	↗
CDH	Congenital dislocation of the hip (CDH)	diagnosis	↗
MoTalipes	Moderate Talipes (club foot)	diagnosis	↗
MiTalipes	Mild Talipes (club foot)	diagnosis	↗
BabyCryTriage	Baby Crying	yesno	↗
FurtherTriage	Further Triage	single_select	↗
DangerSigns	Danger signs	multi_select	↗
DangerSigns2	Danger Signs 2	multi_select	↗
RR	Respiratory Rate (bpm)	timer	↗
ManualHR	Manual Heart Rate (beats per minute)	timer	↗
HypoSymptoms	Symptomatic?	yesno	↗
AdmReason	Presenting complaint	multi_select	↗
AdmReaSurgCond	Reason for admission / presenting complaint - Surgical Conditions	multi_select	↗

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



Admission	presenting complaint -	multi_select	
AdmissionCongenitalAnomalies	Congenital Anomalies		
Gender	Sex	single_select	
SuckReflex	Suck Reflex	single_select	
Palate	Palate	single_select	
Fontanelle	Fontanelle	single_select	
HeadShape	Head Shape	single_select	
Dysmorphic	Dysmorphic?	yesno	
Tone	Tone	single_select	
Spine	Spine	single_select	
Activity	Activity	single_select	
SignsRD	Signs of Respiratory Distress	multi_select	
WOB	Work of breathing	single_select	
Stethoscope	Stethoscope	yesno	
ChestAusc	Chest auscultation	multi_select	
Murmur	Heart sounds	single_select	
Colour	Colour	multi_select	
CRT	Capillary Refill time (CRT)	single_select	
Femorals	Femoral pulses	single_select	
SignsDehydrations	Signs of Dehydration	multi_select	
Abdomen	Abdomen	multi_select	
GSCvsOM	Which abdominal wall defect?	single_select	
Umbilicus	Umbilicus	multi_select	
Genitalia	Genitalia	single_select	
Anus2	Anus	single_select	
MSKproblems	Musculoskeletal problems	multi_select	

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



Skin	Skin	multi_select	↗
Ortolani	Ortolani/Barlow Test	yesno	↗
FeverSR	Fever	yesno	↗
FeverOns	Fever started	single_select	↗
RespSR	Respiratory symptoms	multi_select	↗
RespOns	Breathing problems started	single_select	↗
Vomiting	Vomiting?	multi_select	↗
GastOns	Gastro problems started	single_select	↗
FeedsAdm	Feeds received	multi_select	↗
SRNeuroOther	Any other symptoms?	multi_select	
NeorOns	Neuro problems started	single_select	↗
InOrOut	Admitted from KCH?	yesno	↗
AdmittedFrom	Admitted from	single_select	↗
ReferredFrom2	Referred from	single_select	↗
ReferredFrom	Name of referring facility	single_select	↗
BirthPlaceSame	Birth place same?	yesno	↗
PlaceBirth	Place of birth	single_select	↗
BirthFacility	Name of Facility	single_select	↗
ParityCOD	Parity Causes of Death	multi_select	↗
MaritalStat	Marital status	single_select	↗
Ethnicity	Ethnicity	single_select	↗
Tribe	Mother's Tribe	single_select	↗
Religion	Mother's religion	single_select	↗
MathHIVtest	Mother had HIV test?	yesno	↗
NVPgiven	NVP given to baby?	yesno	↗

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



PregConditions	Medical conditions in pregnancy	multi_select	↗
STDsOther	Medical conditions in pregnancy	multi_select	↗
IPT	IPT	single_select	↗
ProbsLab	Problems in Labour	multi_select	↗
RFSepsis	Risk Factors for Sepsis	multi_select	↗
CSreason	Reason for CS	multi_select	↗
MecPresent	Meconium present?	single_select	↗
MecThickThin	Thick / Thin	single_select	↗
Resus	Resuscitation given	multi_select	↗
EDLIZSummaryTableScore	Sepsis Factors	mwi_edliz_summary_table	↗
Plan	Management plan	multi_select	↗
Meconium at delivery	Meconium at delivery	diagnosis_symptom_risk	↗
Mec stained umbilicus	Mec stained umbilicus	diagnosis_symptom_risk	↗
Grunting or severe recessions	Grunting or severe recessions	diagnosis_symptom_sign	↗
Tachynea > 80	Tachynea > 80	diagnosis_symptom_sign	↗
History of fast or laboured breathing	History of fast or laboured breathing	diagnosis_symptom_sign	↗
History of noisy breathing	History of noisy breathing	diagnosis_symptom_sign	↗
Saturations in air < 90	Saturations in air < 90	diagnosis_symptom_sign	↗
Saturations in oxygen < 90	Saturations in oxygen < 90	diagnosis_symptom_sign	↗
Any severity of work of breathing	Any severity of work of breathing	diagnosis_symptom_sign	↗
Bilateral crackles or wheeze	Bilateral crackles or wheeze	diagnosis_symptom_sign	↗
Passed Mec in liquor	Passed Mec in liquor	diagnosis_symptom_risk	↗
Needs help breast feeding	Needs help breast feeding	diagnosis_symptom_sign	↗

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



Refusing all feeds: needs NG	Refusing all feeds: needs NG	diagnosis_symptom_sign	
Requires IV fluids	Requires IV fluids	diagnosis_symptom_sign	
Absent suck	Absent suck	diagnosis_symptom_sign	
Prolonged skin pinch	Prolonged skin pinch	diagnosis_symptom_sign	
Dry Mucous Membranes	Dry Mucous Membranes	diagnosis_symptom_sign	
Sunken eyes	Sunken eyes	diagnosis_symptom_sign	
Fontanelle Sunken	Fontanelle Sunken	diagnosis_symptom_sign	
White colour	White colour	diagnosis_symptom_sign	
No Mat FeFo	No Mat FeFo	diagnosis_symptom_sign	
Admitted with NTD	Admitted with NTD	diagnosis_symptom_sign	
Admitted with other congenital abnormality	Admitted with other congenital abnormality	diagnosis_symptom_sign	
Spinal NTD	Spinal NTD	diagnosis_symptom_sign	
Abdominal wall defect	Abdominal wall defect	diagnosis_symptom_sign	
Abnormal umbilicus	Abnormal umbilicus	diagnosis_symptom_sign	
Imperforate anus	Imperforate anus	diagnosis_symptom_sign	
Musculoskeletal deformity e.g. talipes	Musculoskeletal deformity e.g. talipes	diagnosis_symptom_sign	
Head Shape	Head Shape	diagnosis_symptom_sign	
Tachypnoea > 80	Tachypnoea > 80	diagnosis_symptom_sign	
History of cough	History of cough	diagnosis_symptom_sign	
Any severity of WOB	Any severity of WOB	diagnosis_symptom_sign	
Sats in air < 90	Sats in air < 90	diagnosis_symptom_sign	
Sats in oxygen < 90	Sats in oxygen < 90	diagnosis_symptom_sign	
Any chest signs	Any chest signs	diagnosis_symptom_sign	
Saturations in O2 < 90	Saturations in O2 < 90	diagnosis_symptom_sign	

You're in **view** mode Switch to **development** mode

v628

david.delorenzo



Admitted with fever	Admitted with fever	diagnosis_symptom_sign	
History of fever	History of fever	diagnosis_symptom_sign	
Pustules all over body	Pustules all over body	diagnosis_symptom_sign	
Big Boil	Big Boil	diagnosis_symptom_sign	
Infected umbilicus	Infected umbilicus	diagnosis_symptom_sign	
Bulging fontanelle	Bulging fontanelle	diagnosis_symptom_sign	
History of Apnoea	History of Apnoea	diagnosis_symptom_sign	
Pallor	Pallor	diagnosis_symptom_sign	
Lethargy	Lethargy	diagnosis_symptom_sign	
Irritability	Irritability	diagnosis_symptom_sign	
Tachy without fever or crying	Tachy without fever or crying	diagnosis_symptom_sign	
Manual tachy without fever	Manual tachy without fever	diagnosis_symptom_sign	
Jaundice (<24hrs)	Jaundice (<24hrs)	diagnosis_symptom_sign	
weak or absent suck	weak or absent suck	diagnosis_symptom_sign	
Distended abdomen	Distended abdomen	diagnosis_symptom_sign	
Any full risk factor for sepsis	Any full risk factor for sepsis	diagnosis_symptom_risk	
Born before arrival	Born before arrival	diagnosis_symptom_risk	
Convulsions	Convulsions	diagnosis_symptom_sign	
Bilious vomiting	Bilious vomiting	diagnosis_symptom_sign	
Poor feeding or vomiting	Poor feeding or vomiting	diagnosis_symptom_sign	
Increased tone	Increased tone	diagnosis_symptom_sign	
Activity irritable	Activity irritable	diagnosis_symptom_sign	
Activity Lethargic	Activity Lethargic	diagnosis_symptom_sign	
Not Passed Meconium in 1st 24 hrs	Not Passed Meconium in 1st 24 hrs	diagnosis_symptom_sign	

You're in **view** mode [Switch to development mode](#)

v628

david.delorenzo



Vomiting with blood	Vomiting with blood	diagnosis_symptom_sign	↗
Bowels not open	Bowels not open	diagnosis_symptom_sign	↗
Abdominal distension	Abdominal distension	diagnosis_symptom_sign	↗
Maternal Fever in Labour	Maternal Fever in Labour	diagnosis_symptom_risk	↗
Offensive Liquor	Offensive Liquor	diagnosis_symptom_risk	↗
PROM > 18 hrs	PROM > 18 hrs	diagnosis_symptom_risk	↗
Temp > 37.4	Temp > 37.4	diagnosis_symptom_sign	↗
Apnoea	Apnoea	diagnosis_symptom_sign	↗
Severe WOB	Severe WOB	diagnosis_symptom_sign	↗
Moderate WOB	Moderate WOB	diagnosis_symptom_sign	↗
Reason for admission - Fever	Reason for admission - Fever	diagnosis_symptom_sign	↗
Other symptoms - Fever	Other symptoms - Fever	diagnosis_symptom_sign	↗
Tachypnoea > 59 in all ages except < 2hrs old	Tachypnoea > 59 in all ages except < 2hrs old	diagnosis_symptom_sign	↗
Lethargic	Lethargic	diagnosis_symptom_sign	↗
Mild WOB	Mild WOB	diagnosis_symptom_sign	↗
Tachycardia without fever or crying	Tachycardia without fever or crying	diagnosis_symptom_sign	↗
Poor feeding	Poor feeding	diagnosis_symptom_sign	↗
Weak Suck & Gestation > 33 weeks	Weak Suck & Gestation > 33 weeks	diagnosis_symptom_sign	↗
Irritable	Irritable	diagnosis_symptom_sign	↗
Prolonged 2nd stage	Prolonged 2nd stage	diagnosis_symptom_risk	↗
Prematurity 32-36	Prematurity 32-36	diagnosis_symptom_risk	↗
Jaundice < 24 hrs	Jaundice < 24 hrs	diagnosis_symptom_sign	↗
Very or extremely prem (<32 wks)	Very or extremely prem (<32 wks)	diagnosis_symptom_risk	↗

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



RR 60-80 < 2hrs	RR 60-80 < 2hrs	diagnosis_symptom_sign	↗
History of blue episodes	History of blue episodes	diagnosis_symptom_sign	↗
Foetal distress	Foetal distress	diagnosis_symptom_risk	↗
Mode of delivery Vacuum/EmCS/Breech vaginal	Mode of delivery Vacuum/EmCS/Breech vaginal	diagnosis_symptom_risk	↗
Apgar at 5 min < 7	Apgar at 5 min < 7	diagnosis_symptom_risk	↗
Resus: > 10 mins or (BVM > 5 mins) or any CPR	Resus: > 10 mins or (BVM > 5 mins) or any CPR	diagnosis_symptom_risk	↗
Absent suck reflex & Gestation 34 weeks or more	Absent suck reflex & Gestation 34 weeks or more	diagnosis_symptom_sign	↗
Hypotonia	Hypotonia	diagnosis_symptom_sign	↗
Activity irritable or lethargic or Coma	Activity irritable or lethargic or Coma	diagnosis_symptom_sign	↗
Birth Trauma	Birth Trauma	diagnosis_symptom_risk	↗
Convulsions in Danger Signs	Convulsions in Danger Signs	diagnosis_symptom_sign	↗
History of convulsions	History of convulsions	diagnosis_symptom_sign	↗
Activity is convulsing	Activity is convulsing	diagnosis_symptom_sign	↗
Presented with convulsions	Presented with convulsions	diagnosis_symptom_sign	↗
NotBr	NOT BREATHING!	option	↗
Gasp	GASPING or irregular breathing	option	↗
HRLow	Normal breathing but HR < 100	option	↗
Floppy	VERY FLOPPY (normal breathing & HR)	option	↗
Stable	Stable	option	↗
Grun	Grunting or severe chest indrawings	option	↗

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



Convulsions	Convulsions or twitching	option	
Norm	NONE	option	
Cold	Trunk feels cold	option	
PrCRT	Capillary Refill Time more than 3 seconds	option	
Wkpulse	Weak or fast femoral pulses	option	
SatsAir	Oxygen Sats in Air (%)	number	
HR	Heart Rate (bpm)	number	
SatsO2	Saturations in Oxygen	number	
Temperature	Temperature (deg's C)	number	
BSmonYN	Are you able to measure blood sugar?	dropdown	
BSUnit	Blood Sugar Measurement Unit	dropdown	
BloodSugarmmol	Blood Sugar (mmol/L) (2.5 - 4.5)	number	
BloodSugarmg	Blood Sugar (mg/dL) (45 - 81)	number	
AdmissionWeight	Admission Weight (g)	number	
BirthWeight	Birth Weight (g)	number	
OFC	Head Circumf. (cm)	number	
AD	Abdominal distension	option	
BA	Birth Asphyxia/HIE	option	
CONV	Convulsions	option	
CH	Cord Haemorrhage	option	
ED	Eye Discharge	option	
DIB	Difficulty in breathing	option	
DEHY	Dehydration	option	

You're in **view** mode Switch to **development** mode

v628

david.delorenzo



DST	Down Syndrome/Trisomy 21	option	
DU	Dumped baby	option	
Omph	Exomphalos / Omphalocele	option	
FD	Feeding difficulties / not sucking	option	
FEV	Fever	option	
GSchis	Gastroschisis	option	
HIVX	HIV exposed	option	
HYPO	Hypothermia	option	
HYP	Hypoxia	option	
IA	Imperforated Anus	option	
IC	Irritable Crying	option	
ICS	Infected Cord Stump	option	
IUGR	IUGR	option	
J	Jaundice	option	
Apg	Low Apgars	option	
LBW	Low birth weight	option	
Mac	Macrosomia (Large baby)	option	
MYSB	Myelomeningocele / Spina Bifida	option	
NTD	Neural tube defect / spina bifida	option	
NPS	Not Passing Stool	option	
NPU	Not Passing Urine	option	
OT	Oral Thrush	option	
PS	Pale Skin	option	
Mec	Possible meconium aspiration	option	

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



PremRD	Prematurity with Respiratory Distress	option	↗
Risk	Risk factors for sepsis	option	↗
NSep	Suspected neonatal sepsis	option	↗
Safe	Safe keeping	option	↗
SR	Skin Rash	option	↗
SPn	Severe Pneumonia	option	↗
SSS	Staphylococcal Skin Scalding Syndrome (SSS)	option	↗
SEB	Syphilis Exposed Baby	option	↗
TR13	Trisomy 13	option	↗
VOM	Vomiting every feeds	option	↗
WL	Weight Loss	option	↗
Cong	Other congenital abnormality	option	↗
OS	Other Surgical Conditions	option	↗
O	Other	option	↗
AdmReasonOth	If other what?	text	↗
AB	Abscess	option	↗
ANMA	Anorectal Malformation	option	↗
BO	Bowel Obstruction	option	↗
CLP	Cleft lip and palate	option	↗
CY	Cyst	option	↗
ENC	Encephalocele	option	↗
EXP	Exomphalos/Omphalocele	option	↗
FR	Fractures	option	↗
GAS	Gastroschisis	option	↗

You're in **view** mode Switch to **development** mode

v628

david.delorenzo



HRS	Hirschsprungs	option	
HYDR	Hydrocephalus	option	
HYPO	Hypospadias	option	
MIC	Microcephaly	option	
SB	Spinal Bifida	option	
TAP	Tallipes	option	
UNTE	Undistended Testicals	option	
OthAdmReasSurgCond	If other what?	text	
MYSB	Myelomeningocele / Spina Bifida	option	
HIRD	Hirschsprungs Disease	option	
CNA	Congenital Neck Anomaly	option	
AdmReasonOthCongAnom	If other what?	text	
NUID	NEOTREE ID	text	
DateTimeAdmission	Date/time admission	datetime	
Readmission	Readmission?	dropdown	
MotherFirstName	Mother's First Name	text	
MotherSurname	Mother's Surname	text	
BabyFirstName	Baby's First Name	text	
BabySurname	Baby's Surname	text	
M	Male	option	
F	Female	option	
NS	Not Sure	option	
DOBYN	Do you know the Date of Birth?	dropdown	
DOBTOB	Date and Time of birth	datetime	
Age	Age (Days & Hours)	period	

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



TypeBirth	Type of Birth	dropdown	
Gestation	Gestational age at birth (weeks.days)	number	
MethodEstGest	Method of estimating gestation	dropdown	
Strong	Present and strong	option	
Weak	Present but weak	option	
Absent	Absent +/- bites	option	
Palate	Palate and lip intact (normal)	option	
Cleft	Cleft palate	option	
Lip	Cleft lip	option	
LipPalate	Cleft lip and palate	option	
Full	Flat, Not Tense (normal)	option	
Sunk	Sunken	option	
Bulg	Bulging/Tense	option	
Norm	Normal	option	
Mold	Molding	option	
Hydro	Hydrocephalus	option	
Swell	Swelling or signs of birth trauma	option	
Cap	Caput	option	
Micro	Obvious microcephaly	option	
Norm	Normal tone, movement in all limbs	option	
High	Increased tone = Hypertonia (stiff)	option	
Low	Reduced tone = Hypotonia (floppy)	option	

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



OAbn	Other spinal abnormality	option	
Alert	Alert, active, appropriate (normal)	option	
Irrit	Irritable, hyperalert or inconsolable	option	
Leth	Lethargic, quiet, decreased activity	option	
Convulsions	Seizures, convulsions, or twitchings	option	
Coma	Coma (unresponsive)	option	
SuckTh	Suck reflex	dropdown	
FontTh	Fontanelle	dropdown	
ToneTh	Tone	dropdown	
LOCTh	Level of Conciousness	dropdown	
FitsTh	Fits, Seizures or convulsions	dropdown	
RespTh	Respiration	dropdown	
PostTh	Posture	dropdown	
MoroTh	Moro reflex	dropdown	
GraspTh	Grasp reflex	dropdown	
ThompScore	Thompson score (add the above)	number	
NFL	Nasal Flaring	option	
CHI	Chest in-drawings	option	
HN	Head Nodding	option	
GR	Grunting	option	
TT	Tracheal Tug	option	
ST	Stridor	option	
Mild	Mild	option	

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



Sev	Severe	option	↗
Clear	Chest is clear	option	↗
UeqAE	Unequal air entry	option	↗
UniCr	Unilateral crackles	option	↗
UniWh	Unilateral wheeze	option	↗
BilatCr	Bilateral crackles/wheeze	option	↗
Strid	Stridor	option	↗
No	Normal heart sounds	option	↗
Yes	Murmur or extra sounds	option	↗
NotCon	I am not confident auscultating for murmurs	option	↗
Pink	Pink	option	↗
Blue	Blue	option	↗
White	White (Pale)	option	↗
Norm	Less than 3 seconds	option	↗
Prol	3 or more seconds	option	↗
Present	Palpable	option	↗
Absent	Weak or absent	option	↗
NotCon	I am not confident feeling the femoral pulses	option	↗
Diff	Difficult to feel	option	↗
PSP	Prolonged skin pinch	option	↗
DMM	Dry Mucous Membranes	option	↗
SE	Sunken Eyes	option	↗
Norm	Soft and normal	option	↗
Dist	Distended	option	↗

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



PBS	Prune Belly Syndrome	option	↗
AbdMas	Abdominal Mass	option	↗
GSCH	Gastroschisis	option	↗
OMPH	Omphalocele / Exomphalos	option	↗
Norm	Healthy & clean	option	↗
Bl	Bleeding	option	↗
Inf	Red skin all around umbilicus	option	↗
Mec	Meconium stained	option	↗
H	Umbilical Hernia	option	↗
Abn	Abnormal looking	option	↗
M	Normal Male genitalia	option	↗
F	Normal Female genitalia	option	↗
AM	Abnormal Male genitalia	option	↗
AF	Abnormal Female genitalia	option	↗
Amb	Ambiguous Genitalia (not sure)	option	↗
Pat	Patent (normal)	option	↗
Imp	Imperforate	option	↗
Abn	Abnormal	option	↗
YColour	Is the baby yellow?	dropdown	↗
Jaundice	Jaundice	dropdown	↗
BTUL	Birth injury (upper limbs) e.g Erb's palsy	option	↗
BTLL	Birth injury (lower limbs) e.g fracture	option	↗
MSKD	Musculoskeletal deformities e.g talipes	option	↗

You're in **view** mode Switch to **development** mode

v628

david.delorenzo



PUST	Pustules all over	option	
BOIL	Big Boil / Abscess	option	
Folds	Uneven skin folds on thighs	option	
Mong	Mongolian blue spot	option	
Rash	Other skin rash	option	
L24	Less than 24hrs ago	option	
1t2d	1 - 2 days	option	
2t3d	2 -3 days	option	
M3d	more than 3 days	option	
UNK	Unknown	option	
DIB	Fast or laboured breathing	option	
NBr	Noisy Breathing	option	
Cough	Cough	option	
Apn	Apnoea	option	
BE	Blue episodes	option	
Poss	Small milky possets after feeds (normal)	option	
Yes	Vomiting all feeds	option	
YesBl	Vomiting with blood	option	
YesGr	Vomiting bright green	option	
2t3d	2 - 3 days	option	
NFY	Has not had a breast feed yet	option	
BF	Breast feeding normally	option	
BFH	Needs help breast feeding	option	
CUPEBM	Cup/ Spoon feeds with breast milk	option	

You're in **view** mode Switch to **development** mode

v628

david.delorenzo



Formula				
NGEBM	NG feeds with EBM	option		
NGFORM	NG feeds with formula	option		
IVF	Intravenous fluids	option		
PassedMec	Meconium?	dropdown		
StoolsInfant	Stools?	dropdown		
PUNewborn	Passing urine? (newborn)	dropdown		
PUInfant	Passing urine? (infant)	dropdown		
Convulsions	Convulsions	option		
CL	Crying less than usual	option		
CrM	Crying more than usual	option		
FI	Floppy	option		
St	Stiff neck or limbs	option		
M3	More than 3 days	option		
LW	Labour ward (LW)	option		
PNW	Postnatal ward (PNW)	option		
TH	Theatre	option		
KMC	Kangaroo Mother Care (KMC)	option		
ANC	Antenatal ward	option		
PW	Paying ward	option		
U5	Under 5 ward	option		
H	Home - Self Referral	option		
F	Other facility	option		
ABC	ABC Clinic	option		
A18	Area 18 HC	option		
A25	Area 25 HC	option		

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



CLI	Child Legacy International	option	↗
DLH	Daeyang Luke Mission Hospital	option	↗
Dedza	Dedza District Hospital	option	↗
Dowa	Dowa District Hospital	option	↗
Kab	Kabudula Community Hospital	option	↗
Kang	Kang'loma HC	option	↗
Kany	Kanyezi HC	option	↗
Kas	Kasungu District hospital	option	↗
Kaw	Kawale HC	option	↗
Lumb	Lumbadzi HC	option	↗
Lik	Likuni Mission Hospital	option	↗
Mchi	Mchinji District Hospital	option	↗
Mit	Mitundu Community Hospital	option	↗
Mzuzu	Mzuzu Central Cospital	option	↗
Nam	Nambuma HC	option	↗
Ntcheu	Ntcheu Hospital	option	↗
Ntchis	Ntchisi District Hospital	option	↗
Ngon	Ngoni HC	option	↗
Nko	Nkhoma Mission Hospital	option	↗
Nkhot	Nkhotakota District hospital	option	↗
Sal	Salima District hospital	option	↗
StAnn	St Anne's Hospital	option	↗
StAug	St Augustine Mission Hospital	option	↗
StGab	St Gabriel's Hospital	option	↗
Tem	Tembwe HC	option	↗

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



Hosp	Hospital	option	↗
HC	Health Centre	option	↗
BBA	Born on the way to hospital (in transit)	option	↗
Home	Home	option	↗
Lum	Lumbadzi HC	option	↗
Kab	Kabudula rural hospital	option	↗
CLI	Child Legacy International Hospital	option	↗
Ded	Dedza district hospital	option	↗
Mzuzu	Mzuzu central hospital	option	↗
OtherBirthFacility	Name of facility:	text	↗
ThermTrans	Thermal support during transport	dropdown	↗
TemperatureOnArrival	Temperature (deg's C)	number	↗
DateTimeTempOnArrival	DateTime of Temperature on Arrival	datetime	↗
MotherAddressVillage	Mother's Village	text	↗
MatPhysAddressDistrict	Mother's District	dropdown	↗
MothLM	Mother's Closest Landmark	text	↗
MothCell	Mother's Cell phone Number	number	↗
MatAgeYrs	Maternal Age (years)	number	↗
MatGrav	Maternal Gravidity (# of pregnancies)	number	↗
PAR	Maternal Parity	number	↗
ParityLivingChildren	How many children are living?	number	↗
ParityDeadChildren	How many children are dead?	number	↗
AB	Abortion	option	↗

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



CON	Congenital Anomalies	option	↗
EPM	Extreme Prematurity	option	↗
HYPO	Hypoglycemia	option	↗
MEN	Meningitis	option	↗
PNE	Pneumonia	option	↗
SE	Sepsis	option	↗
SHIE	Severe HIE	option	↗
SMA	Severe Malaria	option	↗
SH	Shock	option	↗
TE	Tetanus	option	↗
OTH	Other	option	↗
ParityCODOther	Other Cause of death?	text	↗
MAR	Married	option	↗
DIV	Divorced	option	↗
WID	Widowed	option	↗
S	Single	option	↗
M	Malawian	option	↗
MO	Mozambican	option	↗
B	Botswana	option	↗
BU	Burundian	option	↗
CA	Central African	option	↗
ET	Ethiopian	option	↗
ER	Eritrean	option	↗
K	Kenyan	option	↗
R	Rwandan	option	↗

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



S	Somali	option	↗
SA	South African	option	↗
T	Tanzanian	option	↗
U	Ugandan	option	↗
ZAM	Zambian	option	↗
ZIM	Zimbabwe	option	↗
EthnicityOther	If other, what is your ethnicity?	text	↗
Ch	Chewa	option	↗
CH	Chinyanja	option	↗
Lo	Lomwe	option	↗
M	Mang'anja	option	↗
Ng	Ngoni	option	↗
NY	Nyanja	option	↗
S	Sena	option	↗
Tu	Tumbuka	option	↗
To	Tonga	option	↗
Ya	Yao (Mchawa)	option	↗
TribeOther	If other, which tribe?	text	↗
A	Anglican (Christian protestant)	option	↗
AOG	Assemblies of god	option	↗
Ba	Baptist (Christian Protestant)	option	↗
CCAP	Church of Central Africa (CCAP)	option	↗
CFC	Calvary Family Church	option	↗
COC	Church of Christ	option	↗
CP	Other Christian Protestant	option	↗

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



RC	Roman Catholic (Christian)	option	
ECG	Enlightened Christian Gathering (ECG)	option	
MU	Muslim	option	
P	Presbyterian	option	
SDA	Seventh Day Adventist (SDA)	option	
JW	Jehover's Witness	option	
LW	Living Waters	option	
Z	Zion	option	
AG	Agnostic	option	
ATH	Atheist	option	
AC	African Church	option	
ReligionOther	If other, which religion?	text	
DateHIVtest	When was this test?	date	
TestThisPreg	Was the test during this pregnancy?	dropdown	
HIVtestResult	What was the Result?	dropdown	
HAART	Mother on HAART?	dropdown	
LengthHAART	Mother on HAART since when?	dropdown	
HepBYN	Has the mother had a Hepatitis B test?	dropdown	
HepBdate	Hepatitis B Test Date	date	
HepBRes	Hepatitis B Test Result	dropdown	
Y	Yes	option	
N	No	option	
U	Not Sure	option	

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



OTHER TESTS:

ANVDRLDate	Date of VDRL	date	↗
ANVDRLResult	Result of VDRL	dropdown	↗
ANMatSyphTreat	COMPLETED treatment for syphilis antenatally?	dropdown	↗
HTN	Hypertension or pre-eclampsia	option	↗
DM	Diabetes	option	↗
MAL	Malaria	option	↗
STD	Sexually Transmitted Disease (other than HIV/syphilis)	option	↗
HD	Heart disease	option	↗
THY	Thyroid disease / goitre	option	↗
AN	Anaemia	option	↗
TU	Tuberculosis	option	↗
U	Unknown	option	↗
GS	Genital shingles (Herpes Simplex)	option	↗
HP	Human papillomavirus (Genital warts)	option	↗
HEP	Hepatitis B	option	↗
CHL	Chlamydia	option	↗
GON	Gonorrhea	option	↗
TRI	Trichomoniasis (Trich)	option	↗
TypeSTD	What was this STD?	text	↗
AntenatalCare	Number of antenatal care visits?	number	↗
Iron	Iron (Ferrous Sulphate) received?	dropdown	↗
Folate	Folate (Folic Acid) received?	dropdown	↗

You're in **view** mode Switch to **development** mode

v628

david.delorenzo



received:

IPT0	No SP doses	option	↗
IPT1	1 SP dose	option	↗
IPT2	2 SP doses	option	↗
IPT3	3 SP doses	option	↗
IPT4	4 SP doses	option	↗
IPT5+	5 or more SP doses	option	↗
IPTU	Not sure	option	↗
ANSteroids	Were antenatal steroids given?	dropdown	↗
ANSterCrse	When were the steroids given?	dropdown	↗
Conv	Convulsions / Eclampsia	option	↗
Olig	Oligohydramnios	option	↗
Pre	Pre-eclampsia	option	↗
Poly	Polyhydramnios	option	↗
SVB	Significant Vaginal Bleeding (APH - Antipartum Haemorrhage)	option	↗
DurationLab	Labour duration (Hrs)	number	↗
ROM	Did the membranes rupture naturally or by a HCW?	dropdown	↗
ROMLength	How long between ROM and birth?	dropdown	↗
PROM	PROM more than 18 hrs	option	↗
MF	Maternal fever in labour	option	↗
OL	Offensive Liquor	option	↗
Pr2nd	Prolonged second stage	option	↗
BBA	Born Before Arrival (BBA)	option	↗
Prem	Prematurity < 37 weeks	option	↗

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



ModeDelivery	Mode of Delivery	dropdown	
FD	Foetal Distress	option	
Pres	Malpresentation (e.g. breech)	option	
Scar	Previous scar(s)	option	
E	Eclampsia	option	
PE	Pre-Eclampsia	option	
Fi	Fibroids	option	
Fund	Big Fundus	option	
Mult	Multiple gestation	option	
Pr	Prolonged labour	option	
Post	Post Term	option	
CPD	Cephalopelvic Disproportion	option	
APH	Antepartum Haemorrhage	option	
CSReasonOth	If other what?	text	
Yes	Yes	option	
No	No	option	
Thick	Thick	option	
Thin	Thin	option	
CryBirth	Did the baby cry straight after birth?	dropdown	
Apgar1	Apgar Score at 1 min	number	
Apgar5	Apgar Score at 5 min	number	
Apgar10	Apgar Score at 10 min	number	
Stim	Stimulation	option	
Suc	Suctioning	option	
O2	Oxygen	option	

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



(BVM)

CPR	Cardio Pulmonary Resuscitation (CPR)	option	
LengthResusKnown	Length of resuscitation known?	dropdown	
DurCPR	Duration of CPR in minutes	number	
CPROut	Outcome of CPR	dropdown	
VitK	IM vit K given at birth?	dropdown	
VitKN	Why hasn't the baby received vitamin K?	dropdown	
TEO	TEO given at birth?	dropdown	
Chlor	Chlorhexidine on umbilicus at birth?	dropdown	
ARF1	Fever >38 in mother	option	
ARF2	Rupture of membranes >18h	option	
ARF3	Offensive Liquor	option	
ARF4	Suspected or confirmed sepsis in a twin"	option	
SSS1	Temperature <35.5 or >37.5	option	
SSS2	Bulging Fontanelle	option	
SSS6	chest indrawing	option	
SSS8	Umbilical redness extending to the periumbilical skin or umbilicus draining pus	option	
SSS9	reduced movement of limbs	option	
SSS10	Many skin pustules/big boil (abscess)	option	
SSS11	Painful joint/swelling, reduced movement and irritability if these parts are handled	option	

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



SM2	Lethargy/unconscious	option	↗
SM3	Persistent irritability	option	↗
SM4	High pitched cry	option	↗
SM5	Convulsions	option	↗
SM6	Apnoeic episode	option	↗
SDS1	Cold hands and feet	option	↗
SDS2	Capillary refill time > 3 seconds	option	↗
SDS3	Fast and weak pulse	option	↗
ARFNONE	NONE	option	↗
SSSNONE	NONE	option	↗
SMNONE	NONE	option	↗
SDSNONE	NONE	option	↗
AB	Abscess	diagnosis	↗
BO	Bowel Obstruction	diagnosis	↗
DUM	Dumped Baby	diagnosis	↗
SP	Syphilis positive mother - completed treatment	diagnosis	↗
Oth	Other	diagnosis	↗
Warm	Wrapped	option	↗
Incub	Incubator	option	↗
KMC	KMC	option	↗
Res	Resuscitaire	option	↗
BVM	BVM Ventilation	option	↗
NCO2	Nasal Cannulae Oxygen	option	↗
CPAP	CPAP	option	↗

You're in **view** mode Switch to **development** mode

v628

david.delorenzo



CupEBM	Cup feeds (EBM)	option	
NGT	NGT feeds (EBM)	option	
OGT	OGT feeds (EBM) e.g. if on CPAP	option	
CupForm	CUP feeds (Formula)	option	
TubeForm	NGT / OGT (Formula)	option	
Gluc	Check glucose	option	
FBC	Send FBC	option	
Bili	Check Bilirubin	option	
TEO	TEO	option	
CHLX	Chlorhexidine (for cord care)	option	
DEX	IV 10% Dextrose	option	
ROBS	Regular observations	option	
HRisk	Admit to High Risk	option	
LRisk	Admit to Low Risk	option	
ISOL	Admit to Isolation	option	
PH	Phototherapy	option	
PlanOth	If other what?	text	
MedAdm	Other medication to be given on admission	multi_select	
Med48	Medication given prior to admission (in last 48 hours)	multi_select	
COIF	Are there any reasons why the baby should not be given feeds? (See possible reasons above)	dropdown	
BFD	Can the baby suck well enough to breastfeed only?	dropdown	

You're in **view** mode [Switch to development mode](#)

v628

david.delorenzo



Hard Bonus:

HCWSig	Electronic Signature	dropdown	↗
HCWID	Health Care Worker/ Student ID	text	↗
Cadre	Type of Health Care Worker	dropdown	↗
EndScriptDatetime	Datetime of completion	datetime	↗
Mol	mmol/L	option	↗
Mg	mg/dL	option	↗
FNB	Fresh Newborn (< 2 hours old)	option	↗
NB24	Newborn (2 - 23 hrs old)	option	↗
NB48	Newborn (1 day - 1 day 23 hrs old)	option	↗
INF72	Infant (2 days - 2 days 23 hrs old)	option	↗
INF	Infant (> 3 days old)	option	↗
Tw1	1st Twin	option	↗
Tw2	2nd Twin	option	↗
Tr1	1st Triplet	option	↗
Tr2	2nd Triplet	option	↗
Tr3	3rd Triplet	option	↗
Q1	1st Quadruplet	option	↗
Q2	2nd Quadruplet	option	↗
Q3	3rd Quadruplet	option	↗
Q4	4th Quadruplet	option	↗
FundHt	Fundal height	option	↗
LMP	Length of pregnancy / Last Menstrual Period (LMP)	option	↗
USS	USS	option	↗

You're in **view** mode Switch to **development** mode

v628

david.delorenzo



0	Normal = 0	option	
1	Poor = 1	option	
2	Absent +/- bites = 2	option	
1	Full not tense = 1	option	
2	Bulging & tense = 2	option	
1	Hypertonia = 1	option	
2	Hypotonia = 2	option	
3	Flaccid = 3	option	
1	Hyperalert stare = 1	option	
2	Lethargic = 2	option	
3	Coma = 3	option	
0	None = 0	option	
1	<3 Per day = 1	option	
2	>2 Per day = 2	option	
1	Hyperventilation (RR>60) = 1	option	
2	Brief Apnea = 2	option	
3	Apnea needing bagging = 3	option	
1	Fisting & Cycling = 1	option	
2	Strong distal Flexion = 2	option	
3	Decerebrate = 3	option	
1	Partial = 1	option	
2	Absent = 2	option	
2	Absent =2	option	
MJ	Mild Jaundice	option	
DJ	Deep Jaundice	option	

You're in **view** mode Switch to **development** mode

v628

david.delorenzo



Mec24	Passed meconium in 1st 24 hrs	option	
NoMec	No meconium in 1st 24 hrs	option	
Norm	Opening bowels normally	option	
BNO	Bowels not opening	option	
Diarr	Has diarrhoea and passing large water stools	option	
BIDi	Bloody Diarrhoea	option	
Yes	Has passed urine in 1st 24 hrs	option	
No	Has not passed urine	option	
Unk	Not sure	option	
Norm	Passing urine normally	option	
NoPU	Not passing urine	option	
WR	Wrapped	option	
KMC	Kangaroo Mother Care	option	
MobInc	Mobile Incubator	option	
LL	Lilongwe	option	
B	Balaka	option	
BL	Blantyre	option	
BLC	Blantyre City	option	
CHK	Chikwawa	option	
CHR	Chiradzulu	option	
CHP	Chitipa	option	
DE	Dedza	option	
DO	Dowa	option	
KR	Karonga	option	

You're in **view** mode Switch to **development** mode

v628		david.delorenzo	
LK	Likoma	option	
MC	Machinga	option	
MG	Mangochi	option	
MCH	Mchinji	option	
MU	Mulanje	option	
MW	Mwanza	option	
MB	Mzimba	option	
MZ	Mzuzu City	option	
NE	Neno	option	
NKB	Nkata bay	option	
NKK	Nkhotakota	option	
NS	Nsanje	option	
NCU	Ntcheu	option	
NCI	Ntchisi	option	
PH	Phalombe	option	
RU	Rumphi	option	
SA	Salima	option	
TH	Thyolo	option	
Z	Zomba	option	
Y	During this pregnancy	option	
N	Before this pregnancy	option	
A	After delivery	option	
R	Reactive	option	
NR	Non Reactive	option	
1stTrim	1st Trimester or earlier	option	

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



3rdTrim	3rd Trimester more than 1 month before delivery	option	↗
Late	Less than 1 month before delivery	option	↗
P	Positive	option	↗
N	Negative	option	↗
U	UNKOWN	option	↗
FC14	Full course given in last 14 days	option	↗
PC14	Partial course given in last 14 days	option	↗
FCG14	Full course given more than 14 days ago	option	↗
Nat	Spontaneous	option	↗
Clin	Artificial	option	↗
NOPROM	Less than 18 hours	option	↗
PROM	More than 18 hours	option	↗
Vertex	Vertex	option	↗
Brow	Brow	option	↗
Breech	Breech	option	↗
Face	Face	option	↗
1	Spontaneous Vaginal Delivery (SVD)	option	↗
2	Vacuum extraction	option	↗
3	Forceps extraction	option	↗
4	Elective Ceasarian Section (ELCS)	option	↗
5	Emergency Ceasarian Section (EMCS)	option	↗

You're in **view** mode Switch to **development** mode

v628

david.delorenzo



7	Induced Vaginal Delivery	option	↗
Kn	Known	option	↗
Six	HR Remained below 60 so CPR stopped	option	↗
Hun	HR Remained below 100 so CPR stopped	option	↗
Suc	HR came above 100 and baby improved CPR stopped	option	↗
Resp	HR came above 100 gasping respirations only BVM cont	option	↗
U	Unavailable	option	↗
R	Refused	option	↗
Para	Paracetamol	option	↗
Benpen	Benzylpenicillin	option	↗
GENT	Gentamicin	option	↗
CEF	Ceftriaxone	option	↗
MET	Metronidazole	option	↗
Mero	Meropenem	option	↗
AMIN	Aminophylline	option	↗
Caff	Caffeine	option	↗
Pheno	Phenobarbitone	option	↗
Pheny	Phenytoin	option	↗
VitK	Vitamin K	option	↗
TEO	Tetracycline Eye Ointment	option	↗
Iron	Iron	option	↗
VitD	Vitamin D	option	↗
BCG	BCG vaccine	option	↗

You're in **view** mode Switch to **development** mode

v628

david.delorenzo



Furo	Furosemide	option	
AMOX	Amoxicillin	option	
NVP	Nevirapine	option	
2P	2P (AZT/3TC/NVP)	option	
Y	There are contraindications to oral feeds by any route. Baby should be NPO and on IV fluids.	option	
N	It is safe for the baby to receive feeds by cup/NG/OGT/breastfeeds	option	
Y	Yes - the baby can breastfeed only	option	
N	No - the baby may need some feeds by cup or NG or OGT	option	
Un	Unsure	option	
YSh	Yes - the baby has signs of shock	option	
YSn	Yes - a fluid bolus has been recommended by a surgeon or senior clinician	option	
YGsh	Yes - this is a baby with new diagnosis of gastroschisis	option	
N	No - the baby does not need a fluid bolus	option	
BERN	Bernadette Nyambo	option	
BRNA	Bridget Namanya	option	
DAMU	Daniel Mughyombe	option	
FUST	Funnie Steven	option	
GLZA	Gloria Zailani	option	
TANY	Tamara Nyasulu	option	

You're in **view** mode [Switch to **development** mode](#)

v628

david.delorenzo



MPGR	Mphatso Grant	option	↗
PRDI	Precious Dinga	option	↗
PRMA	Prince Magawa	option	↗
RHCH	Rhoda Chifisi	option	↗
PAKA	Pamela Kawaga	option	↗
TAWH	Tamandani Whayo	option	↗
WAKU	Watson Kumwenda	option	↗
BRMH	Brandina Mhlanga	option	↗
OMMA	Omega Makonde	option	↗
PECH	Peter Chirwa	option	↗
VEKU	Veronica Kunkeani	option	↗
TAGA	Tadala Gamadzi	option	↗
INNA	Innocent Namate	option	↗
SANK	Samantha Nkochi	option	↗
TENGO	Temwa Ngoma	option	↗
EDCI	Edith Chiwanda	option	↗
N	Nurse	option	↗
MWO	Midwife Officer	option	↗
NMT	NMT - Nurse Midwife Technician	option	↗
NS	Nursing Student	option	↗
MedSt	Medical Student	option	↗
COS	DCM Student	option	↗
COIn	Intern CO	option	↗
MOI	Intern MO	option	↗
CO	CO - Clinical Officer	option	↗

You're in **view** mode Switch to **development** mode

v628

david.delorenzo

CHN	Community Health Nurse	option	
GP	GP - General Practitioner	option	
PaeReg	Paediatric Registrar	option	
NeoReg	Neonatal Registrar	option	
MedReg	Medical Registrar	option	
PaeCon	Paediatric Consultant	option	
NeoCon	Neonatal Consultant	option	
Paed	Paediatrician	option	