

Sally Mugabe CH Admission

Search



Key	Label	Type	
An	Anaemia	diagnosis	
BBA	Born Before Arrival	diagnosis	
BI	Birth Trauma	diagnosis	
Cong	Congenital Abnormality	diagnosis	
CHD	Consider Congenital Heart Disease	diagnosis	
Conv	Convulsions	diagnosis	
Dhyd	Dehydration	diagnosis	
DUM	Abandoned baby	diagnosis	
DF	Difficulty Feeding	diagnosis	
HIVExp	HIV Exposed	diagnosis	
HIVU	HIV Unknown	diagnosis	
HypogSy	Hypoglycaemia (symptomatic)	diagnosis	
HypogAs	Hypoglycaemia (NOT symptomatic)	diagnosis	
RiHypog	Risk of hypoglycaemia	diagnosis	
LBW	Low Birth Weight (1500-2499g)	diagnosis	
VLBW	Very Low Birth Weight (1000-1499g)	diagnosis	
ExLBW	Extremely low birth weight (<1000g)	diagnosis	

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



MiHypo	Mild Hypothermia	diagnosis	
ModHypo	Moderate Hypothermia	diagnosis	
SHypo	Severe Hypothermia	diagnosis	
Hyperth	Hyperthermia	diagnosis	
NB	Normal Baby	diagnosis	
PN	Pneumonia / Bronchiolitis	diagnosis	
Prem	Premature (32 to 37 weeks)	diagnosis	
VPrem	Very Premature (28-31+6 weeks)	diagnosis	
ExPrem	Extremely Premature (<28 weeks)	diagnosis	
TTN	Transient Tachypnoea of Newborn (TTN)	diagnosis	
Syph_Exp	Syphilis exposed	diagnosis	
CongPneu	? Congenital Pneumonia	diagnosis	
UH	Umbilical Hernia	diagnosis	
ConTet	Consider Tetanus	diagnosis	
ApofPrem	Apnoea of prematurity	diagnosis	
NecEnt	Consider Necrotising Enterocolitis	diagnosis	
ConMen	Consider Meningitis	diagnosis	
PremRD	Premature baby with Respiratory Distress	diagnosis	
TermRD	Term with Respiratory Distress	diagnosis	
HBW	Macrosomia (>4000g)	diagnosis	
MJ	Physiological Jaundice	diagnosis	
DJ	Pathological Jaundice	diagnosis	
ProJ	Prolonged Jaundice	diagnosis	

You're in **view** mode Switch to **development** mode

v5282

david.delorenzo



Encephalopathy

sHIE	Suspected Hypoxic Ischaemic Encephalopathy (HIE)	diagnosis	
NSep	Suspected neonatal sepsis	diagnosis	
Risk	Risk factors for sepsis (Not symptomatic)	diagnosis	
GSchis	Gastroschisis	diagnosis	
Omph	Omphalocele	diagnosis	
CleftRD	Cleft lip and/or palate with RD	diagnosis	
CleftLip	Cleft lip	diagnosis	
CleftPal	Cleft palate	diagnosis	
Myelo	Myelomeningocele	diagnosis	
CDH	Congenital dislocation of the hip (CDH)	diagnosis	
MoTalipes	Moderate Talipes (club foot)	diagnosis	
MiTalipes	Mild Talipes (club foot)	diagnosis	
BabyCryTriage	Baby Crying	yesno	
FurtherTriage	Further Triage	single_select	
DangerSigns	Danger signs	multi_select	
DangerSigns2	Danger Signs B)	multi_select	
RR	Respiratory Rate (breaths/min)	timer	
ManualHR	Manual Heart Rate (beats/min)	timer	
EnvTemp	Environmental cause for temperature	yesno	
HypoSymptoms	Symptomatic?	yesno	
AdmReasonAdd	Additional Problems present	multi_select	
Gender	Sex	single_select	
SuckReflex	Suck Reflex	single_select	

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



Palate	Palate	single_select	
Fontanelle	Fontanelle	single_select	
HeadShape	Head Shape	single_select	
Tone	Tone	single_select	
Spine	Spine	single_select	
Activity	Activity	single_select	
SignsRD	Signs of Respiratory Distress	multi_select	
WOB	Work of breathing	single_select	
ChestAusc	Chest auscultation	multi_select	
Murmur	Heart sounds	single_select	
Colour	Colour	multi_select	
CRT	Capillary Refill time (CRT)	single_select	
Femorals	Femoral pulses	single_select	
SignsDehydrations	Signs of Dehydration	multi_select	
Abdomen	Abdomen	multi_select	
GSCvsOM	Which abdominal wall defect?	single_select	
Umbilicus	Umbilicus	multi_select	
Genitalia	Genitalia	single_select	
Anus2	Anus	single_select	
MSKproblems	Musculoskeletal problems	multi_select	
TalipesSev	TalipesSev	yesno	
Skin	Skin	multi_select	
Ortolani	Ortolani	single_select	
FeverSR	Fever	yesno	
FeverOns	Fever started	single_select	

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



RespOns	Breathing problems started	single_select	
Vomiting	Vomiting?	multi_select	
GastOns	Gastro problems started	single_select	
FeedsAdm	Feeds received	multi_select	
SRNeuroOther	Any other symptoms?	multi_select	
NeorOns	Neuro problems started	single_select	
InOrOut	Admitted from within HCH?	yesno	
AdmittedFrom	Admitted from	single_select	
ReferredFrom2	Referred from	single_select	
ReferredFrom	Name of referring facility	single_select	
BirthPlaceSame	Birth place same?	yesno	
PlaceBirth	Place of birth	single_select	
PlaceBirthTown	Is the place of birth inside of Harare province?	yesno	
BirthFacility	Name of Facility	single_select	
MatAdm	Maternal Admission	yesno	
MaritalStat	Mother's marital status	single_select	
Religion	Mother's religion	single_select	
MathIVtest	Has the mother had an HIV test?	yesno	
NVPgiven	Has the baby received HIV prophylaxis?	yesno	
ANVDRL	Syphilis test?	single_select	
PregConditions	Medical conditions in pregnancy	multi_select	
ANSteroids	Antenatal steroids	single_select	
ProbsLab	Problems in Labour	multi_select	
RFsepsis	Risk Factors for Sepsis	multi_select	

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



Resus	Resuscitation given	multi_select	↗
DelivInter	Delivery interventions	multi_select	↗
EDLIZSummaryTableScore	EDLIZ summary table score	zw_edliz_summary_table	↗
Plan	Management Plan	multi_select	↗
White colour	White colour	diagnosis_symptom_sign	↗
No Mat Iron	No Mat Iron	diagnosis_symptom_sign	↗
Admitted with NTD	Admitted with NTD	diagnosis_symptom_sign	↗
Admitted with other congenital abnormality	Admitted with other congenital abnormality	diagnosis_symptom_sign	↗
Spinal NTD	Spinal NTD	diagnosis_symptom_sign	↗
Abdominal wall defect	Abdominal wall defect	diagnosis_symptom_sign	↗
Abnormal umbilicus	Abnormal umbilicus	diagnosis_symptom_sign	↗
Imperforate anus	Imperforate anus	diagnosis_symptom_sign	↗
Musculoskeletal deformity e.g. talipes	Musculoskeletal deformity e.g. talipes	diagnosis_symptom_sign	↗
Head Shape	Head Shape	diagnosis_symptom_sign	↗
Convulsions in Danger Signs	Convulsions in Danger Signs	diagnosis_symptom_sign	↗
History of convulsions	History of convulsions	diagnosis_symptom_sign	↗
Activity is convulsing	Activity is convulsing	diagnosis_symptom_sign	↗
Presented with convulsions	Presented with convulsions	diagnosis_symptom_sign	↗
Prolonged skin pinch	Prolonged skin pinch	diagnosis_symptom_sign	↗
Dry Mucous Membranes	Dry Mucous Membranes	diagnosis_symptom_sign	↗
Sunken eyes	Sunken eyes	diagnosis_symptom_sign	↗
SunkFont	Sunken Fontanelle	diagnosis_symptom_sign	↗
Needs help breast feeding	Needs help breast feeding	diagnosis_symptom_sign	↗

You're in **view** mode [Switch to development mode](#)

v5282

david.delorenzo



Feeding

Refusing all feeds: needs NG	Refusing all feeds: needs NG	diagnosis_symptom_sign	↗
Requires IV fluids	Requires IV fluids	diagnosis_symptom_sign	↗
Absent suck	Absent suck	diagnosis_symptom_sign	↗
Mec stained umbilicus	Mec stained umbilicus	diagnosis_symptom_risk	↗
Grunting or severe recessions	Grunting or severe recessions	diagnosis_symptom_sign	↗
Tachynoea > 80	Tachynoea > 80	diagnosis_symptom_sign	↗
History of fast or laboured breathing	History of fast or laboured breathing	diagnosis_symptom_sign	↗
History of noisy breathing	History of noisy breathing	diagnosis_symptom_sign	↗
Saturations in air < 90	Saturations in air < 90	diagnosis_symptom_sign	↗
Saturations in oxygen < 90	Saturations in oxygen < 90	diagnosis_symptom_sign	↗
Any severity of work of breathing	Any severity of work of breathing	diagnosis_symptom_sign	↗
Bilateral crackles or wheeze	Bilateral crackles or wheeze	diagnosis_symptom_sign	↗
Passed Mec in liquor	Passed Mec in liquor	diagnosis_symptom_risk	↗
Tachypnoea > 80	Tachypnoea > 80	diagnosis_symptom_sign	↗
History of cough	History of cough	diagnosis_symptom_sign	↗
Any severity of WOB	Any severity of WOB	diagnosis_symptom_sign	↗
Sats in air < 90	Sats in air < 90	diagnosis_symptom_sign	↗
Sats in oxygen < 90	Sats in oxygen < 90	diagnosis_symptom_sign	↗
Any chest signs	Any chest signs	diagnosis_symptom_sign	↗
Saturations in O2 < 90	Saturations in O2 < 90	diagnosis_symptom_sign	↗
Fever	Fever	diagnosis_symptom_sign	↗
Admitted with fever	Admitted with fever	diagnosis_symptom_sign	↗

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



Pustules all over body	Pustules all over body	diagnosis_symptom_sign	↗
Big Boil	Big Boil	diagnosis_symptom_sign	↗
Infected umbilicus	Infected umbilicus	diagnosis_symptom_sign	↗
Bulging fontanelle	Bulging fontanelle	diagnosis_symptom_sign	↗
History of Apnoea	History of Apnoea	diagnosis_symptom_sign	↗
Pallor	Pallor	diagnosis_symptom_sign	↗
Lethargy	Lethargy	diagnosis_symptom_sign	↗
Irritability	Irritability	diagnosis_symptom_sign	↗
Tachy without fever or crying	Tachy without fever or crying	diagnosis_symptom_sign	↗
Manual tachy without fever	Manual tachy without fever	diagnosis_symptom_sign	↗
Jaundice (<24hrs)	Jaundice (<24hrs)	diagnosis_symptom_sign	↗
weak or absent suck	weak or absent suck	diagnosis_symptom_sign	↗
Distended abdomen	Distended abdomen	diagnosis_symptom_sign	↗
Any full risk factor for sepsis	Any full risk factor for sepsis	diagnosis_symptom_risk	↗
Born before arrival	Born before arrival	diagnosis_symptom_risk	↗
Convulsions	Convulsions	diagnosis_symptom_sign	↗
Bilious vomiting	Bilious vomiting	diagnosis_symptom_sign	↗
Poor feeding or vomiting	Poor feeding or vomiting	diagnosis_symptom_sign	↗
Unequal air entry	Unequal air entry	diagnosis_symptom_risk	↗
Unilateral crackles	Unilateral crackles	diagnosis_symptom_risk	↗
Unilateral wheeze	Unilateral wheeze	diagnosis_symptom_risk	↗
History of blue episodes	History of blue episodes	diagnosis_symptom_sign	↗
Abdo distension	Abdo distension	diagnosis_symptom_sign	↗
Vomiting all feeds	Vomiting all feeds	diagnosis_symptom_sign	↗

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



Vomiting bright green	Vomiting bright green	diagnosis_symptom_sign	
Bloody stools	Bloody stools	diagnosis_symptom_sign	
Increased tone	Increased tone	diagnosis_symptom_sign	
Activity irritable	Activity irritable	diagnosis_symptom_sign	
Activity Lethargic	Activity Lethargic	diagnosis_symptom_sign	
NotBr	NOT BREATHING!	option	
Gasp	GASPING or irregular breathing	option	
HRLow	Normal breathing but HR < 100	option	
Floppy	VERY FLOPPY (normal breathing & HR)	option	
Stable	Stable	option	
Grun	Grunting or severe chest indrawings	option	
Cyan	Central cyanosis	option	
Convulsions	Convulsions or twitchings	option	
Norm	NONE	option	
Cold	Trunk feels cold	option	
PrCRT	Capillary Refill Time more than 3 seconds	option	
Wkpulse	Weak or fast femoral pulses	option	
SatsAir	Oxygen Saturations in Air (%)	number	
HR	Heart Rate (beats/min)	number	
SatsO2	Saturations in Oxygen	number	
Temperature	Temperature (deg C)	number	
BSmonYN	Are you able to measure blood sugar?	dropdown	
BSUnit	Blood Sugar Measurement Unit	dropdown	

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



BloodSugarmg	Blood Sugar (mg/dL) (45 - 81)	number	
BirthWeight	Birth Weight (g)	number	
AdmissionWeight	Admission Weight (g) (if different)	number	
OFC	Head Circumference (cm)	number	
Length	Length (cm)	number	
AdmReason	Presenting complaint	dropdown	
Cong	Other Congenital Abnormality	option	
AD	Abdominal distension	option	
BBA	Born Before Arrival	option	
Conv	Convulsions	option	
DU	Dumped baby	option	
Fev	Fever	option	
DF	Difficulty Feeding	option	
GSchis	Gastroschisis	option	
HIE	Hypoxic ischaemic encephalopathy	option	
HIVX	HIV Exposed	option	
J	Jaundice	option	
LBW	Low birth weight	option	
Mec	Possible Meconium aspiration	option	
NTD	Neural tube defect / spina bifida	option	
OM	Omphalocele	option	
Prem	Prematurity	option	
Pneum	Pneumonia	option	
RDS	Respiratory Distress	option	

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



Syph_Exp	Syphilis exposed	option	
NUID	NEOTREE ID	text	
DateTimeAdmission	Date & time of admission	datetime	
Readmission	Readmission?	dropdown	
MotherFirstName	Mother's First Name	text	
MotherSurname	Mother's Surname	text	
PAR	Maternal Parity	number	
BabyFirst	Baby's First Name	text	
BabyLast	Baby's Surname	text	
M	Male	option	
F	Female	option	
NS	Not Sure	option	
DOBYN	Do you know the Date of Birth?	dropdown	
DOBTOb	Date and Time of birth	datetime	
Age	Age (Days & Hours)	period	
AgeEstimate	Age Category Estimate	dropdown	
TypeBirth	Type of Birth	dropdown	
Gestation	Gestational age at birth (weeks.days)	number	
MethodEstGest	Method of gestational estimation antenatally	dropdown	
BBALoc	Baby born where?	dropdown	
BBADel	Who delivered the baby?	dropdown	
BBACord	What was used to cut the cord?	text	
BBADur	How long did it take to get to hospital (hours)?	number	
CryBirth	Did the baby cry straight away?	dropdown	

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



Apgar5	Apgar Score at 5 mins	number	
Apgar10	Apgar at 10 minutes	number	
Strong	Present and strong	option	
Weak	Present but weak	option	
Absent	Absent	option	
Palate	Palate and lip intact	option	
Cleft	Cleft palate	option	
Lip	Cleft lip	option	
LipPalate	Cleft lip and palate	option	
Flat	Flat, Not Tense (normal)	option	
Sunk	Sunken	option	
Bulg	Bulging	option	
Norm	Normal	option	
Mold	Molding	option	
Hydro	Hydrocephalus	option	
Swell	Swelling or signs of birth trauma	option	
Micro	Microcephaly	option	
Norm	Normal tone, movement in all limbs	option	
Low	Reduced tone = Hypotonia (floppy)	option	
High	Increased tone = Hypertonia (stiff)	option	
OAbn	Other spinal abnormality	option	
Alert	Alert, active, appropriate	option	
Leth	Lethargic, quiet, decreased activity	option	

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



Convulsions	Seizures, convulsions, or twitchings	option	
Coma	Coma (unresponsive)	option	
NFL	Nasal Flaring	option	
CHI	Chest indrawings	option	
HN	Head Nodding	option	
Gasp	Gasping	option	
GR	Grunting	option	
TT	Tracheal Tug	option	
ST	Stridor	option	
Mild	Mild	option	
Mod	Moderate	option	
Sev	Severe	option	
Clear	Chest is clear	option	
UeqAE	Unequal air entry	option	
UniCr	Unilateral crackles	option	
UniWh	Unilateral wheeze	option	
BilatCr	Bilateral crackles/wheeze	option	
Strid	Stridor	option	
No	Normal heart sounds	option	
Yes	Murmur or extra sounds	option	
NotCon	I am not confident auscultating for murmurs	option	
Pink	Pink	option	
Blue	Blue	option	
White	White	option	

You're in **view** mode Switch to **development** mode

v5282

david.delorenzo



Norm	Less than 3 seconds	option	
Prol	3 or more seconds	option	
Present	Palpable	option	
Absent	Weak or absent	option	
Diff	Difficult to feel	option	
NotCon	I am not confident feeling the femoral pulses	option	
PSP	Prolonged skin pinch	option	
DMM	Dry Mucous Membranes	option	
SE	Sunken Eyes	option	
SunkFont	Sunken Fontanelle	option	
Norm	Soft and normal	option	
Dist	Distended	option	
HepMeg	Hepatomegaly	option	
SplMeg	Splenomegaly	option	
AbMass	Abdominal mass	option	
GSchisOmph	Gastroschisis or Omphalocele	option	
PrunB	Prune Belly	option	
GSCH	Gastroschisis	option	
OMPH	Omphalocele	option	
Norm	Healthy & clean	option	
Bl	Bleeding	option	
Inf	Red skin all around umbilicus	option	
Mec	Meconium stained	option	
H	Umbilical Hernia	option	
Abn	Abnormal looking	option	

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



F	Normal Female genitalia	option	
AM	Abnormal Male genitalia	option	
AF	Abnormal Female genitalia	option	
Amb	Ambiguous Genitalia (not sure)	option	
Pat	Patent (normal)	option	
Imp	Imperforate	option	
Abn	Abnormal	option	
YColour	Yellow Colour	dropdown	
Jaundice	Jaundice Kramer staging	dropdown	
BTUL	Birth injury (upper limbs)	option	
BTLL	Birth injury (lower limbs)	option	
MSKD	Musculoskeletal deformities	option	
Legs	Leg length discrepancy	option	
PUST	Pustules all over	option	
BOIL	Big Boil / Abscess	option	
Folds	Uneven skin folds on thighs	option	
Mong	Mongolian blue spot	option	
Rash	Other skin rash	option	
NoOrto	No clunk/click	option	
YesOrto	There is a clunk or click	option	
NDOрто	Not done	option	
L24	Less than 24hrs ago	option	
1t2d	1 - 2 days	option	
2t3d	2 -3 days	option	
M3d	more than 3 days	option	

You're in **view** mode [Switch to development mode](#)

v5282

david.delorenzo



DIB	Fast or laboured breathing	option	
NBr	Noisy Breathing	option	
Cough	Cough	option	
Apn	Apnoea	option	
BE	Blue episodes	option	
Poss	Small milky possets after feeds (normal)	option	
Yes	Vomiting all feeds	option	
YesBl	Vomiting with blood	option	
YesGr	Vomiting bright green	option	
2t3d	2 - 3 days	option	
BF	Breast feeding normally	option	
NFY	Has not had a breast feed yet	option	
BFH	Needs help breast feeding	option	
CUPEBM	Cup/ Spoon feeds with breast milk	option	
CUPFOR	Cup/ Spoon feeds with formula	option	
NGEBM	NG feeds with EBM	option	
NGFORM	NG feeds with formula	option	
IVF	Intravenous fluids	option	
PassedMec	Meconium?	dropdown	
StoolsInfant	Stools?	dropdown	
PUNewborn	Passing urine? (newborn)	dropdown	
PUIntant	Passing urine? (infant)	dropdown	
Convulsions	Convulsions	option	
CL	Crying less than usual	option	

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



FI	Floppy	option	
St	Stiff neck or limbs	option	
M3	More than 3 days	option	
LW	Labour ward (LW)	option	
PNW	Post Natal Ward (PNW)	option	
TH	Theatre	option	
KMC	Kangaroo Mother Care (KMC)	option	
ANC	Antenatal ward	option	
ADM	Admissions	option	
H	Home - Self Referral	option	
F	Other facility	option	
BU	Budiriro	option	
EP	Epworth	option	
GV	Glen View	option	
HC	Hatcliffe	option	
KA	Kambuzuma	option	
KU	Kuwadzana	option	
MA	Mabvuku	option	
MB	Mbare	option	
PA	Parirenyatwa	option	
RU	Rujuko	option	
RS	Rutsanana	option	
WP	Warren Park	option	
O	Other	option	
OtherReferralFacility	Name of Facility	text	

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



HC	Health Centre	option	
TBA	(HOME Traditional Birth Attendant)	option	
BBA	Born on the way to hospital (in transit)	option	
Home	Home	option	
HF	Highfield	option	
OtherBirthFacility	Name of facility:	text	
MatAdmPlace	Mothers' Admission Place	dropdown	
MatAddrProvince	Mothers Residential Province	dropdown	
MatAddrHaDistrict	If Harare, which District?	dropdown	
MotherDOBYN	Do you know the mother's date of birth?	dropdown	
MatAge	Age of Mother (click on the year to change)	period	
MatAgeYrs	Age Of Mother (yrs)	number	
MAR	Married	option	
DIV	Divorced	option	
WID	Widowed	option	
S	Single	option	
Ethnicity	Ethnicity	dropdown	
Ethnicity2	Ethnicity2	text	
A	Anglican (Christian Protestant)	option	
AP	Apostolic (Christian Protestant)	option	
Ba	Baptist (Christian Protestant)	option	
PE	Pentecostal (Christian Protestant)	option	

You're in **view** mode [Switch to development mode](#)

v5282

david.delorenzo



Protestant			
SDA	Seventh Day Adventist (SDA) (Christian Protestant)	option	
CP	Other Christian Protestant	option	
RC	Roman Catholic (Christian)	option	
J	Jewish	option	
JW	Jehova's Witness	option	
MU	Muslim	option	
AG	Agnostic	option	
ATH	Atheist	option	
Z	Zion	option	
ReligionOther	If other, which religion?	text	
DateHIVtest	When was this test? (skip if date unknown)	date	
TestThisPreg	Test during this pregnancy?	dropdown	
HIVtestResult	What was the Result?	dropdown	
HIVtestReport	Where did you get the HIV testing information from?	dropdown	
HAART	Is the mother on HAART?	dropdown	
LengthHAART	Mother on HAART since when?	dropdown	
VLKnown	Do you know the viral load?	dropdown	
VLNumber	Viral Load	number	
Y	Yes	option	
N	No	option	
U	Not sure	option	
DateVDRLSameHIV	Date of syphilis test same as HIV test?	dropdown	
ANVDRLDate	Date of Syphilis test	date	

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



ANVDRLReport	How did you receive the information about syphilis testing?	dropdown	↗
ANMatSyphTreat	COMPLETED treatment for syphilis?	dropdown	↗
SyphAct	If not what action was taken?	text	↗
PartnerTrSyph	Was the partner treated?	dropdown	↗
An	Anaemia	option	↗
DM	Diabetes	option	↗
HD	Heart disease	option	↗
HTN	Hypertension or pre-eclampsia	option	↗
MAL	Malaria	option	↗
STD	Sexually Transmitted Disease (other than HIV/syphilis)	option	↗
THY	Thyroid disease / goitre	option	↗
TU	Tuberculosis	option	↗
U	Unknown	option	↗
TypeSTD	What was this STD?	text	↗
AntenatalCare	ANC Visits	number	↗
Iron	Iron	dropdown	
Folate	Folate	dropdown	
TTV	Tetanus Vaccine (TTV)	dropdown	↗
SVB	Significant Vaginal Bleeding	option	↗
Pre	Pre-eclampsia	option	↗
Conv	Convulsions / Eclampsia	option	↗
Poly	Polyhydramnios	option	↗
Olig	Oligohydramnios	option	↗

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



Birth:

PROM	PROM more than 18 hrs	option	↗
MF	Maternal fever in labour	option	↗
OL	Offensive Liquor	option	↗
Pr2nd	Prolonged second stage	option	↗
BBA	Born Before Arrival (BBA)	option	↗
Prem	Prematurity < 37 weeks	option	
Presentation	Presentation	dropdown	↗
ModeDelivery	Mode of Delivery	dropdown	↗
FD	Foetal Distress	option	↗
Pres	Malpresentation (e.g. breech)	option	↗
Scar	Previous scar(s)	option	↗
E	Eclampsia	option	↗
PE	Pre-Eclampsia	option	↗
Fi	Fibroids	option	↗
Fund	Big Fundus	option	↗
Mult	Multiple gestation	option	↗
Pr	Prolonged labour	option	↗
Post	Post Term	option	↗
CPD	Cephalopelvic Disproportion	option	↗
APH	Antepartum Haemorrhage	option	↗
DurationLab	Duration of Labour (Hours)	number	↗
Stim	Stimulation	option	↗
Suc	Suctioning	option	↗
O2	Oxygen	option	↗

You're in **view** mode [Switch to development mode](#)

v5282

david.delorenzo



(DMM)

CPR	Cardio Pulmonary Resuscitation (CPR)	option	
DurCPR	Duration of CPR in minutes	number	
CPROut	Outcome of CPR	dropdown	
DCC	Delayed Cord Clamping (greater than 60 secs)	option	
S2S	Skin to Skin (within 1st hour of life)	option	
BF	Breast Feeding (within 1st hour of life)	option	
VitK	IM vitamin K given?	dropdown	
TEO	TEO given?	dropdown	
MAJC1	Confirmed sepsis or chorioamnionitis in mother	option	
MAJC2	Confirmed or suspected sepsis in twin	option	
MAJC3	Seizures	option	
MAJC4	Severe Respiratory Distress in a term infant	option	
MAJC5	Signs of shock	option	
MINC1	ROM >18h	option	
MINC2	Spontaneous Preterm Birth	option	
MINC3	GBS sepsis in previous baby or documented GBS carriage in this pregnancy (urine or vaginal swab)	option	
MINC4	Born Before Arrival	option	
MINC5	Meconium Stained Liquor	option	
MINC6	Respiratory distress that is not obviously related to: 1. environmental hypothermia 2.	option	

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



	respiratory distress apparent soon after birth that is improving with time.		
MINC7	Hypoxia	option	
MINC8	Apnoea	option	
MINC9	Hypoglycaemia/Hyperglycaemia not otherwise explained	option	
MINC10	Temperature instability not explained by environmental factors	option	
MINC11	Acidosis not obviously related to HIE	option	
MINC12	Unexplained bleeding or thrombocytopenia	option	
MINC13	Mild encephalopathy/Altered responsiveness	option	
MINC14	Altered tone not otherwise explained	option	
MINC15	Feed intolerance/feeding difficulty	option	
MINC16	Abnormal heart rate (<90 or >160)	option	
MINC17	Jaundice in first 24h	option	
SepFactNone	NONE	option	
MinCNone	NONE	option	
NMPosture	Posture	dropdown	
NMSquare	Square window for wrist	dropdown	
NMArmR	Arm recoil	dropdown	
NMPop	Popliteal Angle	dropdown	
NMScarf	Scarf sign	dropdown	
NMHeelEar	Heel to ear	dropdown	

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



NMLan	Lanugo	dropdown	
NMPlant	Plantar surface	dropdown	
NMBreast	Breast	dropdown	
NMEye	Eye and ear	dropdown	
NMGen	Genitals	dropdown	
BalScore	Total score	number	
BalScoreWks	Weeks	number	
ThompTone	Tone	dropdown	
ThompAlert	Level of Consciousness	dropdown	
ThompSeiz	Fits	dropdown	
ThompRefl	Posture	dropdown	
ThompMoro	Moro reflex	dropdown	
ThompGrasp	Grasp reflex	dropdown	
ThompFeed	Suck Reflex	dropdown	
ThompResp	Respiratory status	dropdown	
ThompFont	Fontanelle	dropdown	
ThompScore	Thompson total score	number	
MecEx	Meconium exposure (asymptomatic baby)	diagnosis	
PN	Pneumonia / Bronchiolitis	diagnosis	
Safe	Safekeeping	diagnosis	
OTH	Other	diagnosis	
ICU	Admit to ICU	option	
PREM	Admit to Prem 1	option	
AdOb	Admit to Observation	option	
Surg	Admit to surgical	option	

You're in **view** mode Switch to **development** mode

v5282

david.delorenzo



Warm	Keep warm with hat, booties etc	option	
KMC	Kangaroo mother care	option	
Obs	Observations 4 hourly	option	
Incub	Nurse in incubator	option	
PTX	Phototherapy	option	
IntVe	Intubate and Ventilate	option	
NC02	Nasal Cannulae Oxygen	option	
BF	Breast feed freely	option	
CPAP	CPAP	option	
Cup	Breast feed with cup top ups	option	
NG	Breast feed with NG top ups	option	
NGX	NG feed exclusively	option	
OGX	OGT feed exclusively	option	
IVI	Maintenance Iv fluids (add rate)	option	
SBR	Check bilirubin	option	
FBC	Check FBC	option	
BC	Blood culture	option	
DNA	DNA PCR for HIV	option	
MatSy	Maternal Syphilis testing	option	
MAT	Maternal PITC	option	
Gluc	Check glucose stat then 4 hourly	option	
Renal	Check renal function	option	
Neuro	Consult neurosurgeon on call	option	
Ortho	Consult orthopaedic surgeon on call	option	

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



Can			
Couns	Counsel caregivers	option	
GUA	Guarded Prognosis	option	
NPO	Keep nil by mouth	option	
TORCH	TORCH screen	option	
AMIN	Aminophylline	option	
AZT	AZT	option	
Caff	Caffeine	option	
Amik	Amikacin	option	
Amp	Ampicillin	option	
Cef	Ceftriaxone (surgical)	option	
Gent	Gentamicin	option	
Xpen	X Penicillin	option	
Met	Metronidazole	option	
NVP	Nevirapine	option	
Med1	Medication 1 (+ dosage)	text	
Med2	Medication 2 (+ dosage)	text	
Med3	Medication 3 (+ dosage)	text	
Med4	Medication 4 (+ dosage)	text	
HCWID	Health Care Worker ID	text	
Cadre	Type of Health Care Worker	dropdown	
Firm	Consultant on call	dropdown	
Review	Reviewed with Senior	dropdown	
ReviewCadre	Cadre of Reviewer	dropdown	
ReviewID	Reviewer ID	text	
Mol	mmol/L	option	

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



DIB	Difficulty in breathing	option	
FD	Not sucking / feeding difficulties	option	
NE	Neonatal encephalopathy	option	
HIVExp	HIV Exposed	option	
LowBirthWeight	Low Birth Weight	option	
Apg	Low Apgars	option	
PremRDS	Prematurity with RDS	option	
SPn	Severe Pneumonia	option	
HBW	Macrosomia (>4000g)	option	
Safe	Safekeeping	option	
Syph_Exp	Syphilis Exposure	option	
Risk	Risk factors for sepsis	option	
NSep	Suspected neonatal sepsis	option	
FNB	Fresh Newborn (< 2 hours old)	option	
NB24	Newborn (2 - 23 hrs old)	option	
NB48	Newborn (1 day - 1 day 23 hrs old)	option	
INF72	Infant (2 days - 2 days 23 hrs old)	option	
INF	Infant (> 3 days old)	option	
Tw1	1st Twin	option	
Tw2	2nd Twin	option	
Tr1	1st Triplet	option	
Tr2	2nd Triplet	option	
Tr3	3rd Triplet	option	
LMP	Last Menstrual Period (LMP)	option	
FH	Fundal height	option	

You're in **view** mode [Switch to development mode](#)

v5282

david.delorenzo



H	Home	option	
T	In transport to clinic	option	
R	By road	option	
To	Toilet	option	
S	Self	option	
F	Father	option	
Fa	Family member	option	
Fr	Friend	option	
N	Nurse in ambulance	option	
TBA	Traditional birth attendant	option	
1	Head and neck (TSB 100umol/L)	option	
2	Upper trunk (TSB 150umol/L)	option	
3	Lower trunk and thighs (TSB 200umol/L)	option	
4	Arms and lower legs (TSB 250umol/L)	option	
5	Palms and soles (TSB >250umol/L)	option	
MecLiq	Meconium present at delivery	option	
Mec24	Passed meconium in 1st 24 hrs	option	
NoMec	No meconium in 1st 24 hrs	option	
Norm	Opening bowels normally	option	
BNO	Bowels not opening	option	
Diarr	Has diarrhoea and passing large water stools	option	
BIDi	Bloody Diarrhoea	option	
Yes	Has passed urine in 1st 24 hrs	option	

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



Unk	Not sure	option	↗
Norm	Passing urine normally	option	↗
NoPU	Not passing urine	option	↗
PostA	Postnatal A	option	↗
PostB	Postnatal B	option	↗
Labour	Labour Ward	option	↗
ICU	ICU	option	↗
Other	Other	option	↗
HA	Harare	option	↗
BU	Bulawayo	option	↗
MC	Mashonaland Central	option	↗
ME	Mashonaland East	option	↗
MW	Mashonaland West	option	↗
MA	Manicaland	option	↗
MAS	Masvingo	option	↗
MN	Matabeleland North	option	↗
MS	Matabeleland South	option	↗
MID	Midlands	option	↗
Av	Avondale	option	↗
Be	Belvedere	option	↗
Bo	Borrowdale	option	↗
CH	Chitungwiza	option	↗
Dz	Dzivaresekwa	option	↗
GLN	Glen Norah	option	↗
GLV	Glen View	option	↗

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



Ha	Hatfield	option	↗
Hat	Hatcliffe	option	↗
HC	Harare Central	option	↗
Hi	Highlands	option	↗
Hif	Highfield	option	↗
Ho	Hopley	option	↗
Ma	Mabelreign	option	↗
Mar	Marlborough	option	↗
Mab	Mabvuku	option	↗
Mo	Mount Pleasant	option	↗
Mu	Mufakose	option	↗
So	Southerton	option	↗
Su	Sunningdale	option	↗
Ta	Tafara	option	↗
Wa	Warren Park	option	↗
Wat	Waterfalls	option	↗
OT	Other	option	↗
A	African	option	↗
AA	African/AfricanAmerican	option	↗
AS	Asian/Pacific Islander	option	↗
W	White	option	↗
NA	NativeAmerican	option	↗
Y	During this pregnancy	option	↗
N	Before this pregnancy	option	↗
R	Positive	option	↗

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



Self	Self-reported from mother	option	↗
Doc	From her documentation	option	↗
1stTrim	1st Trimester or earlier	option	↗
2ndTrim	2nd Trimester	option	↗
3rdTrim	3rd Trimester more than 1 month before delivery	option	↗
Late	Less than 1 month before delivery	option	↗
NA	Not applicable	option	↗
P	Positive	option	↗
N	Negative	option	↗
NOPROM	Less than 18 hours	option	↗
PROM	Greater than 18 hours	option	↗
Vertex	Vertex	option	↗
Brow	Brow	option	↗
Breech	Breech	option	↗
Face	Face	option	↗
1	Spontaneous Vaginal Delivery	option	
7	Induced Vaginal Delivery	option	↗
6	Breech extraction (vaginal)	option	↗
2	Vacuum extraction	option	↗
3	Forceps extraction	option	↗
4	Elective Ceasarian Section (ELCS)	option	↗
5	Emergency Ceasarian Section (EMCS)	option	↗
Six	HR Remained below 60 so CPR stopped	option	↗

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



stopped

Suc	HR came above 100 and baby improved CPR stopped	option	↗
Resp	HR came above 100 gasping respirations only BVM cont	option	↗
-1	-1	option	↗
0	0	option	↗
1	1	option	↗
2	2	option	↗
3	3	option	↗
4	4	option	↗
5	5	option	↗
0	0 = normal	option	↗
1	1 = hypertonia	option	↗
2	2 = hypotonia	option	↗
3	3 = flaccid	option	↗
0	0 = Alert	option	↗
1	1 = Hyperalert/stare	option	↗
2	2 = Lethargic	option	↗
3	3 = Comatose	option	↗
0	0 = none	option	↗
1	1 = 2 or less per day	option	↗
2	2 = More than 2 per day	option	↗
1	1 = Fisting	option	↗
2	2 = Strong distal flexion	option	↗
3	3 = Decerebrate	option	↗
1	1 = Partial	option	↗

You're in **view** mode [Switch to **development** mode](#)

v5282

david.delorenzo



1	1 = Poor	option	
2	2 = Absent or with bites	option	
1	1 = Hyperventilation	option	
2	2 = Brief apnoea	option	
3	3 = Apnoea needing ventilatory support	option	
1	1 = full	option	
2	2 = tense	option	
GMO	Government Medical Officer	option	
HMO	Hospital Medical Officer	option	
SHO	Senior House Officer	option	
SRMO	Senior Resident Medical Officer	option	
HCA	Health Care Assistant	option	
MedSt	Medical Student	option	
NS	Nursing Student	option	
NM	Nurse Midwife	option	
NO	Nursing officer	option	
N	Nurse	option	
COS	Clinical Officer Student	option	
COIn	Clinical Officer Intern	option	
CO	Clinical Officer	option	
PaeReg	Paediatric Registrar	option	
NeoReg	Neonatal Registrar	option	
MedReg	Medical Registrar	option	
PaeCon	Paediatric Consultant	option	
NeoCon	Neonatal Consultant	option	

You're in **view** mode Switch to **development** mode

v5282		david.delorenzo		
MM	Dr Marcia Mangiza	option		
CR	Dr Christine Rambanapasi	option		
LC	Dr Leann Chakawata	option		
TM	Dr Tichasvika Mwoyofiri	option		
SHO	SHO	option		
R	Registrar	option		
SR	Senior Registrar	option		
C	Consultant	option		